VOL. 21 NO. 2, PT. 2

CONTRIBUTIONS *from* BOYCE THOMPSON INSTITUTE

INDEX
VOLUMES 11-20
1939-1960

COMPILED BY
JOAN DEFATO

BOYCE THOMPSON INSTITUTE FOR PLANT RESEARCH, INC.
Yonkers 3, New York
Printed Quarterly at Menasha, Wisconsin

INDEX

VOLUMES 11–20

1939–1960

Abies: viability of seeds after storage in sealed containers at low temperature, **17**:88
  water-conducting system in, **20**:27
Abies concolor: movement of injected dyes in, **20**:7
Absorption: leaf immersion technique, **15**: 165
Absorption of water: relation to seed germination, **17**:9, 11
Acer platanoides: growth regulants in bark, **20**:381
    in flowers, **20**:381
  leaves, biochemical changes in, **19**:245
    chromatography of, **19**:235
Acetonitrile: effects on non-dormant potato tubers, **11**:39
Acetylation of sulfanilamide: effect of 5-nitrofurans on, **20**:265
Acids, organic: in *Agave*, **20**:239
  in aging roses, **20**:121
  in bean rust uredospores, **20**:74
  effect on growth of wheat roots, **15**:429
  metabolism, effect of 5-nitrofurans on, **20**:265
  in *Neurospora sitophila* conidia, **19**:367
  nonketo, in rose tissues, **19**:333
    in tobacco plants, **19**:94
  oxidation and accumulation by conidia of *Neurospora sitophila*, **18**:125
  in peach seeds, **20**:373
  in stem rust fungi, **19**:26
  in uredospores of leaf rust fungi, **19**:22
  in wheat leaves, **19**:1
Aconitic, trans acid: in wheat leaves, **19**:6
Acrylic acids, α-cyano-: effect of substituents on, **18**:237
Adenine: effects on dormancy in buds, **12**: 195
Adenosine polyphosphates: content in *Neurospora sitophila* conidia, **19**:365
  in spores of various fungi, **19**:367
Aedes aegypti: improvements in culturing larvae, **19**:321
  insecticide bioassay with, **16**:453; **17**:57, 317, 384; **18**:69
  photomigration of larvae, **17**:67, 439
  rates of inactivation of larvae by toxicants, **17**:62, 72, 446
  rearing of larvae, **17**:57, 319
Aerosol OT: control of holly leaf miner, **12**: 119
  effects on efficiency of insecticides, **11**:465
Aerosols: cyclethrin and synergists in, **18**:11
  growth substances, **13**:313
After-ripening of seeds: as affected by growth substances, **11**:229
  Convallaria majalis, **12**:277
  Impatiens balsamina, **12**:203
  peach, **13**:415
  Smilacina racemosa, **12**:277
  Symphoricarpos orbiculatus, **12**:301
  Symphoricarpos racemosus, **12**:485
  tree peony, changes in free amino acid content, **19**:483
    effect on amino acid content, **19**:496
Agave toumeyana: biochemical studies of leaf and tissue cultures of, **20**:239
Age of seeds: effect on germination, **14**:229
    on survival of Douglas fir, **18**:29
    on survival of Western hemlock, **18**:33
Ageing: See Senescence
Air: analysis for fluorides, **18**:173
Air pollution: vegetation injury, **18**:267
Albumin: sulfhydryl groups in egg, **12**:103
Alcohols, long-chain: as growth substances from tobacco, **20**:283
Aldehydes, aromatic: paper chromatography of, **18**:299
Aldrin: recovery by steam distillation from plant lipids, **17**:393
  repression of toxicity to mosquito larvae by lipids, **17**:81
  T50 test for immobilization of mosquito larvae, **17**:441
Alfalfa: See *Medicago sativa*
Allen, R. C. Influence of aluminum on the flower color of *Hydrangea macrophylla* DC., **13**:221
Allerton, Joseph: See Guthrie, John D.
Allethrin: T50 test for immobilization of mosquito larvae, **17**:441

Alligator weed: See *Alternanthera philoxeroides*
Allium cepa: germination of seeds after storage under various conditions, **17**:93
  packeting effects on germination of seeds, **15**:341
  storage of seeds, **13**:35
Alternanthera philoxeroides: control by 2,4-dichlorophenoxyacetic acid, **16**:103
  control with aerial equipment, **16**:116
    with ground equipment, **16**:111
  2,4-dichlorophenoxyacetic acid effects, **15**:363
  growth and reproduction, **16**:91
Alternaria oleracea: effect of fungicides on mycelial pellets, **18**:483
    of fungicides on spores, **18**:47
    of silver uptake on germination, **17**:188
  endogenous and exogenous oxygen uptake, **18**:44
  equimolar formation of CO_2 and H_2S when mycelial pellets reduce sulfur, **18**:499
  germination of spores, effect of gibberellic acid on, **19**:293
  hydrogen sulfide production by and survival of spores exposed to elemental sulfur, **17**:161
  mean spore dimensions, **17**:154
  partial control by gibberellic acid, **19**:292
  spore size, **19**:308
  spore uptake of cerium, **17**:190
    of 2-heptadecyl-2-imidazoline, **17**:181
    of silver, **17**:187
  toxicity of benzene derivatives and quinones, **17**:275
    of copper sulfate to spore germination, **15**:77
    of S,S′-dialkyl xanthogenalkylenebis[dithiocarbamates] to, **20**:299
    of *s*-triazines, **18**:382
  used for slide-germination tests of fungicides, **14**:323
Alternaria solani: correlation between greenhouse and laboratory spore tests of fungicides on tomato, **13**:143
  greenhouse tests for control by Bordeaux mixtures, **19**:160
  induced sporulation in culture, **13**:323
  spore size, **19**:308
  toxicity of S,S′-dialkyl xanthogenalkylenebis[dithiocarbamates] to, **20**:299
    of 5-nitrofurans to, in relation to structure, **20**:142
  used for slide-germination tests of fungicides, **14**:323
  used in greenhouse tests of fungicides on tomato, **13**:93, 177
Amides: quantitative determination in plant extracts, **18**:467
Amino acid anlagen: in turtle serum, **20**:385
Amino acids: ability of *Blattella germanica* to synthesize, **17**:213
  in *Agave*, **20**:239
  in aging roses, **20**:121
  in bean rust uredospores, **20**:74
  chemical structures and dissociation constants, **18**:395
  descending paper chromatograms of, **15**:461
  in *Gammarus*, **20**:103
  in *Hexagenia bilineata*, **20**:103
  in male German cockroach, **17**:381
  plant extract, recovery from, **19**:241
  in polyploid *Plantago*, **18**:209
  qualitative requirements of *Blattella germanica* under aseptic conditions, **17**:203
  quantitative determination technique, **18**:467
  reactivity of, **18**:398
    with fungicides, **19**:172
  relation between basicity and nucleophilicity, **18**:408
  requirements for growth of several species of animals, **17**:212
  in rose tissues, **19**:45, 334
  in serum proteins, bovine, **19**:447
    human, **19**:452
    turtle, **20**:388
  in southern bean mosaic virus, **18**:371
  synthesis, effect of dithiobiuret on, **20**:93
  in tobacco leaves, **19**:98
  in tree peony seeds, accumulation at 5°C., **19**:486
    accumulation at greenhouse temperature, **19**:489, 496
    effect of gibberellic acid on, **19**:491
  in trout, **20**:103
  in wheat flours, **18**:477
Amino acids, free: in bean seeds, **18**:344
  maple leaf content, changes in, **19**:250
  in *Neurospora sitophila* conidia, **19**:368
  in Norway maple, **19**:236

pattern in tobacco, effect of cucumber mosaic virus on, **20**:308
of thiouracil on, **20**:308
in peach seeds, **20**:373
in senescence of roses, **19**:45
in tomato, effect of nitrogen source on, **20**:425
in tree peony seeds, effect of after-ripening on, **19**:496
Amino compounds: separating by two-dimensional paper chromatography, **19**:509
o-Aminobenzoic acid: in bean seeds, **18**:353
Ammonia: effects on bacteria, fungi, **11**:331
on green plants, **11**:343
on house flies, mice, rats, **11**:365
on seed germination, **11**:357
toxicity studies, **11**:325, 331, 343, 357, 365
Ammonium sulfamate: effectiveness as activator of 2,4-D, **15**:173
Ammonium thiocyanate: effectiveness as activator of 2,4-D, **15**:173
Amylases: activity determination, **17**:223
Anaphylaxis: test of tobacco mosaic, **11**:441
Anethum graveolens: effect of *Lygus oblineatus* on, **16**:280
embryolessness, **12**:157; **14**:283
effected by *Lygus* bugs, **15**:299
germination of seeds, **12**:157; **14**:283
Animal repellents: zinc dimethyldithiocarbamate-cyclohexylamine complex as deer repellent, **15**:411
Anise: See *Pimpinella anisum*
Anthelmintics of plant origin: as larvicides, **12**:127
Anthocyanin: in petals of Better Times roses, **19**:37
Anthracnose: prevalence in Iowa, **18**:89
Antibiotics: effect on plant growth, **17**:419
on seed germination, **17**:430
on seedling growth in the field, **17**:432
introduction into *Nicotiana tabacum* by wick method, **16**:398
tested *in vitro* on tobacco-mosaic virus, **16**:398
Antimetabolites: assessing joint action of, **18**:79
Antirrhinum majus: rust, See Snapdragon rust
Antiserum, horse: comparison of ability of different virus preparations to precipitate specific antibody, **14**:457
Aphid: See *Aphis*
Aphis fabae: synergism test of carbamate insecticides, **19**:502, 505
Aphis rumicis: contact insecticides of plant origin, **12**:127; **13**:243
Apical dominance: oxygen effects on freshly-harvested potato tubers, **13**:361
Apium graveolens: embryolessness, **14**:283
fluorine in, **19**:52
germination of seeds, **14**:283
Apple: See *Malus*
Apple replant problem, **20**:39
Apple scab fungus: See *Venturia inaequalis*
Arachis hypogaea: effect of ozone on, **20**:275
Arbutus, trailing: propagation, **11**:431
Aromatic biosynthesis: in rose, **20**:121
Arsenate of lead: See Lead arsenate
ARTHUR, JOHN M., and EDWARD K. HARVILL. Flowering in *Digitalis purpurea* initiated by low temperature and light, **12**:111
Intermittent light and the flowering of gladiolus and carnation, **11**:93
ARTHUR, JOHN M.: See also HARVILL, EDWARD K.; PRILL, EDWARD A.; SYNERHOLM, MARTIN E.
Artichoke: See *Helianthus tuberosus*
Aryl-acetic acids: as plant growth regulators, **20**:197
Aryloxyaliphatic acid derivatives: growth substance activity as affected by their structure, **14**:369
Arylsulfatase activity: in *Bacillus cereus* var. *mycoides*, **17**:145
Asarum canadense: dormancy and germination of seeds, **13**:259
Ascorbic acid: change during growth of asparagus, **14**:295
during growth of garden pea, **14**:295
during ripening of banana, **13**:201
during storage of asparagus, **14**:295
during storage of banana, **14**:295
comparison of methods for determination, **14**:295
effect of light on content, **14**:295
modified atmosphere storage effects on, in banana, **13**:201
relation of color to content in banana, **14**:295
Ash: *Neurospora sitophila* conidia, content in, **19**:362

- Asparagine: absorption characteristics, **18**:473
- *Aspergillus niger:* absorption of radioactivity from vapor of S^{35} labeled ferbam, **17**:503
  - conidia, disintegration, **19**:183
  - consecutive treatments with various toxicants, **17**:286
  - effect of fungicides on mycelial pellets, **18**:488
    - of fungicides on spores, **18**:47
    - of silver uptake on germination, **17**:188
  - endogenous and exogenous oxygen uptake, **18**:44
  - equimolar formation of CO_2 and H_2S when conidia reduce sulfur, **18**:499, 502
    - when mycelial pellets reduce sulfur, **18**:499
  - hydrogen sulfide production by and survival of spores exposed to elemental sulfur, **17**:161
  - mean spore dimensions, **17**:154
  - spore size, **19**:308
  - spore uptake of cerium, **17**:190
    - of 2-heptadecyl-2-imidazoline, **17**:181
    - of 2-heptadecyl-2-imidazoline, silver, cerium, and mixtures of these, **17**:289
    - of silver, **17**:187
  - toxicant distribution in spores, **19**:177, 183
  - use for determining availability of phosphorus and potassium in soil, **14**:411
- *Aspidium filix-mas:* extract as insecticide, **11**:1
- Assay apparatus: for testing chemicals as fumigants, **15**:127
- Aster: See *Callistephus chinensis*
- Aucubin: distribution in *Plantago* leaf, **18**:211
- Autoradiograms: sulfur metabolism of house flies, **19**:383
- Auxan: effects on germination of nondormant seeds, **11**:181
- Auxin: in dormant potato tubers treated with ethylene chlorohydrin, **11**:29
  - method of extracting from plant tissue, **17**:201
  - relation to dormancy in potato tubers, **11**:29
  - role in plant flowering, **17**:197, 401, 413; **18**:283
- *Avena:* response of sections to IMSA, **19**:258
- *Avena sativa:* effect of seed soaking, **16**:55
  - fluorine in, **19**:52
  - seedling production following soaking seeds in inorganic salts, **17**:16, 17
- Avocado: See *Persea*

- *Bacillus cereus* var. *mycoides:* action on Crag Herbicide I, **17**:143
  - activator of sodium 2-(2,4-dichlorophenoxy)ethyl sulfate, **16**:436
  - arylsulfatase activity of, **17**:145
  - effect of 2-(2,4-dichlorophenoxy)ethyl benzoate on activity in autoclaved soil, **17**:145
- Bacitracin: wheat root growth in solutions of, **17**:422
- BACK, R. C. The insecticidal activity of the eta isomer of 1,2,3,4,5,6-hexachlorocyclohexane, **16**:451
- Bacteria: as affected by ammonia, chlorine, hydrogen cyanide, hydrogen sulfide, and sulfur dioxide, **11**:331
- Bacteria, sulfate-reducing: effect of calcium carbonate on hydrogen sulfide production, **15**:437
  - effect of concentration of sodium chloride on hydrogen sulfide production, **15**:437
  - formation of metal sulfides, **16**:85
  - growth in presence of metal sulfides, **16**:87
  - isolation from drill cores from sulfur-bearing salt domes, **15**:437
  - medium for production of high concentrations of hydrogen sulfide, **15**:437
  - relation between rate and total quantity of hydrogen sulfide formed, **15**:437
  - stimulation of hydrogen sulfide production by various adjuvants, **15**:467
- Barium: toxicity in plants, correction by DL-methionine, **14**:443
  - use as a means of decreasing sulfate content in growing plants, **14**:443
- Barium sulfate, labeled: recrystallization of, **19**:225
- Barley: See *Hordeum vulgare*
- Banana: See *Musa sapientum*
- BARROWS, FLORENCE L. Cellulose mem-

branes from various parts of the plant kingdom, **11**:61
  Lamellate structure of cellulose membranes in cotton fibers, **11**:161
  Propagation of *Epigaea repens* L. II. The endophytic fungus, **11**:431
BARTON, LELA V. Effect of different storage conditions on the germination of seeds of *Cinchona Ledgeriana* Moens., **15**:1
  Effect of moisture fluctuations on the viability of seeds in storage, **13**:35
  Effect of presoaking on dormancy in seeds, **17**:435
  Effect of subfreezing temperatures on viability of conifer seeds in storage, **18**:21
  Germination of seeds of *Juniperus virginiana* L., **16**:387
  Growth response of physiologic dwarfs of *Malus Arnoldiana* Sarg. to gibberellic acid, **18**:311
  Life-span of frost-damaged corn seeds, **20**:403
  A note on the viability of seeds of maga, *Montezuma speciosissima*, **13**:423
  Relation of certain air temperatures and humidities to viability of seeds, **12**:85
  Relation of different gases to the soaking injury of seeds, **16**:55
  Relation of different gases to the soaking injury of seeds. II. **17**:7
  Seed packets and onion seed viability, **15**:341
  Seed storage and viability, **17**:87
  Some effects of treatment of non-dormant seeds with certain growth substances, **11**:181
  Some effects of treatment of seeds with growth substances on dormancy, **11**:229
  Some seeds showing special dormancy, **13**:259
  Special studies on seed coat impermeability, **14**:355
  Storage and packeting of seeds of Douglas fir and Western hemlock, **18**:25
  The storage of citrus seeds, **13**:47
  Storage of seeds of *Lobelia cardinalis* L., **20**:395
  Toxicity of ammonia, chlorine, hydrogen cyanide, hydrogen sulphide, and sulphur dioxide gases. IV. Seeds, **11**:357
  Viability of seeds of *Fraxinus* after storage, **13**:427
BARTON, LELA V., and CLYDE CHANDLER. Physiological and morphological effects of gibberellic acid on epicotyl dormancy of tree peony, **19**:201
BARTON, LELA V., and JEAN MACNAB FINE. Noninterference between effects of gibberellic acid and fungicides, **19**:291
BARTON, LELA V., and HELEN R. GARMAN. Effect of age and storage condition of seeds on the yields of certain plants, **14**:243
BARTON, LELA V., and A. GOENAGA. An electrical moisture meter for the determination of moisture in coffee beans, **16**:461
BARTON, LELA V., and JANET E. HOTCHKISS. Germination of seeds of *Eichhornia crassipes* Solms., **16**:215
BARTON, LELA V., and JEAN MACNAB. Effect of antibiotics on plant growth, **17**:419
  Relation of different gases to the soaking injury of seeds. III. Some chemical aspects, **18**:339
BARTON, LELA V., and ELTORA M. SCHROEDER. Dormancy in seeds of *Convallaria majalis* L. and *Smilacina racemosa* (L.) Desf., **12**:277
BARTON, LELA V., and MARIE L. SOLT. Growth inhibitors in seeds, **15**:259
BARTON, LELA V., and NORWOOD C. THORNTON. Germination and sex population studies of *Ilex opaca* Ait., **14**:405
BARTON, LELA V.: See also CHANDLER, CLYDE; FINE, JEAN MACNAB; GARMAN, HELEN R.; PRILL, EDWARD A.
BAUMGARTNER, LUTHER L., and STEPHEN E. POWELL. Zinc dimethyldithiocarbamate-cyclohexylamine complex as a deer repellent applicable to agricultural crops, **15**:411
BAUMGARTNER, LUTHER L., and BENJAMIN WOLF. Sodium isopropylxanthate as a new selective herbicide, **15**:403
BCA: See 1,3-Benzodioxole-2-carboxylic acid
BEALE, HELEN PURDY, and CAROLYN R. JONES. Virus diseases of tobacco mosaic

and potato yellow dwarf not controlled by certain purified antibiotics, **16**:395
Beale, Helen Purdy, and Mary E. Lojkin. A comparison of the infectivity of different preparations of tobacco-mosaic virus with their ability to precipitate specific serum antibody, **14**:457
Quantitative studies on the precipitin reaction of the tobacco-mosaic virus-antiserum system, **13**:385
Beale, Helen Purdy, and Beatrice Carrier Seegal. Normal-tobacco-plant protein and tobacco-mosaic-virus protein as anaphylactogens and precipitinogens in the guinea pig, **11**:441
Beale, Helen Purdy: See also Beale, J. H.; Lojkin, Mary E.
Beale, J. H., and Helen Purdy Beale. Transmission of a ringspot-virus disease of *Syringa vulgaris* by grafting, **17**:1
Bean: See *Phaseolus vulgaris*
Bean aphid: See *Aphis fabae*
Bean rust fungus: See *Uromyces phaseoli*
Beauvaria bassiana: culture and use for control of insect pests, **15**:319
Beet: See *Beta vulgaris*
Beimler, R.: See Vlitos, A. J.
Benoclor 3C: effectiveness as activator of 2,4-D, **15**:173
Benzene, 1-fluoro-2,4-dinitro-: reactivity of metabolites with, **19**:169, 417
of piperazine with, **20**:167
of piperidine with, **20**:167
stability in soil, **20**:205
Benzene derivatives: effect of chemical constitution on fungitoxicity and inhibition of amylases, **17**:274
1,4-Benzodioxan-6-acrylamide, *N*-isobutyl-: as pyrethrins extender, **18**:187
synthesis, **18**:189
1,3-Benzodioxole-2-carboxylic acids: plant physiological activity, **18**:457
preparation, **18**:454
properties, **18**:455
structure, **18**:461
Benzoic acid, chlorosubstituted: chemical structure and physiological activity, **16**:209
as growth regulator, **16**:419
Benzoic acid derivatives: chlorosubstituted, growth-regulating effects, **16**:209
growth regulating activity as affected by their structure, **12**:321
Benzoquinones: bacteriostasis, **16**:361
effect on amylases, **17**:225
on enzyme systems, **16**:362
Berberis Thunbergii: effect of presoaking of seeds on after-ripening and germination, **17**:436
as source of growth inhibiting substance, **15**:259
Beta vulgaris: effect of ozone on, **20**:275
respiration rate, **15**:47, 61
Bioassay, fungicide: toxicity of *s*-triazines, **18**:382
Bioassay, insecticide: determination of insecticides in food crops, **17**:384
joint action of antimetabolites, **18**:79
of binary mixtures, **18**:69
laboratory testing procedures for Sevin, **18**:508
rearing mosquito larvae for, **19**:321
replicate tests on diverse insecticides, **17**:67
reproducibility of photomigration tests, **17**:325
Sevin residues, **19**:295
synergism tests, **19**:501
Bioassay, plant growth: IMSA activity, **19**:255
Bisporangiate cones: in larch, **20**:107
Blaak, G.: See Owens, Robert G.
Black pepper: See *Piper*
Blattella germanica: amino acids, qualitative requirements under aseptic conditions, **17**:203
sex differences in requirements for, **17**:211
synthesis of, **17**:213
effects of irregular sex ratios on growth response data from nutritional assays, **16**:455
effects on growth of certain phenomena present during diet assays, **17**:215
insecticidal activity tests upon, **16**:453
oil sprays on, **18**:9
relation of sex to weight, **16**:456
routes of synthesis of cystine and methionine, **18**:117
sulfate utilization by, **18**:109; **20**:317
in synergism test of carbamate insecticides, **19**:502, 505
weight differences between sexes on control diet, **16**: 456

Blauvelt, William E.: See Hartzell, Albert
Block, Richard J. The approximate amino acid composition of wild and hatchery trout (*Salvelinus fontinalis*) and some of their principal foods (*Gammarus* and *Hexagenia bilineata*), **20**:103
Block, Richard J., and Stephen Keller. Interrelationships between serum protein fractions isolated by various techniques. Evidence for amino acid anlagen, **20**:385
Block, Richard J., and Richard H. Mandl. A comparative study of the amino acid composition of commercial samples of a high-protein and a low-protein wheat flour, **18**:477
Block, Richard J.: See also Haines, Thomas H.; Henderson, Richard; Henry, S. Mark; Hilchey, John D.; Keller, Stephen; Magdoff, Beatrice S.; Margolis, David
Bluestone, Henry: See Schuldt, Paul H.
Börner, Horst. The apple replant problem. I. The excretion of phlorizin from apple root residues, **20**:39
Borash, Andrew J.: See Haynes, Harry L.
Bordeaux mixture(s): age, effect on control of early and late blights of tomato, **19**:162
    effect on tenacity, **19**:147
  composition, **19**:279, 281, 285
    effect on crystallite growth, **19**:120
  concentration, effect on retention, **19**:151
  control of early and late blight of tomato in greenhouse test, **13**:93; **19**:157
    of snapdragon rust in greenhouse tests, **13**:367
  crystallite growth, effect of composition on, **19**:130
    effect of temperature on, **19**:118
    effect on tenacity, **19**:147
  crystallization rate, **18**:215, 219
  deposition of, **19**:142
  deterioration, **18**:216, 221
  hydrogel formations, **19**:271
  retention, influence of particle size, **19**:154
    rainfall test of, **19**:143, 155
  spray deposits, tenacity of, **19**:144
  spreaders, effect on tenacity, **19**:145
  stability, effect of copper-lime ratio, **19**:129
    of seeding, **19**:118
    of sulfate, **19**:127
  temperature, effect on crystallite growth, **19**:118
  X-ray diffraction patterns, **19**:275, 280, 282, 284
Botrytis cinerea: spore size, **19**:308
Brain of insects: insecticides effects on house flies, **14**:123
Brassica rapa: gas content of root tissue, **14**:257
  respiration rate, **15**:61
Broad bean: See *Vicia faba*
Browning: in dried apples, thiourea effects, **13**:57
  of plant tissues, thiourea prevents, **12**:309
Buchloe dactyloides: use in eastern United States, **13**:411
Buckwheat: See *Fagopyrum esculentum*
Buds: dormancy, See Dormancy in buds
  ethylene chlorohydrin, potassium thiocyanate effects on non-dormant potato tubers treated with growth substances, **11**:29
  growth substances effects on non-dormant potato tubers, **11**:29
Buds, adventitious: as affected by carbon dioxide, ethylene, **11**:127
Buffalo grass: See *Buchloe dactyloides*
Burchfield, H. P. Comparative stabilities of Dyrene, 1-fluoro-2,4-dinitrobenzene, dichlone, and captan in a silt loam soil, **20**:205
Burchfield, H. P., and Alvaro Goenaga. Equipment for producing simulated rain for measuring the tenacity of spray deposits to foliage, **19**:133
  Some factors governing the deposition and tenacity of copper fungicide sprays, **19**:141
Burchfield, H. P., J. D. Hilchey, and Eleanor E. Storrs. An objective method for insecticide bioassay based on photomigration of mosquito larvae, **17**:57
Burchfield, H. P., and George L. McNew. Mechanism of particle size effects of fungicides on plant protection, **16**:131
Burchfield, H. P., and Edward A. Prill. Characterization of the noncarbonyl

volatiles of vanilla by gas chromatography, **20**:217
  Characterization of vanilla and other plant extracts by paper chromatography, **20**:251
  Isolation of resins from vanilla by chloroform-amine extraction, **20**:135
Burchfield, H. P., Anna May Redder, Eleanor E. Storrs, and J. D. Hilchey. Improved methods for rearing larvae of *Aedes aegypti* (L.) for use in insecticide bioassay, **17**:317
Burchfield, H. P., and Joan Schechtman. Absorptiometric analysis of *N*-(trichloromethylthio)-4-cyclohexene-1,2-dicarboximide (captan), **19**:411
  Method for measuring the crystallization rate of Bordeaux mixture, **18**:215
Burchfield, H. P., Joan Schechtman, and Beatrice S. Magdoff. Effects of temperature and composition on crystallite growth in Bordeaux mixtures, **19**:117
Burchfield, H. P., and Paul H. Schuldt. Colorimetric method for the determination of 3,4-dichlorotetrahydrothiophene-1,1-dioxide (PRD), **19**:77
Burchfield, H. P., and Eleanor E. Storrs. Chemical structures and dissociation constants of amino acids, peptides, and proteins in relation to their reaction rates with 2,4-dichloro-6-(*o*-chloroanilino)-*s*-triazine, **18**:395
  A colorimetric method for the determination of 2,4-dichloro-6-(*o*-chloroanilino)-*s*-triazine, and related compounds, **18**:319
  Effects of chlorine substitution and isomerism on the interactions of *s*-triazine derivatives with conidia of *Neurospora sitophila*, **18**:429
  Group interactions in the reactions of piperazine and piperidine with 1-fluoro-2,4-dinitrobenzene, **20**:167
  Influence of pH and group interactions on the reactivities of metabolites and related compounds containing sulfhydryl groups, **19**:417
  Kinetics of insecticidal action based on the photomigration of larvae of *Aedes aegypti* (L.), **17**:439
  Partition of insecticides between N,N-dimethylformamide and hexane, **17**: 333
  Relative reactivities of 1-fluoro-2,4-dinitrobenzene and 2,4-dichloro-6-(*o*-chloroanilino)-*s*-triazine with metabolites containing various functional groups, **19**:169
Burchfield, H. P., and Frank Wilcoxon. Comparison of dosage-response and time-response methods for assessing the joint action of antimetabolites, **18**:79
Burchfield, H. P.: See also Hartzell, Albert; McNew, George L.; Magdoff, Beatrice S.; Storrs, Eleanor E.
Bush bean: See *Phaseolus vulgaris*

Cadmium: effect on O_2 uptake and germination of fungus spores, **18**:50
Calcium: effect on incidence of clubroot infection, **18**:334
  influence on response of wheat roots to Terramycin hydrochloride, **17**:428
Calcium hypochlorite: use in disinfesting seeds, **15**:211
Calcium pectate numbers of developing cotton fibers, **11**:403
Callistephus chinensis: effect of age and storage of seed on yield, **14**:243
  germination after storage under various conditions, **17**:96
Calomycterus setarius: United States infestations, **17**:334
Camellia japonica: fluorine content of leaves, **19**:50
Camellia sinensis: fluorine in, **19**:49
Capsicum frutescens: effect of age and storage of seed on yield, **14**:243
    of ozone on, **20**:275
  germination after storage under various conditions, **17**:93
Captan: absorptiometric analysis of, **19**:411
  effect on amino acid metabolism, **20**:184
    on endogenous metabolism, **20**:173
    on phosphorus metabolism, **20**:183
  inactivation of coenzyme A by, **20**:459
  mechanism of action of, **20**:171
  reaction with glutathione, **20**:486
    with 4-nitrothiophenol, **20**:481
    with thiophenol, **20**:485
  recovery from soil, **19**:414
  stability in soil, **20**:205
  tenacity of, **19**:139
Caraway: See *Carum carvi*

Carbamates: cholinesterase assay for, **19**:296
  residue analyses, **19**:295
  synergism of carbamate insecticides, **19**:501
Carbamic acid, ethylenebis[dithio-, manganese salt: See Maneb
Carbazides: chemical constitutions as related to polyphenol oxidase inhibition, **17**:482
Carbon, radioactive: used to study volatility of 2,4-D esters, **17**:397
Carbon dioxide: accumulation in potato tuber tissue, **14**:315
  changes caused by plant tissue in closed space, **14**:383
  dark fixation by bean rust uredospores, **20**:71
    by wheat rust uredospores, **20**:71
  effects as modified by temperature, **13**:65, 355
    on adventitious organ formation, **11**:127
    on ascorbic acid in banana, **13**:201
    on asparagus in storage, **14**:295
    on banana in storage, **14**:295
    on dormancy of seeds, **13**:487
    on germination of seeds, **13**:355
    on reducing sugar in potato tubers in storage, **12**:79
    on soaking injury of seeds, **16**:55; **17**:7; **18**:339
    on sugars in potato tubers in storage, **12**:361; **13**:73
    on sugars in some vegetables, **13**:295
  formation when fungus tissue reduces sulfur, **18**:497
  method of estimating content in plant tissue, **14**:257
  methods for measuring amount produced in plant respiration, **15**:47, 141
Carbon disulfide: absorption by bean tissue, **17**:305
  decomposition product of ferbam and nabam, **17**:306
  production by interaction of sulfyhdryl and disulfide compounds with dithiocarbamate-type fungicides, **17**:308
  uptake by green plants, **17**:300
Carbon tetrachloride: effects on germination of dormant potato tubers, **14**:1
Carnation: See *Dianthus caryophyllus*
CARROLL, ROBERT B. Activation of sodium 2-(2,4-dichlorophenoxy)ethyl sulfate, **16**:409
Carrot: See *Daucus carota*
Carum carvi: embryolessness, **14**:283
  germination of seeds, **14**:283
Castor bean: See *Ricinus communis*
Catalase: activity in sunflower leaf tissues, **18**:227
  comparative inhibition by various fungicidal chemicals, **17**:227
  effect on soaking injury of seeds, **18**:342
Catechol: effect on inhibition of polyphenol oxidase by fungicidal compounds, **17**:474
Cations, nontoxic: effect on wheat root growth in antibiotic solutions, **17**:428
Caulophyllum thalictroides: dormancy and germination of seeds, **13**:259
Celery: See *Apium graveolens*
Cell development: in jetbead seedlings treated with maleic hydrazide, **20**:447
  in normal and physiologically dwarfed seedlings of jetbead and peach, **20**:437
Cell sap: osmotic pressure of *Plantago ovata* plants, **18**:201, 213
Cellophane: physical properties, **12**:39
Cellulose: development of cotton fiber in relation to other boll constituents, **11**:105
  dispersion of cotton fibers in cuprammonium hydroxide, viscosity of such dispersions, **11**:403
  formation in cotton fiber plastids, **12**:181
    in *Halicystis* chloroplasts, **12**:181
  in various plant families, **11**:61
  lamellate structure of membranes, **11**:161
  method for measuring digestion of, by rumen microorganisms, **17**:337
  methylation of cotton fibers, **11**:55
  reducing sugars in developing cotton fibers, **11**:281
  X-ray studies of *Halicystis* membranes, **12**:31
    of *Valonia* cell walls, **12**:171
Cellulose, mercerized: in *Halicystis* membranes, **12**:31
Cephalosporium acremonium: endogenous and exogenous oxygen uptake, **18**:44, 47
  hydrogen sulfide formation by spores exposed to elemental sulfur, **17**:158
  spore size, **19**:308

  spore uptake of ferbam, **17**:186
    of 2-heptadecyl-2-imidazoline, **17**:181
Cercospora apii: effect of S,S′-dialkyl xanthogenalkylenebis[dithiocarbamates] on, **20**:299
Cerium: effect on O_2 uptake and germination of fungus spores, **18**:50
Chamaecyparis: water-conducting system of, **20**:27
Chamaecyparis lawsoniana: root rot caused by *Phytophthora cinnamomi*, **17**:359
CHAN, SHUK YEE: See MCCALLAN, S. E. A.
CHANDLER, CLYDE. Bisporangiate cones in larch, **20**:107
  The effect of gibberellic acid on germination and pollen-tube growth, **19**:215
  Flowering habits and fertility of some *Cinchona* species in Guatemala, **16**:249
  Improvement of *Plantago* for mucilage production and growth in the United States, **17**:495
  Induced polyploidy in horticultural varieties of *Verbena*, **18**:243
  The propagation of *Larix* from softwood cuttings, **20**:231
  Seed germination for some species of *Plantago*, **17**:265
CHANDLER, CLYDE, and LELA V. BARTON. Morphological and physiological studies of diploid and tetraploid *Plantago ovata* Forsk., **18**:193
CHANDLER, CLYDE: See also BARTON, LELA V.
CHANDLER, W. A.: See HARRY, J. B.
Chelation: Bordeaux mixture, **18**:216
  effect of EDTA on soybean growth, **18**:361
Chemicals: oxygen injury to seeds prevented by, **18**:340
Chemicals, trunk-injected: movement in conifers, **20**:27
Chemistry of plants: determination of fate of absorbed organic compounds as a means of study, **13**:185
Chimaera: account for new types, **16**:221, 224
Chitin: *Neurospora sitophila* conidia, content in walls of, **19**:362
Chloral cyanohydrin: absorbed by tomato roots is converted into β-2-trichloroethylgentiobioside, **12**:15
  forms β-2-trichloroethylgentiobioside in tobacco plants, **13**:185
  in tomato roots, **12**:15
Chloral hydrate: forms β-2-trichloroethyl-D-glucoside in corn, dandelion plants, **12**:465
    in *Lagenaria leucantha*, **12**:167
    in radish, **12**:359
    in tobacco plants, **13**:185
Chlordan: determination of traces in plant products, **17**:384
  joint action with heptachlor, **18**:70
  T50 test for immobilization of mosquito larvae, **17**:441
Chlorine effects: on bacteria, fungi, **11**:331
    on green plants, **11**:343
    on house flies, mice, rats, **11**:365
    on seed germination, **11**:357
  toxicity studies, **11**:325, 331, 343, 357, 365
Chlorobenzilate: rate of inactivation of mosquito larvae by, **17**:446
Chloroform-amine extraction of resins from vanilla, **20**:135
Chloro-IPC: See *O*-Isopropyl *N*-(3-chlorophenyl)carbamate
Chlorophenol, *o*-: forms β-gentiobioside in treated gladiolus corms, **12**:163
  is converted into a β-*o*-chlorophenyl-gentiobioside when absorbed by gladiolus corms, **11**:271
    by tomato roots, **11**:387
Chlorophenoxyacetic acid, 4-: formative effects on plants, **15**:421
Chlorophenyl dimethyl urea, *p*-: as germinative toxicant for *Setaria Faberii*, **16**:480
Chlorosis in hydrangea: aluminum effects, **13**:221
  iron effects, **13**:221
Chocolate: method for determination of particle size distribution in cocoa powders, **14**:325
  rapid method for evaluation of larger particles in cocoa powders, **14**:335
Cholinesterase: in house fly heads, **18**:463
  inhibition, **18**:511
Cholinesterase assay: carbamates, **19**:296
Chromate complexes: as fungicides, **16**:375
  mammalian toxicology, **16**:7
  as seed protectants, **16**:5
  solubility behavior, **16**:375
Chromatograms: color development, **18**:468

Chromatograms, fluorescent: apparatus for photographing, **19**:107
Chromatography, cellulose ion-exchange: proteins, **19**:452
Chromatography, gas: of vanilla, **20**:217
Chromatography, paper: of amino acids in bean seeds, **18**:344
  descending, **19**:461
  in southern bean mosaic virus, **18**:372
  in tissues of cockroach, **17**:208
  in wheat flour, **18**:477
 of aromatic aldehydes, **18**:299
 of *Blattella germanica* hydrolysates, **18**:113, 117
 of indole compounds in bean seeds, **18**:351
  in plant tissues determined by, **17**:197
  in tobacco, **18**:287
 of *Neurospora sitophila* conidial homogenates, **18**:137
 Plantago ovata analyses, **18**:203
 recovery of added indole-3-acetic acid and tryptophan from tomato tissue determined by, **17**:403
 removal of interfering substances, **19**:231
 of sugar content of bean seeds, **18**:349
 technique for quantitative determination of amino acids in plant extracts, **18**:465
 two-dimensional, separating sulfur and nonsulfur amino compounds by, **19**:509
 of vanilla, **20**:251
Chromatography, partition: use of fluorescence for the estimation of substances separated on paper, **18**:167
Chromosomes, living: *Epigaea repens* root tips as source, **11**:431
Chrysanthemum: effect of ozone on, **20**:275
Cinchona: breeding, **16**:253
 pollen storage, **13**:281
Cinchona Calisaya: flowering habits, **16**:252
Cinchona Ledgeriana: effect of storage conditions on germination of seeds, **15**:1
 flowering habits, **16**:251
Cinchona succirubra: flowering habits, **16**:252
Cinephotomicrography: *Lygus* feeding on carrot root tissue, **17**:348, 350
Cinnamic acids, α-cyano-: terminal growth suppression by, **18**:231
Citric acid: in tobacco plants, effect of thiouracil on concentration, **19**:96
 in wheat leaves, **19**:6
Citrus: storage of seeds, **13**:47
Clubroot infection: determining incidence of, **18**:333
CMU: See *p*-Chlorophenyl dimethyl urea
Cocklebur: See *Xanthium canadense*
Cockroach, German: See *Blattella germanica*
Cocoa: method for determination of particle size distribution in cocoa powders, **14**:325
 rapid method for evaluation of larger particles in cocoa powders, **14**:335
COE, R. R.: See MAVRODINEANU, R.
Coenzyme A: inactivation by captan, **20**:459
  by cysteine and thiophenol, **20**:468
  by dichlone, **20**:459
 reaction with dichlone, **19**:477, 480
Coffee in "coco": adjustment of moisture content in samples, **16**:462
 determination of moisture content, **16**:462
Colchicine: polyploidy induced in *Plantago* by, **17**:193, 496
  in *Verbena* by, **18**:243
 seeds and seedlings treated with, **16**:257
Coleus Blumei: effect of 2,4-dithiobiuret on, **20**:83
  of ozone on, **20**:275
COLLINS, DONALD L.: See HARTZELL, ALBERT
Color in hydrangea: acidity of soil, aluminum, iron effects, **13**:221
Color in vegetables: carbon dioxide storage effects, **13**:295
Composting: effects on fertilizer value of garbage, **12**:269, 345
COMPTON, JACK. Properties of crystalline β-2-chloroethyl-*d*-glucoside, **11**:21
 Studies on the developing cotton fiber. III. The specific viscosity of cuprammonium hydroxide dispersions of developing cotton fibers and an estimation of the calcium pectate numbers, **11**:403
COMPTON, JACK, and FORREST E. HAVER, JR. Studies on the developing cotton fiber. I. Relation of development of crude cotton fiber to the other principal boll constituents, **11**:105
 Studies on the developing cotton fiber. II. Identification and estimation of the reducing sugars, **11**:281

Conifer seeds: effect of storage on, **18**:36
    of subfreezing temperatures on, **18**:21
  seedling production from seeds stored at −4° C., **17**:90
Conifers: water-conducting systems of, **20**:27
Connola, Donald P.: See Hartzell, Albert
Convallaria majalis: epicotyl dormancy, germination of seeds, **12**:277
Copper: Bordeaux mixture, **18**:217
  effect on mycelial pellets, **18**:489
    on O_2 uptake and germination of fungus spores, **18**:50
Copper alkyl dithiocarbamates: inhibition of polyphenol oxidase activity by, **17**:475
Copper chloride: enzyme inhibition by, **17**:227
Copper-dependent enzymes: inhibition by fungicides, **17**:221
Copper fungicides: See Bordeaux mixture; Cuprocide; Tennessee Copper "34"
Copper-lime ratio: effect on Bordeaux mixture stability, **19**:129
Copper sulfate: toxic effects on spore germination, **15**:77
Copper-zinc-chromate complex: development as potato fungicide, **15**:195; **16**:381
  enzyme inhibition by, **17**:227
  as seed protectant, **16**:6
Coral-berry: See *Symphoricarpos orbiculatus*
Coriander: See *Coriandrum sativum*
Coriandrum sativum: embryolessness, **14**:283
  germination of seeds, **14**:283
Corn: See *Zea mays*
Correction for geographic variation: method **15**:153
Cotton: See *Gossypium hirsutum*
Cotton fibers: development in relation to other boll constituents, **11**:105
    of cellulose membranes, **11**:161
  dispersibility in cuprammonium hydroxide, viscosity of such dispersions, **11**:403
  methylation, **11**:55; **13**:1
    X-ray studies, **13**:11
  reducing sugars during development, **11**:281
  structure of cellulose membranes, **11**:161
Cottonseed meal fertilizer: temperature effects on availability of insoluble nitrogen, **12**:213
Cotty, Val F. Respiratory metabolism of prepupae and pupae of the house fly, *Musca domestica* L., and of their homogenates, **18**:253
Cotty, Val F., and S. Mark Henry. Glutathione metabolism in DDT resistant and susceptible house flies, **19**:393
Cotty, Val F., S. Mark Henry, and John D. Hilchey. The sulfur metabolism of insects. III. The metabolism of cystine, methionine, taurine, and sulfate by the house fly, *Musca domestica* L., **19**:379
Cotty, Val F., and Leonard H. Weinstein. A simple method for the recrystallization of $BaS^{35}O_4$, **19**:225
Cotty, Val F.: See also Hartzell, Albert; Henry, S. Mark; Hilchey, John D.
Crab apple: See *Malus Arnoldiana*
Crag Herbicide I: See Sodium 2-(2,4-dichlorophenoxy)ethyl sulfate
Crocker, William. Will buffalo grass be useful in eastern United States?, **13**:411
Crocker, William, Norwood C. Thornton, and Eltora M. Schroeder. Internal pressure necessary to break shells of nuts and the role of the shells in delayed germination, **14**:173
Crocker, William: The man and scientist (January 27, 1874–February 11, 1950), **16**:1
Crops: outstanding diseases in the United States, **14**:105
Crops, food: determination of traces of chlordan and heptachlor in, **17**:383
Crosby, Donald G., and A. J. Vlitos. Growth substances from Maryland Mammoth tobacco: long chain alcohols, **20**:283
Crucifers: effect of nutrition on clubroot infection, **18**:334
Crystallite growth: Bordeaux mixtures, factors effecting, **19**:117
Crystallization: of Bordeaux mixture, **18**:215, 219
  of plant viruses, **18**:371
Cucumber: See *Cucumis sativus*
Cucumber mosaic virus: abnormalities produced in broad bean, **17**:465
  in cucumbers, **17**:455

in Easter lilies, **17**:457
in tulips, **17**:459
biochemical effect on tobacco, **19**:87; **20**:307
effect of thiouracil on tobacco infected with, **19**:91
Cucumis sativus: effect of antibiotics on germination and growth of, **17**:430
root suppression by plant growth regulants, **17**:129; **19**:260
symptoms produced by cucumber mosaic virus, **17**:455
Cucurbita pepo: gas content of fruit tissue, **14**:257
Cucurbita sativus: inhibition of root elongation, **16**:410
Culex quinquefasciatus: insecticidal effects of plant products, **15**:21
insecticides effects, **14**:341
larvicides of plant origin, **12**:127; **13**:243
CULLMANN, VICTOR: See SYNERHOLM, MARTIN E.
Cumulative error terms: in fungicide tests, **13**:135
Cunninghamella blakesleeana: use for determining availability of phosphorus and potassium in soil, **14**:411
Cuprammonium hydroxide: dispersibility of cotton fibers, viscosity of such dispersions, **11**:403
Cupric calcium sulfates, polybasic: crystallography and chemistry of, **19**:267
Cupric γ-chloroacetoacetanilide as a seed protectant, **16**:6
Cuprocide: compared with other fungicides in greenhouse control of early blight, late blight on tomato, **13**:93
of snapdragon rust, **13**:367
CUTLER, H.: See PHILLIPS, I. D. J.
Cyanuric chloride: fungicides created from, **18**:377
Cyclethrin: synergists for, **18**:6
synthesis of, **18**:2
Cyclic acetals derivatives: insecticidal effect, **14**:397
4-Cyclohexene-1,2-dicarboximide, *N*-(trichloromethylthio)-: See Captan
Cycloheximide: effect on oxygen uptake and germination of fungus spores, **18**:50
Cyphomandra betacea: common tomato grafted upon, **19**:375
Cypress, Lawson: See *Chamaecyparis lawsoniana*
Cysteine: effect of reversal on pancreatic amylase inhibition by quinones, **17**:233
fungicide reaction rate with, **19**:420
house fly metabolism, **19**:384
sulfhydryl groups in egg albumin, **12**:103
Cystine: analytical loss, **18**:112, 115
house fly metabolism, **19**:383
interaction with dithiocarbamate-type fungicides to produce CS_2, **17**:308
synthesis by *Blattella germanica*, **17**:213; **18**:109, 117
Cystine-S^{35}: house fly metabolism, **19**:191
Cytochrome c: house fly respiratory metabolism, **18**:258
Cytochrome oxidase: activity in sunflower leaf tissues, **18**:228
presence and activity in homogenates of conidia of *Neurospora sitophila*, **18**:148

2,4-D: See 2,4-Dichlorophenoxyacetic acid
Daintex: effects on efficiency of insecticides, **11**:465
Damping off: control by sodium cyanide in soils, **13**:463
Dandelion: See *Taraxacum officinale*
Daucus carota: carbon dioxide storage effects, **13**:295
effect of antibiotics on germination and growth, **17**:430, 432
embryolessness, **14**:283
germination of seeds, **14**:283
after storage under various conditions, **17**:93
Lygus feeding on root tissue, **17**:348
respiration rate, **15**:47
DDE: See Ethylene, 1,1-dichloro-2,2-bis(*p*-chlorophenyl)
DDT: effects on muscles, nerves of house flies, **13**:443
inactivation of mosquito larvae by, **17**:72
inheritance of tolerance in the house fly, **17**:105
joint action with methoxychlor, **18**:70
origin of resistance in the house fly, **19**:403
purification of detoxication enzyme, **18**:303
related compounds used as insecticides, **14**:341
T_{50} test for immobilization of mosquito larvae, **17**:441

  toxicity to immature stages of house fly, **17**:111
DDT analogues: tolerance of immature stages of the house fly, **17**:107
DDT-dehydrochlorinase: electrophoretic patterns, **18**:308
  purification from resistant house flies, **18**:303
  susceptible house flies' larvae, **19**:406
Decomposition products: ethylene, **15**:11
Deer repellent: zinc dimethyldithiocarbamate-cyclohexylamine complex, **15**:411
Delphinium: effect of gibberellic acid on pollen germination, **19**:216
    on pollen-tube growth, **19**:218
    of storage temperature on vaibility, **17**:99
Denny, F. E. Accumulation of carbon dioxide in potato tuber tissue under conditions for the continuous removal of the exhaled gas, **14**:315
  Changes in oxygen, carbon dioxide, and pressure caused by plant tissue in a closed space, **14**:383
  Effect of a few hours of chilling upon the germination of gladiolus corms subjected to an artificially prolonged rest period, **12**:375
  Effect upon plant respiration caused by changes in the oxygen concentration in the range immediately below that of normal air, **15**:61
  Favorable conditions for the treatment of dormant gladiolus cormels to increase germination, **14**:43
  Further tests of the use of the methyl ester of alpha-naphthaleneacetic acid for inhibiting the sprouting of potato tubers, **14**:15
  Gas content of plant tissue and respiration measurements, **14**:257
  Inactivation of the browning system in dried apples, **13**:57
  Inactivation of the browning system in frozen-stored fruit tissue, **12**:309
  Non-transference of virus disease in treatments of potato tubers to break dormancy, **14**:305
  Respiration rate of plant tissue under conditions for the progressive partial depletion of the oxygen supply, **14**:419
  The role of the surface micro-flora in measurements of the respiration rate of germinating seeds, **15**:211
  Semi-micro method for measuring the amount of oxygen consumed and carbon dioxide produced in plant respiration, **15**:47
  Suggested methods for measuring the carbon dioxide production of a large number of simultaneous samples, **15**:141
  Synergistic effects of three chemicals in the treatment of dormant potato tubers to hasten germination, **14**:1
  The use of methyl ester of α-naphthaleneacetic acid for inhibiting sprouting of potato tubers, and an estimate of the amount of chemical retained by tubers, **12**:387
Denny, F. E., John D. Guthrie, and Norwood C. Thornton. Effect of the vapor of the methyl ester of α-naphthaleneacetic acid on the sprouting and the sugar content of potato tubers, **12**:253
Denny, F. E., and Norwood C. Thornton. Carbon dioxide prevents the rapid increase in the reducing sugar content of potato tubers stored at low temperatures, **12**:79
  The effect of low concentrations of carbon dioxide upon the sugar content of potato tubers in cold storage, **13**:73
  Effect of post-harvest pre-storage conditions on the rate of development of sugar in potato tubers during subsequent cold storage, **13**:65
  Factors for color in the production of potato chips, **11**:291
  Interrelationship of storage temperature, concentration, and time in the effect of carbon dioxide upon the sugar content of potato tubers, **12**:361
  Potato varieties: sugar-forming characteristics of tubers in cold storage, and suitability for production of potato chips, **12**:217
  The third year's results on storage of potato tubers in relation to sugar content and color of potato chips, **12**:405
Denny, F. E., Norwood C. Thornton, and Eltora M. Schroeder. The effect of carbon dioxide upon the changes in the

  sugar content of certain vegetables in cold storage, **13**:295
DENNY, F. E.: See also THORNTON, NORWOOD C.
Densitometer, photovolt: adaptation for measurement of fluorescent substances, **18**:167
Depth of planting: effect on germination of *Setaria italica*, **16**:477
DE SILVA, DOROTHY STROUT: See FLEMION, FLORENCE
Desulfovibrio desulfuricans: See Bacteria, sulfate-reducing
D.H.S. Activator: effects on muscles, nerves of house flies, **13**:443
S,S′-Dialkyl xanthogenalkylenebis[dithiocarbamates]: as fungicides, **20**:299
Diallyl maleate: effectiveness as activator of 2,4-D, **15**:173
Dianthus caryophyllus: intermittent light effects, **11**:93
Diazinon: rate of inactivation of mosquito larvae by, **17**:446
Dichapetalum cymosum: fluorine in, **19**:53
Dichlone: See Naphthoquinone, 2,3-dichloro-1,4-
Dichloral urea: as germinative toxicant for *Setaria Faberii*, **16**:480
2,6-Dichlorobenzaldehyde: growth-regulating effects in *Lycopersicon esculentum*, **16**:420
2,6-Dichlorobenzoic acid: growth regulation in *Lycopersicon esculentum*, **16**:420
Dichloronaphthoquinone: particle size in relation to its fungitoxicity, **16**:163
2,6-Dichloro-3-nitrobenzoic acid: growth regulation in *Lycopersicon esculentum*, **16**:420
2,4-Dichlorophenoxyacetic acid: activation by various adjuvants, **15**:173
  biological tests for detection, **16**:439
  comparative effectiveness of different formulations, **17**:38
  comparative plant responses to different esters, **17**:256
  comparative volatility of esters, **17**:397
  as control for *Alternanthera philoxeroides*, **16**:103
    for *Eichhornia crassipes*, **16**:94
  correlation of response to dosages in tomato plants, **17**:51
  detection in soils treated with Crag Herbicide I, **17**:130, 142
    with Crag Herbicide I and 2-(2,4-dichlorophenoxy)ethanol, **17**:131, 142
    with 2-(2,4-dichlorophenoxy)ethanol, **17**:131
  determination of volatility of esters, **17**:243, 261
  effect of method of application to plants, **17**:49
  effects on water hyacinth, **15**:363
    on weeds, **14**:471
  evaluation of plant responses, **17**:246
  formative effects on plants, **15**:421
  leaf modification caused by sub-lethal doses, **16**:446
  methods of listing response of tomato plants, **17**:37
  quantitative method of measuring plant responses, **16**:225
  response of tomato plants to treatment in combination with indoleacetic acid **17**:35
2,4-Dichlorophenoxyacetic acid, polyethylene, polypropylene glycol esters of: herbicidal properties, **16**:267
2,4-Dichlorophenoxyacetic acid, triethanolamine salt of: as germinative toxicant for *Setaria Faberii*, **16**:480
ω-(2,4-Dichlorophenoxy)aliphatic acids: series of and effects as growth substances, **14**:369
2-(2,4-Dichlorophenoxy)ethanol: effect of treating soils on growth of tomato plants, **17**:140
  microbial action on, **17**:146
  possible mechanism of action as growth regulator, **16**:413
  relation to growth inhibition, **16**:410
  in soils treated with Crag Herbicide I, **17**:130
    with sodium 2-(2,4-dichlorophenoxy) ethyl sulfate, **17**:141
2-(2,4-Dichlorophenoxy)ethyl benzoate: action of *Bacillus cereus* var. *mycoides*, **17**:144
2-(2,4-Dichlorophenoxy)ethyl sulfate: determinations of 2-(2,4-dichlorophenoxy) ethanol and 2,4-D in treated soils, **17**:141
Dieldrin: T50 test for immobilization of mosquito larvae, **17**:441

Diets: amino acids for *Blattella germanica*, **17**:204
Digitalis purpurea: light, low temperature effects on flowering, **12**:111
Dilan: T50 test for immobilization of mosquito larvae, **17**:441
Dill: See *Anethum graveolens*
Dimethyldithiocarbamate and sulfur dichloride: reaction product of, as a seed protectant, **16**:6
4,5-Dimethyl-2-mercaptothiazole: fungitoxicity of some derivatives, **16**:261
S,S'-Dimethyl xanthogenethylenebis[dithiocarbamate]: as fungicide, **20**:299
2,4-Dinitro-6-cyclohexylphenol: rate of inactivation of mosquito larvae, **17**:446
2,4-Dinitrophenol: effect on *Neurospora sitophila* respiration, **19**:465
m-Dioxane, 2-(1,4-benzodioxan-6-yl)-5,5-diethyl-: as pyrethrins extender, **18**:187
  synthesis, **18**:189
m-Dioxane, 2-(3,4-methylenedioxyphenyl)-5,5-diethyl-: as pyrethrins extender, **18**:187
  synthesis, **18**:189
Diphenylthiourea: inhibition of polyphenol oxidase by, **17**:476
Diphenylurea: chemical constitution as related to polyphenol oxidase inhibition, **17**:482
Diploxylon: water-conducting system of, **20**:27
Disbudding: effects on cuttings treated with growth substances, **11**:127
  on polarity of cuttings, **11**:127
Disodium ethylenebisdithiocarbamate: decomposition of, **17**:305
  effect on urease activity, **17**:301, 309
  factors associated with fungitoxicity, **17**:299
  toxicity of vapor, **17**:310
  vegetable blight control, **16**:308
Distillation, steam: recovery of insecticide residues from plant extracts by, **17**:392
Disulfide compounds: effect on fungicide decomposition, **17**:308
2,4-Dithiobiuret: effect on biochemical components of coleus, **20**:83
  of cotton, **20**:83
  inhibition of polyphenol oxidase activity by, **17**:476
Dithiocarbamates: chemical constitutions as related to polyphenol oxidase inhibition, **17**:481
  decomposition and fungicidal effectiveness, **17**:299
Dithiocarbamic acid derivatives: as enzyme inhibitors, **17**:227
  as fungicides, **16**:303
  inhibition of fungus spores, **17**:485
  reduction of potassium ferricyanide by, **17**:234
Dithiooxamide: inhibition of polyphenol oxidase activity by, **17**:476
DNP: See 2,4-Dinitrophenol
DORAN, ANN: See OWENS, ROBERT G.
Dormancy in buds: adenine effects on peach, pear, **12**:195
  chemical sprays effects on peach, **12**:45
  glutathione effects on peach, pear, **11**:261; **12**:195
  growth substances effects, **11**:239
  yeast extracts effects on peach, pear, **12**:195
Dormancy in epicotyls: *Convallaria majalis*, **12**:277
  growth substances effects, **11**:229
  Smilacina racemosa, **12**:277
  tree peony, effect of gibberellic acid, **19**:201
Dormancy in gladiolus: chemical effects on germination, **14**:43
  ethylene chlorohydrin effects on germination of cormels, **14**:43
  respiration of corms after storage, **11**:421
  temperature effects, **12**:375
    on germination of cormels, **14**:43
Dormancy in potato tubers: carbon tetrachloride effects, **14**:1
  ethylene chlorohydrin effects, **11**:29, 261; **14**:1
  ethylene chlorohydrin, sodium thiocyanate, thiourea effects on tubers so treated, **12**:387
  ethylene dichloride effects, **14**:1
  glutathione effects, **11**:261
  growth substances effects, **11**:29
  methyl esters of naphthaleneacetic acid effects, **12**:253, 387; **14**:15
  non-transference of virus disease in treatments of potato tubers, **14**:305
  oxygen effects, **13**:361
  relation to auxin content, **11**:29
    to glutathione content, **11**:261

rooting at cut surface related to stage of dormancy, **11**:44
storage temperature effects on sprouting, **12**:405
Dormancy in seeds: *Asarum canadense*, **13**:259
carbon dioxide, oxygen effects, **13**:487
Caulophyllum thalictroides, **13**:259
effect of presoaking on, **17**:435
growth substances effects, **11**:229
Impatiens balsamina, **12**:203
peach, **13**:415
biochemical studies of, **20**:365
in *Plantago* spp., **17**:266
Polygonatum commutatum, **13**:259
rapid viability test, **15**:229
as related to growth inhibitors, **15**:259
Sanguinaria canadensis, **13**:259
Symphoricarpos orbiculatus, **12**:301
Symphoricarpos racemosus, **12**:485
tree peony, biochemical studies, **19**:483
Trillium erectum, **13**:259
Trillium grandiflorum, **13**:259
viability tests with 2,3,5-triphenyltetrazolium chloride, **15**:243
Dormancy in shoots: growth substances effects, **11**:239
Douglas-fir: See *Pseudotsuga menziesii*
DRESNER, EDGAR. Culture and use of entomogenous fungi for the control of insect pests, **15**:319
DUNN, E. E.: See GRUENHAGEN, R. H.
Dust deposition in vacuum bell jar duster, **16**:29
Dwarf seedlings: peach, **13**:415
Dwarfing: loop method for inducing, **11**:123
Dwarfs, physiological: growth response to gibberellic acid, **18**:311
stem elongation and leaf development of, **20**:57
Dyes, injected: movement of, **20**:7
Dyrene: See *s*-Triazine, 2,4-dichloro-6-(*o*-chloroanilino)-

EARLE, T. T.: See HITCHCOCK, A. E.
Early blight of tomato: See *Alternaria solani*
Easter lily: See *Lilium longiflorum*
EDTA: See Ethylenediaminetetraacetic acid
Eggplant: See *Solanum melongena*
Eichhornia crassipes: control by 2,4-dichlorophenoxyacetic acid, **16**:94
with aerial equipment, **16**:116
with ground equipment, **16**:111
2,4-dichlorophenoxyacetic acid effects, **15**:363
germination of seeds, **15**:363; **16**:215
growth and reproduction, **16**:91, 122
Electrical moisture tester (Universal): reliability in testing moisture content of coffee in "coco," **16**:463
Elm: See *Ulmus americana*
Embryo: See Seeds
Embryo culture: of peach, **20**:409
Embryolessness: See Seeds
Embryos, excised: effect of gases during soaking, **16**:64
germination of *Plantago amplexicaulis*, **17**:270
Empusa americana: culture and use for control of insect pests, **15**:319
Enzyme inhibition: as affected by chemical properties of inhibitor and nature of enzyme group, **17**:235
effect on reduction of sulfur by spores of *Neurospora sitophila*, **17**:163
by fungicides, **17**:221, 227
by metal-containing compounds, **17**:229
methods of testing, **17**:222
reversal of, **17**:233
Enzyme systems: effect of benzoquinones, **16**:362
of naphthoquinones, **16**:366
in homogenates of conidia of *Neurospora sitophila*, **18**:145
Enzymes: effect of incubation of chemicals, **17**:225
of Na_2EDTA on activity in soybean, **18**:367
patterns in soybean plants, **18**:358
plant and animal sources, pH optima, **19**:433
in resistant house flies, **18**:303
respiratory metabolism of house fly, **18**:259
sensitivity of, in relation to fungicide toxicity, **17**:239
Epicotyls: dormancy, See Dormancy in epicotyls
Epigaea repens: propagation, **11**:431
Epilachna varivestis: black pepper as a stomach poison, **13**:243
insecticidal effects of plant products, **15**:21

Epinasty: aerosol growth substances effects, **13**:313
  effects of extracts from plant tissues, **11**:127
Error terms: See Cumulative error terms
Erysiphe polygoni: spore size, **19**:308
  toxicity of 5-nitrofurans to, **20**:147
Esterases: affinity of Sevin for, **19**:297
Ethane, 1,1,1-trichloro-2,2-bis(*p*-chlorophenyl)-: See DDT
Ethane, 1,1,1-trichloro-2,2-bis(*p*-ethoxyphenyl)-: rate of inactivation of mosquito larvae, **17**:446
Ethylene: as a decomposition product of HETP, **15**:11
  effects on adventitious organ formation, **11**:127
    on ascorbic acid in banana, **13**:201; **14**:295
    on ascorbic acid in garden pea, **14**:295
    on rooting, **11**:143
Ethylene, 1,1-dichloro-2,2-bis(*p*-chlorophenyl): conversion from DDT, **18**:303
Ethylene, 1,1-difluoro-: plant growth-regulating effect, **18**:295
Ethylene chlorohydrin: effects on auxin content in dormant potato tubers, **11**:29
    on dormant potato tubers, **11**:29, 261
    on dormant potato tubers treated with methyl ester of naphthaleneacetic acid, **12**:387
    on germination of cormels, **14**:43
    on germination of dormant potato tubers, **14**:1
    on glutathione in potato tubers, **11**:261
    on inhibition in potato tubers treated with growth substances, **11**:29
  forms β-2-chloroethyl-D-glucoside in wheat plants, **12**:25
    β-glucoside in gladiolus corms, **12**:163
  non-transference in treatment of potato tubers to break dormancy, **14**:305
Ethylenediaminetetraacetic acid: effect on enzyme activities in soybean, **18**:366
  growth-regulating effects, **18**:357
  soybean growth response to, **18**:361
Ethylene dichloride: effects on germination of dormant potato tubers, **14**:1
Ethylenedioxyphenyl compounds: extenders for pyrethrins, **18**:187
N-(2-Ethylhexyl)bicyclo[2.2.1]-5-heptene-2,3-dicarboximide: effect on house flies, **15**:337
Experimental designs: fungicide testing, **12**:49; **13**:93, 367
  to increase accuracy of greenhouse studies, **11**:219
Exudate: chromatography of, **18**:208
  from leaves of *Plantago ovata*, **18**:194

Fagaramide: See 3,4-Methylenedioxycinnamamide, *N*-isobutyl-
Fagopyrum esculentum: respiration rate, **15**:211
FARR, WANDA K. Formation of microscopic cellulose particles in colorless plastids of the cotton fiber, **12**:181
FDNB: See Benzene, 1-fluoro-2,4-dinitro-
Fennel: See *Foeniculum dulce*
Ferbam: See Ferric dimethyldithiocarbamate
Fermate: See Ferric dimethyldithiocarbamate
FERRI, MARIO G. Preliminary observations on the translocation of synthetic growth substances, **14**:51
FERRI, MARIO G. and AUREA LEX. Stomatal behavior as influenced by treatment with β-naphthoxyacetic acid, **15**:283
Ferric chloride: enzyme inhibition by, **17**:227
Ferric dimethyldithiocarbamate: decomposition of, **17**:306, 308
  effect on urease activity, **17**:301, 309
  factors associated with fungitoxicity, **17**:299
  fruit disease control, **16**:306
  fungitoxicity on a spore weight basis, **17**:186
  in greenhouse control of early blight, late blight on tomato, **13**:93
    of snapdragon rust, **13**:367
  inhibition of polyphenol oxidase activity by, **17**:475
  reversal of toxicity, **17**:301, 308
  S^{35} uptake by fungus spores, **17**:186
    by green plants, **17**:300
Fertility: *Plantago* diploids and polyploids, **17**:500
Fertilizers: agronomic value and storage effects on various forms of insoluble nitrogen, **11**:393

  comparison of garbage, process tankage, manure, **12**:345
  garbage, **12**:269
  sodium cyanide, **13**:455, 479
  temperature effects on availability of insoluble nitrogen, **12**:213
Fertilizers, inorganic: incorporation with seeds by presoaking, **17**:7, 15, 17, 24
Fibers: See Cotton fibers
Field experiments: method for correcting for geographic variation, **15**:153
Filicin: as insecticide, **11**:1
Filixsäure: as insecticide, **11**:1
Finch, Nancy, and Albert Hartzell. Effects on mice of a diet containing methyl ester of α-naphthaleneacetic acid, **14**:69
Fine, Jean MacNab, and Lela V. Barton. Biochemical studies of dormancy and after-ripening in seeds. I. Changes in free amino acid content, **19**:483
Fine, Jean MacNab: See also Barton, Lela V.
Finn, Thomas P.: See King, Lawrence J.
Fir: See *Abies*
Fisher, Dorothy: See Prill, Edward A.
Flemion, Florence. Effect of temperature, light and gibberellic acid on stem elongation and leaf development in physiologically dwarfed seedlings of peach and *Rhodotypos*, **20**:57
  Effect of the addition of nitrogen upon germination of seeds of *Symphoricarpos racemosus*, **12**:485
  Further studies on the rapid determination of the germinative capacity of seeds, **11**:455
  Reliability of the excised embryo method as a rapid test for determining the germinative capacity of dormant seeds, **15**:229
Flemion, Florence, and Dorothy Strout de Silva. Bioassay and biochemical studies of extracts of peach seeds in various stages of dormancy, **20**:365
Flemion, Florence, and Esther Thayer Henrickson. Further studies on the occurrence of embryoless seeds and immature embryos in the Umbelliferae, **15**:291
Flemion, Florence, Myron C. Ledbetter, and Elizabeth Schaefer Kelley. Penetration and damage of plant tissues during feeding by the tarnished plant bug (*Lygus lineolaris*), **17**:347
Flemion, Florence, and Betty Travis MacNear. Reduction of vegetative growth and seed yield in umbelliferous plants by *Lygus oblineatus*, **16**:279
Flemion, Florence, Lawrence P. Miller, and Richard M. Weed. An estimate of the quantity of oral secretion deposited by *Lygus* when feeding on bean tissue, **16**:429
Flemion, Florence, and June Olson. *Lygus* bugs in relation to seed production and occurrence of embryoless seeds in various umbelliferous species, **16**:39
Flemion, Florence, and Elinor Parker. Germination studies of seeds of *Symphoricarpos orbiculatus*, **12**:301
Flemion, Florence, and Harriet Poole. Seed viability tests with 2,3,5-triphenyltetrazolium chloride, **15**:243
Flemion, Florence, Harriet Poole, and June Olson. Relation of *Lygus* bugs to embryoless seeds in dill, **15**:299
Flemion, Florence, and Peggy Lusses Prober. Production of peach seedlings from unchilled seeds. I. Effect of nutrients in the absence of cotyledonary tissue, **20**:409
Flemion, Florence, and Gloria Uhlmann. Further studies of embryoless seeds in the Umbelliferae, **14**:283
Flemion, Florence, and Elizabeth Waterbury. Embryoless dill seeds, **12**:157
  Further studies with dwarf seedlings of non-after-ripened peach seeds, **13**:415
Flemion, Florence, Richard M. Weed, and Lawrence P. Miller. Deposition of P^{32} into host tissue through the oral secretions of *Lygus oblineatus*, **16**:285
Flemion, Florence: See also Ledbetter, Myron C.
Flenner, A. L.: See Tisdale, W. H.
Flinn, Frederick B., and John M. Geary. Feeding tests with thiourea (thiocarbamide), **11**:241
Flotation Sulfur: in greenhouse control of early blight, late blight on tomato, **13**:93

of snapdragon rust, **13**:367
Flour beetle: See *Tribolium confusum*
Flower behavior: *Plantago*, **17**:496
Flower bud initiation: induced by photoperiods, **16**:178
Flower seeds: germination after storage under various conditions, **17**:96, 97, 99
Flowering: effect of Na_2EDTA on soybean, **18**:364
of vernalization and photoperiod on spinach, **18**:160
growth substances effects on non-dormant seeds, **11**:181
influence on flower formation, **15**:353
intermittent light effects on carnations, gladiolus, **11**:93
light, low temperature effects on *Digitalis purpurea*, **12**:111
loop method for inducing, **11**:123
of *Plantago ovata*, **18**:203
role of auxin in, **17**:197, 401, 413; **18**:283
triiodobenzoic acid effects, **12**:491; **15**:353
Flowmeter, glass: interchangeable capillaries, **18**:331
Fluorescence: estimation of substances separated on paper by partition chromatography, **18**:167
identification of substances on paper chromatograms with, **19**:107
Fluorescent radiation: effect on stability of 3-indoleacetic acid, **17**:406
Fluoride generator: operation of, **18**:18
Fluorides: determination in vegetation, **18**:419
photometric titration with thorium nitrate, **19**:289
sampling and analyzing air for, **18**:173
titration with thorium nitrate, **18**:181
Fluorides, volatile: detection in air, **18**:82
Fluorine: distillation, **17**:489
in leaves, **18**:276, 278; **19**:49, 52
in *Sedum* leaves, **20**:343
in seeds, **19**:52
in tomato, **20**:331
in various species of plants, **19**:49, 52
Fluosilicic acid: fumigating plants with, **18**:17
Fly spray: effectiveness on house fiies, **15**:337
Foeniculum dulce: effect of *Lygus oblineatus*, **16**:280
embryolessness, **14**:283
germination of seeds, **14**:283
photomicrographs of *Lygus* damage after feeding, **17**:354
Foliage: fungicides on, **18**:385
tenacity of spray deposits on, **19**:133, 144, 152
Food extracts: effect in repressing response of mosquito larvae to heptachlor, **17**:392
Formagen: term for growth substance, **12**:496
Fragaria: effect of ozone on, **20**:275
Frasch foundation: See Herman Frasch foundation for research in agricultural chemistry
Fraxinus: storage of seeds, **13**:427
Frost: effect on life-span of corn seeds, **20**:403
Frozen fruits: thiourea prevents browning in plant tissues, **12**:309
Fruit set: aerosol growth substances effects, **13**:313
Fumigation: plants with H_2SiF_6 and HF, **18**:17
Fungi: as affected by ammonia, chlorine, hydrogen cyanide, hydrogen sulfide, sulfur dioxide, **11**:331
comparison for suitability as test material for fungicides, **12**:49
comparison of O_2 consumption by spores and pellets, **18**:487
culture and use for control of insect pests, **15**:319
endogenous and exogenous O_2 uptake, **18**:44, 487
methods of obtaining mycelial pellets, **18**:484
spore volume, size distribution, **19**:314
spores, adenosine polyphosphate content, **19**:367
linear dimensions of, **19**:308
Fungi, anthracnose: characteristics, **18**:90
comparison on trees, **18**:85
growth, germination and oxygen uptake of spores, **18**:88
growth rates, **18**:96
life cycle studies of, **18**:102
Fungicidal: definition, **12**:451
Fungicidal action: of benzoquinones, **16**:359
of chromate complexes, **16**:375
influence of chemical structure on, **16**:261

  mechanism of, **16**:131
    of dithiocarbamic acid derivatives, **16**:308
    of heterocyclic nitrogen compounds, **16**:326
    of phenols, **16**:355
  of naphthoquinones, **16**:363
Fungicidal persistence as affected by particle size, **16**:143
Fungicides: accumulation by spores in mixed and consecutive treatment, **17**:283, 288, 289, 291
  causes of variations in spore germination tests, **12**:49
  chemical constitutions as related to inhibition of polyphenol oxidase activity, **17**:481
  chemical structure and effectiveness, **13**:153
  comparison of ED50 values of pellets and spores, **18**:489
    of greenhouse with laboratory tests, **13**:93, 135, 367
    of spraying methods, **11**:309
  copper sulfate effects on germination of spores, **15**:77
  copper-zinc-chromate complexes as potato fungicides, **15**:195
  correlations between laboratory and greenhouse tests, **13**:143
  cumulative error terms in tests, **13**:135
  decomposition of organic sulfur, **17**:307
  distribution in fungus spores, **19**:180
  economic aspects, **16**:295
  effects on mycelial pellets, **18**:487
    on oxygen uptake and germination of spores, **18**:39
    on oxygen uptake and viability of mycelial pellets, **18**:483
  enzyme inhibition by, **17**:227
  evaluation in exploratory tests, **13**:171
    with greenhouse foliage diseases, **15**:71
  extraction from treated spores, **17**:295
  factors associated with toxicity of organic sulfur, **17**:299
  fungicidal versus fungistatic action in tests, **12**:451
  gibberellic acid, simultaneous use with, **19**:291
  glyoxalidine derivatives, **14**:151, 161
  greenhouse method for testing phytotoxicity, **13**:172
    for testing with snapdragon rust, **13**:367
    for testing with wheat smut, **13**:143
    with tomato foliage diseases, **13**:93
  improved equipment for laboratory evaluation, **15**:71
  interaction of, with sulfhydryl and disulfide compounds to produce CS_2, **17**:308
  laboratory studies on glyoxalidine derivatives as foliage fungicides, **14**:151
  mechanics of action of elemental sulfur, **17**:151
  methods of obtaining spores for tests, **11**:5
  nature of action, **17**:221, 273, 473
  orange juice effects on activity, **12**:451
  polymeric organic polysulfides, **14**:203
  rate of uptake and toxic dose on a spore weight basis, **17**:173
  reaction rates with cysteine, **19**:420
    with glutathione, **19**:423
    with glycine, **19**:425
    with sulfhydryl groups, **19**:172
  relative resistance of different fungus species in relation to chemical structure, **13**:153
  as seed protectants, **15**:91
  sodium cyanide effects on soil microorganisms, **13**:463
  stability in soil, **20**:205
  statistical evaluation of greenhouse tests, **13**:93, 177, 367
    of various tests, **13**:135, 143
  substituted *s*-triazines, **18**:377, 429
  techniques in testing, **16**:27, 300
  temperature tests, **12**:431
  tenacity, **19**:139, 144, 151
    equipment for measuring, **19**:133
  time effects in tests, **12**:431, 451
  toxicity curves, **12**:49, 431, 451
  uses in the United States, **14**:105
Fungicides, copper: tenacities of, **19**:141
Fungicides, wettable: effect on spores of *Neurospora sitophila*, **18**:55
Fungistatic: definition, **12**:451
Fungitoxicity: of dichloronaphthoquinone in diverse formulations, **16**:166
  of substituted *s*-triazines, **18**:377, 442
Fungus spores: age affects infectivity, **13**:111
  determination of volumes and size distribution, **19**:303
  effects of copper sulfate on germination, **15**:77

induced in *Alternaria solani* cultures, **13**:323
methods of obtaining, **11**:5
reactions to chemically related compounds, **13**:153

Gammarus: amino acids of, **20**:103
Garbage: fertilizer value, **12**:269, 345
processing for fertilizer use, **12**:269
GARMAN, HELEN R., and LELA V. BARTON. Germination of seeds of *Panicum anceps* Michx., **14**:117
Response of lettuce seeds to thiourea treatments as affected by variety and age, **14**:229
GARMAN, HELEN R.: See also BARTON, LELA V.
Gas chromatography: See Chromatography, gas
Gases: relation to soaking injury of seeds, **17**:7, 15; **18**:339
Gases, industrial: effects on bacteria, fungi, **11**:331
on green plants, **11**:343
on house flies, mice, rats, **11**:365
on seed germination, **11**:357
toxicity studies, **11**:325, 331, 343, 357, 365
GEARY, JOHN M.: See FLINN, FREDERICK B.
Genetron 150: See Ethylene, 1,1-difluoro-
Gentiobiose: formation in tomato plants, **11**:387
Gentiobioside, β-: formed in gladiolus corms treated with *o*-chlorophenol, **12**:163
Gentiobioside, β-*o*-chlorophenyl-: formed from absorbed *o*-chlorophenyl, by gladiolus corms, **11**:271
by tomato roots, **11**:387
Gentiobioside, heptaacetyl and heptapropionyl β-*o*-chlorophenyl-: prepared from tomato roots, **11**:387
synthesis, **11**:271
Gentiobioside, heptaacetyl β-2-trichloroethyl-: synthesis, **12**:15
Gentiobioside, heptapropionyl β-2-trichloroethyl-: synthesis, **12**:15
Gentiobioside, β-2-trichloroethyl-: formed in gladiolus corms treated with trichloroethyl alcohol, **12**:29
in tobacco plants treated with chloral hydrate, **13**:185
in tomatoes absorbing chloral cyanohydrin, chloral hydrate, trichloroethyl alcohol, **12**:15
Geranium: effect of ozone on, **20**:275
German cockroach: See *Blattella germanica*
Germination inhibitors, **16**:479
Germination of embryos: from peach seeds, **20**:411
Germination of nuts: internal pressure necessary to break shell, **14**:173
Germination of pollen: *Cinchona*, **13**:281
effect of gibberellic acid, **19**:215
Lilium, **18**:154
Germination of seeds: after-ripening effects, **14**:117
after storage under various conditions, **17**:87
ammonia, chlorine effects, **11**:357
carbon dioxide storage effects, **13**:355
chemical effects on, **15**:311
on seed coat, **14**:355
Convallaria majalis, **12**:277
dill, **12**:157
Douglas fir, **18**:28
effect of alternate wetting and drying, **16**:477
of antibiotics on, **17**:430
of chemical soil treatments on *Setaria Faberii*, **16**:479
of gases during soaking, **16**:56
of planting depth, **16**:472
of presoaking on, **17**:435
of pretreatment of stored elm seeds on, **17**:91
of soaking in inorganic salt solutions, **17**:15, 18, 20, 24
of sodium 2,4-dichlorophenoxyacetate in soil, **16**:196
of sodium 2,4-dichlorophenoxyethyl sulfate in soil, **16**:196
of temperature on *Setaria Faberii*, **16**:472
embryolessness effects, **12**:157; **14**:283
Epigaea repens, **11**:431
growth substances effects, **11**:181, 207, 229
hydrogen cyanide, hydrogen sulfide effects, **11**:357
Ilex opaca, **14**:405
Impatiens balsamina, **12**:203
impermeability of seed coat, **14**:355
Juniperus virginiana, **16**:387

  - nitrogen effects on *Symphoricarpos racemosus*, **12**:485
  - organic acid effects, **15**:429
  - packeting effects, **15**:341
  - *Panicum anceps*, **14**:117
  - *Plantago* spp., **17**:266
  - rapid viability test, **11**:455
  - relation of different gases to soaking injury **17**:7, 22; **18**:340
  - response to thiourea treatment, **14**:229
  - *Smilacina racemosa*, **12**:277
  - storage effect on *Cinchona Ledgeriana*, **15**:1
    - on corn, **20**:403
    - on dandelion seeds, **17**:95
    - on *Eichhornia crassipes*, **16**:218
    - on flower seeds, **17**:95, 97
    - on *Lobelia cardinalis*, **20**:395
    - on *Rhodotypos*, **20**:63
    - on tree seeds, **17**:89, 91
    - on vegetable seeds, **17**:93
  - storage temperature, effect on conifer seeds, **18**:22
  - sulfur dioxide effects, **11**:357
  - sulfuric acid effects, **14**:117
  - *Symphoricarpos orbiculatus*, **12**:301
  - talc effects, **11**:207
  - Umbelliferae, **14**:283
  - vernalized spinach, **18**:159
  - water absorption capacity not related to germinability, **12**:85
  - water hyacinth, **15**:363
  - Western hemlock, **18**:33
  - See also Dormancy in seeds; Seed storage
- Germination of spores: causes of variations in fungicide tests, **12**:49
  - effect of fatty acids, **18**:97
    - of fungicides, **18**:39
    - of pH, **18**:100
    - of relative humidity and water film, **18**:100
  - inhibition, **17**:273, 485
    - by *s*-triazines, **18**:391, 440
  - orange juice effects, **12**:451
  - quantities of sulfur required to prevent, **17**:160
  - reversal of inhibition, **18**:443
  - temperature effects, **12**:431
  - time effects, **12**:431, 451
  - variations in different species, **12**:431
- Giant foxtail grass: See *Setaria Faberii*
- Gibberellic acid: effect of light on action of, **19**:56
    - of the shoot apex on action of, **19**:55
  - effect on epicotyl dormancy of tree peony, **19**:201
    - on free amino acid content of tree peony seeds, **19**:491
    - on germination and pollen-tube growth, **19**:215
  - growth promoting properties, **18**:311
  - growth responses of tree peony, **19**:202
  - influence on endogenous growth substances of pea, **20**:111
  - morphological effects on epicotyl of tree peony, **19**:206
  - simultaneous use with fungicides, **19**:291
- Gibberellin: effect on physiologically dwarfed peach seedlings, **20**:67
  - on *Rhodotypos* seeds, **20**:68
- Gifblaar: See *Dichapetalum cymosum*
- Ginger, wild: See *Asarum canadense*
- *Gladiolus:* dormancy, See Dormancy in gladiolus
  - effect of ozone on, **20**:275
  - gas content of fruit tissue, **14**:257
  - β-gentiobioside and β-glucoside formed on treatment with *o*-chlorophenol and ethylene chlorohydrin, **12**:163
  - germination after storage under various conditions, **17**:97, 99
  - intermittent light effects, **11**:93
  - respiration of corms after storage, **11**:421
  - temperature effects on dormancy, **12**:375
  - β-2,2,2-trichloroethyl-gentiobioside formed on treatment with trichloroethyl alcohol, **12**:29
- *Gloeosporium quercinum:* conidial isolates, **18**:87
  - size of conidia, **18**:91
  - typical conidia of, **18**:93
- *Glomerella cingulata:* comparative toxicity of sulfur and hydrogen sulfide to, **17**:163
  - consecutive treatments with various toxicants, **17**:286
  - mean spore dimensions, **17**:154
  - rate of hydrogen sulfide formation by spores exposed to elemental sulfur, **17**:158
  - spore size, **19**:308
  - spore uptake of cerium, **17**:190
    - of 2-heptadecyl-2-imidazoline, **17**:181
    - of 2-heptadecyl-2-imidazoline, silver, cerium, and mixtures of these, **17**:290

Glucose: component of disaccharide obtained from dandelion, **19**:113
  in rose petal tissues, **19**:39
β-Glucoside: formed in gladiolus corms treated with ethylene chlorohydrin, **12**:163
Glucoside, β-2-chloroethyl-D-: formed in wheat plants grown in nutrient solution with ethylene chlorohydrin added, **12**:25
  properties, **11**:21
Glucoside, β-*o*-chlorophenyl-D- and tetraacetate: synthesis, **11**:25
Glucoside, β-2-trichloroethyl-D-: formed from chloral hydrate in corn, dandelion plants, **12**:465
    in *Lagenaria leucantha*, **12**:167
    in radish, **12**:359
    in tobacco plants treated with chloral hydrate, **13**:185
Glutathione: changes in dormant potato tubers treated with ethylene chlorohydrin, **11**:261
  effects on dormant buds, **12**:195
    on dormant peach, pear buds, **11**:261
    on dormant potato tubers, **11**:261
    on pancreatic amylase inhibition by quinones, **17**:233
  fungicide reaction rate with, **19**:423
  house flies, metabolism in, **19**:393
  interaction with dithiocarbamate-type fungicides to produce CS_2, **17**:308
Glycine: as source of growth inhibiting substance, **15**:259
Glycine, tritium-labeled: distribution in rusted Pinto bean leaves, **19**:349
Glycine max: EDTA toxicity symptoms, **18**:361
  effect of antibiotics on germination and growth, **17**:430
  enzyme activity measurement, **18**:360
  free indole compounds recovered from, **17**:415
  nitrogen metabolism, **18**:359
  photoperiodic treatment, **16**:185
  test for 3-indoleacetic acid in ether extract of leaf and stem tissue, **17**:201
Glycoside: formed in dandelion plants treated with chloral hydrate, **12**:465
β-Glycoside: formation by plant tissue serves as detoxication mechanism, **11**:271
  formation from *o*-chlorophenol absorbed by gladiolus corms, **11**:271
Glycoside, induced: dandelion tops, **19**:113
Glyodin: distribution in fungus spores, **19**:182
Glyoxalidine derivatives: factors influencing spray injury to *Pyrus malus*, **16**:21
  field studies of disease control on *Prunus cerasus*, **14**:161
    on *Pyrus malus*, **14**:161
    on *Rosa*, **14**:161
    on *Solanum tuberosum*, **14**:161
  use as foliage fungicides, **14**:151
  See also 2-Heptadecyl-2-imidazoline
Gnomonia veneta: conidial isolates, **18**:87
  size of conidia, **18**:91
GOENAGA, ALVARO: See BARTON, LELA V.; BURCHFIELD, H. P.
Gossypium: effect of storage temperature on seed viability, **17**:99
  S^{35} in leaves exposed to vapor from ferbam, **17**:304
Gossypium barbadense: methylation of fibers, **11**:55
Gossypium hirsutum: cellulose formation in plastids, **12**:181
  crude fiber development in relation to other boll constituents, **11**:105
  development of cellulose membranes, **11**:161
  dispersibility of fibers in cuprammonium hydroxide, viscosity of such dispersions, **11**:403
  effect of 2,4-dichlorophenoxyacetic acid, **16**:443
    of 2,4-dithiobiuret, **20**:83
  methylation of fibers, **11**:55
  reducing sugars in developing cotton fibers, **11**:281
  starch formation in chloroplasts, **12**:181
  structure of cellulose membranes, **11**:161
Grafts: tomato, **19**:375
Grape: See *Vitis*
Grasses: difference in phosphorus requirements, **14**:411
Grasshopper: See *Melanoplus differentialis*
GROVES, A. B.: See THURSTON, H. W., JR.
Growth, vegetative: reduction of, by *Lygus oblineatus*, **16**:280
Growth inhibition: effects of extracts from plant tissues, **11**:127
  growth substances effects, **11**:127

    - on non-dormant potato tubers, **11**:29
    - on seeds, **11**:181, 229
  - methyl ester of alpha-naphthaleneacetic acid, **14**:15
  - methyl ester of naphthaleneacetic acid effects in potato tubers, **12**:253, 387
  - talc effects on seeds, **11**:207
- Growth inhibitors: as related to dormancy, **15**:259
  - in seeds, **15**:259
- Growth regulators: activity as affected by mixture with talc, **11**:143, 207
  - aerosol method of application, **13**:273, 313
  - application of two to same plant, **16**:241
  - aryl-acetic acids, **20**:197
  - aryloxyaliphatic acid derivatives, **14**:369
  - benzoic acid derivatives, **12**:321
  - concentration range affecting non-dormant potato tubers, **11**:29
  - discussion of differences, **13**:263
  - effects of indole, naphthalene, and phenyl compounds compared, **11**:127
    - of mixtures on rooting, **11**:143
  - effects on formation of adventitious organs, **11**:127
    - on non-dormant potato tubers overcome by ethylene chlorohydrin, **11**:29
    - on seeds, **11**:181, 207, 229
    - on stomatal behavior, **15**:283
  - evaluation of individual responses to 2,4-dichlorophenoxyacetic acid by *Lycopersicon esculentum*, **16**:232
  - leaf immersion technique for studying absorption and translocation in plants, **15**:165
  - light effects on treated cuttings, **11**:127
  - in maple bark, **20**:381
  - in maple flowers, **20**:381
  - β-naphthoxyacetic acid, **12**:1
  - new type of nucleus for, **18**:453, 461
  - in peas, **20**:111
  - phenoxy acid derivatives, **15**:421
  - phenoxy aliphatic acid derivatives, **14**:91
  - phenoxy compounds, **12**:497; **14**:21
  - phenoxyacetic acid halogen derivatives, **12**:321
  - quantitative method of measuring response of plants, **16**:225
  - statistical procedures for evaluating induced responses, **16**:226
  - substituted benzoic acids, **16**:420
  - in tobacco, **20**:283
  - translocation in plants, **14**:51
  - triiodobenzoic acid, **12**:491; **15**:353
  - vitamin B_1, **12**:143
  - xylenoxy acids, **13**:273
  - See also specific compounds
- Gruenhagen, R. H., P. A. Wolf, and E. E. Dunn. Phenolic fungicides in agriculture and industry, **16**:349
- Guthrie, John D. Control of bud growth and initiation of roots at the cut surface of potato tubers with growth-regulating substances, **11**:29
  - A preparation from yeast that is active in breaking the rest period of buds, **12**:195
  - Rôle of glutathione in the breaking of the rest period of buds by ethylene chlorohydrin, **11**:261
  - Sprays that break the rest period of peach buds, **12**:45
- Guthrie, John D., and Joseph Allerton. Use of sulphur as a reagent for the estimation of the sulphydryl groups of egg albumin, **12**:103
- Guthrie, John D.: See also Denny, F. E.
- Guest, Howard R.: See Haynes, Harry L.
- Gwirtsman, J.: See Mavrodineanu, R.; Zimmerman, P. W.

- Haines, Thomas H., S. Mark Henry, and Richard J. Block. The sulfur metabolism of insects. V. The ability of insects to use sulfate in the synthesis of methionine, **20**:363
- *Halicystis:* cellulose formation in chloroplasts, **12**:181
  - membrane structure, **12**:31
  - physical properties of membranes, **12**:39
- Hammond's Weed Killer: effectiveness as activator of 2,4-D, **15**:173
- Harry, J. B., R. H. Wellman, F. R. Whaley, H. W. Thurston, Jr., and W. A. Chandler. Development of copper-zinc-chromate complexes as potato fungicides, **15**:195
- Harry, J. B.: See also Thurston, H. W., Jr.; Whaley, F. R.
- Hartzell, Albert. Additional tests of plant products for insecticidal properties and summary of results to date, **15**:21

  Adult life span animal feeding experiments with thiourea (thiocarbamide), **12**:471
  Biology of the holly leaf miner, **13**:17
  Effectiveness of *N*-(2-ethylhexyl)bicyclo-[2.2.1]-5-heptene-2,3-dicarboximide on houseflies, **15**:337
  Further tests on plant products for insecticidal properties, **13**:243
  Histological effects of certain sprays and activators on the nerves and muscles of the housefly, **13**:443
  The imported long-horned weevil, **17**:334
  Notes on the leafhoppers of Bermuda, **17**:378
  Periodical cicada, **17**:375
  Preliminary feeding experiments with thiourea (thiocarbamide), **11**:249
  Red pine scale with special reference to its host plants and coldhardiness, **18**:421
  Thiourea (thiocarbamide): adult life span feeding experiments with rats, **13**:501
  Two new hosts of *Matsucoccus* bark scale, **18**:281
  Vegetative propagation of red squill, **12**:481
Hartzell, Albert, H. P. Burchfield, and Val F. Cotty. Improvements in culturing larvae of *Aedes aegypti* (L.) for use in insecticide bioassay, **19**:321
Hartzell, Albert, Donald L. Collins, and William E. Blauvelt. Control of the holly leaf miner, **13**:29
Hartzell, Albert, Harry L. Haynes, and Donald P. Connola. Apparatus used in laboratory insecticide tests at Boyce Thompson Institute, **15**:131
Hartzell, Albert, and George F. McKenna. Preliminary experiments on the control of the holly leaf miner, **12**:119
  Vertical migration of Japanese beetle larvae, **11**:87
Hartzell, Albert, and Eleanor E. Storrs. Bioassay of insecticide spray residues in processed food, **16**:47
Hartzell, Albert, Eleanor E. Storrs, and H. P. Burchfield. Comparison of chemical and bioassay methods for the determination of traces of chlordane and heptachlor in food crops, **17**:383
Hartzell, Albert, and Muriel Strong. Histological effects of piperine on the central nervous system of the housefly, **13**:253
Hartzell, Albert, and Eleanor Wexler. Histological effects of sesamin on the brain and muscles of the housefly, **14**:123
Hartzell, Albert, and Frank Wilcoxon. The importance of wetting agents as affecting the toxicity of certain insecticides, **20**:421
  Tests on certain organic compounds for control of adult Japanese beetle, **11**:83
Hartzell, Albert, and Fredericka Wilcoxon. A survey of plant products for insecticidal properties, **12**:127
Hartzell, Albert: See also Finch, Nancy; Harvill, Edward K.; McKenna, George F.; Prill, Edward A.; Synerholm, Martin E.; Weedon, F. R.; Wilcoxon, Frank; Zimmerman, P. W.
Harvill, Edward K., and John M. Arthur. Toxicity of organic compounds to houseflies, **13**:79
Harvill, Edward K., Albert Hartzell, and John M. Arthur. Toxicity of piperine solutions to houseflies, **13**:87
Harvill, Edward K.: See also Arthur, John M.; Zimmerman, P. W.
Haver, Forrest E., Jr.: See Compton, Jack
Haynes, Harry L., Howard R. Guest, Harry A. Stansbury, Anthony A. Sousa, and Andrew J. Borash. Cyclethrin, a new insecticide of the pyrethrins-type, **18**:1
Haynes, Harry L., Joseph A. Lambrech, and Herbert H. Moorefield. Insecticidal properties and characteristics of l-naphthyl *N*-methylcarbamate, **18**:507
Haynes, Harry L.: See also Hartzell, Albert
Helianthus annuus: EDTA toxicity symptoms, **18**:361
  effect of seed soaking, **16**:55
  light effects on enzymes, **18**:225
  nitrogen metabolism, **18**:358
Helianthus tuberosus: carbon dioxide storage effects, **13**:295

  depletion of oxygen supply, effect on respiration, **14**:419
Helicopter: use for weed control in large areas, **16**:119
Henderson, Richard, Florence E. Horvat, and Richard J. Block. A simplified procedure for measuring cellulose digestion by rumen microorganisms, **17**:337
Hendrickson, W. H., and J. P. Vité. The pattern of water conduction and tracheidal alignment in Douglas-fir, **20**:353
Henrickson, Esther Thayer: See Flemion, Florence
Henry, S. Mark, and Richard J. Block. The sulfur metabolism of insects. IV. The conversion of inorganic sulfate to organic sulfur compounds in cockroaches. The role of intracellular symbionts, **20**:317
Henry, S. Mark, and Val F. Cotty. The rearing of aseptic adult house flies for physiological studies, **19**:227
Henry, S. Mark: See also Cotty, Val F.; Haines, Thomas H.; Hilchey, John D.
Hensley, W. H.: See Torgeson, Dewayne C.
Heptachlor: change in mosquito larvae resistance to, **17**:322
  detection in vegetables by chemical and bioassay methods, **17**:384, 387
  effect of additives on mosquito larvae, **17**:389
  joint action with chlordan, **18**:70
  recovery from volatile and nonvolatile lipids by steam distillation, **17**:393
  T50 test for immobilization of mosquito larvae, **17**:441
2-Heptadecenylglyoxalidine: factors influencing spray injury to *Pyrus malus*, **16**:22
2-Heptadecyl-2-imidazoline: effect on polyphenol oxidase activity, **17**:478
  factors affecting uptake by spores of *Neurospora sitophila*, **17**:176, 292
    by spores of *Venturia pyrina*, **17**:287
  fungitoxicity, **17**:175
  influence of previous uptake on spore uptake of cerium, **17**:286
Herbicides: volatility of, methods of determining, **17**:244
  See also Weed control
Herman Frasch foundation for research in agricultural chemistry. Paper: No. 202, **11**:1
  No. 203, **11**:5
  No. 204, **11**:25
  No. 205, **11**:29
  No. 206, **11**:83
Heterocyclic nitrogen compounds: effect on fungitoxicity, **16**:313
Heterostyly, **16**:251
HETP: See Hexaethyl tetraphosphate
1,2,3,4,5,6-Hexachlorocyclohexane: insecticidal activity of isomers, **16**:451
Hexaethyl tetraphosphate: toxic effects on insects and mites, **15**:11
  on plants, **15**:11
Hexagenia bilineata: amino acids in, **20**:103
Hexamethylene diisothiocyanate: removal of toxic factor from vapor of, **17**:311
Hilchey, John D. Studies on the qualitative requirements of *Blattella germanica* (L.) for amino acids under aseptic conditions, **17**:203
Hilchey, John D., and Richard J. Block. Quantitative amino acid composition of the German cockroach, *Blattella germanica* (L.), **17**:380
Hilchey, John D., Richard J. Block, Lawrence P. Miller, and Richard M. Weed. The sulfur metabolism of insects. I. The utilization of sulfate for the formation of cystine and methionine by the German cockroach, *Blattella germanica* (L.), **18**:109
Hilchey, John D., Val F. Cotty, and S. Mark Henry. The sulfur metabolism of insects. II. The metabolism of cystine-S^{35} by the house fly, *Musca domestica* L., **19**:189
Hilchey, John D., and Robert L. Patton. Effects of irregular sex ratios on growth response data from nutritional assays upon *Blattella germanica* (L.), **16**:455
Hilchey, John D.: See also Burchfield, H. P.; Cotty, Val F.
Hildebrand, E. M. Rapid transmission of yellow-red virosis in peach, **11**:485
Hitchcock, A. E. Percy W. Zimmerman (February 23, 1884–August 14, 1958), **20**:1

HITCHCOCK, A. E., and P. W. ZIMMERMAN. Activation of 2,4-D by various adjuvants, **15**:173
  Effects obtained with mixtures of root-inducing and other substances, **11**:143
  Further tests with vitamin B_1 on established plants and on cuttings, **12**:143
  Methods of rating the root-inducing activity of phenoxy acids and other growth substances, **14**:21
  A quantitative method of measuring response of plants to growth regulators, **16**:225
  Response and recovery of dandelion and plantain after treatment with 2,4-D, **14**:471
  Response of tomato plants to treatment with 2,4-dichlorophenoxyacetic acid in combination with indoleacetic acid and certain other compounds, **17**:35
  Root-inducing activity of phenoxy compounds in relation to their structure, **12**:497
HITCHCOCK, A. E., P. W. ZIMMERMAN, and HENRY KIRKPATRICK, JR. A simple, rapid biological method for determining the relative volatility of esters of 2,4-D and 2,4,5-T, **17**:243
HITCHCOCK, A. E., P. W. ZIMMERMAN, HENRY KIRKPATRICK, JR., and T. T. EARLE. Growth and reproduction of water hyacinth and alligator weed and their control by means of 2,4-D, **16**:91
  Water hyacinth: its growth, reproduction, and practical control by 2,4-D, **15**:363
HITCHCOCK, A. E.: See also LEDBETTER, MYRON C.; MAVRODINEANU, R.; MILLER, LAWRENCE P.; ZIMMERMAN, P. W.
HITCHCOCK, THOMAS S.: See VLITOS, A. J.
Holly leaf miner: See *Phytomyza ilicicola*
Hordeum: as source of growth inhibiting substance, **15**:259
Hordeum vulgare: effect of seed soaking, **16**:55
  3-indoleacetic acid in extracts of, **17**:201
  respiration rate, **15**:211
Hormones: See Auxin; Growth regulators
HORSFALL, JAMES G., and SAUL RICH. Fungitoxicity of heterocyclic nitrogen compounds, **16**:313
HORVAT, FLORENCE E.: See HENDERSON, RICHARD
HOTCHKISS, JANET E.: See BARTON, LELA V.
House fly: See *Musca domestica*
Humidity: effect on viability of stored *Lilium* pollen, **18**:155
Hydrangea macrophylla: color affected by acidity of soil, aluminum, iron, **13**:221
Hydrocinnamic acid, α-cyano-2,4-dichloro-: synthesis, **18**:233
  terminal growth suppression by, **18**:239
Hydrocyanic acid: control of soil microorganisms, **13**:463
  effects on ascorbic acid in banana, **13**:201
  released from sodium cyanide in soils, **13**:455, 463
Hydrofluoric acid: analyzing air for, **18**:178
  effects on plants, **18**:267
  fumigating plants with, **18**:17
Hydrofluosilicic acid: distillation from fluorides, **17**:492
Hydrogen cyanide effects: on bacteria, fungi, **11**:331
    on conidial respiration, **18**:137, 140
    on green plants, **11**:343
    on house flies, mice, rats, **11**:365
    on seed germination, **11**:357
  toxicity studies, **11**:325, 331, 343, 357, 365
Hydrogen-ion concentration: effect on activation of sodium 2-(2,4-dichlorophenoxy)ethyl sulfate, **16**:409
    on amino acid reaction rates, **18**:410
    on conversion of Crag Herbicide I to plant growth regulator, **17**:132
    on cucumber root suppression by Crag Herbicide I, **17**:134
    on fungicide decomposition, **17**:307
    on reactivities of metabolites, **19**:172, 431
    on recovery of added 3-indoleacetic acid and tryptophan from tomato tissue, **17**:402
  effects of ammonia, chlorine, hydrogen cyanide, hydrogen sulfide, sulfur dioxide on green plants, **11**:343
  of sawdusts, **15**:279
  of soil-sawdust mixtures, **15**:279
Hydrogen peroxide: prevention of soaking injury of seeds, **18**:340
Hydrogen sulfide effects: on bacteria, fungi, **11**:331

on green plants, **11**:343
on house flies, mice, rats, **11**:365
on seed germination, **11**:357
formation when fungus tissue reduces sulfur, **18**:497
fungitoxicity compared with colloidal sulfur, **17**:162
with elemental sulfur, **17**:156
production by and survival of fungus spores exposed to elemental sulfur, **17**:151, 156, 158, 161, 165
rapid formation of high concentrations by sulfate-reducing bacteria, **15**:437
stimulation of production by sulfate-reducing bacteria, **15**:467
tolerance of sulfate-reducing bacteria, **16**:74
toxicity studies, **11**:325, 331, 343, 357, 365
Hydrolysis of inulin: carbon dioxide effects on Jerusalem artichoke, **13**:295
p-Hydroxybenzoic acid: effect on growth of apple seedlings in water culture, **20**:50
p-Hydroxyhydrocinnamic acid: effect on growth of apple seedlings in water culture, **20**:50
Hydroxylamine: inhibits hydrogen sulfide production from sulfur by *Neurospora sitophila* and yeast cells, **17**:164
Hypericum: effect of ozone on, **20**:275

Ilex opaca: germination and sex population studies, **14**:405
Impatiens balsamina: dormancy in seeds, germination, **12**:203
IMSA: See Indole-3-methanesulfonic acid
Incomplete block replications in greenhouse experiments, **11**:219
Indian currant: See *Symphoricarpos orbiculatus*
Indole compounds: in bean seeds, **18**:350
biological activity in tobacco, **18**:287
effects on adventitious root and shoot production on disbudded cuttings, **11**:127
extraction from plant tissues, **17**:401
in Maryland Mammoth tobacco, **18**:283
paper chromatograms, **17**:199, 200
Indoleacetate, potassium *β*-: See Indole-3-acetic acid, potassium salt
Indole-3-acetic acid: activity compared with IMSA, **19**:256
amount in short-day plants grown under 8- and 18-hour photoperiods, **17**:415
analysis of plant tissues for, **17**:201
effects on dormant seeds, **11**:229
on germination of seeds, **11**:181
on rooting, **11**:143
on seedling growth, **11**:207
measurement by densitometer, **18**:169
response of tomato plants to treatment in combination with 2,4-D, **17**:35, 45
role in flowering, **17**:197, 401
stability affected by environmental variables, **17**:405
Indole-3-acetic acid, potassium salt: effects on potato tubers, **11**:29
on rooting, **11**:143
on seeds, **11**:181, 229
Indolebutyric acid: effects on germination of seeds, **11**:181, 207, 229
on rooting, **11**:143
on seedling growth, **11**:207, 229
Indolebutyric acid, methyl ester: effects on rooting, **11**:143
Indolebutyric acid, potassium salt: effects on rooting, **11**:143
Indole-3-lactic acid: paper chromatogram, **17**:198, 200
Indole-3-methanesulfonic acid: plant growth-regulating activity, **19**:255
weed control experiments with, **19**:261
Indolepropionic acid: effects on rooting, **11**:143
Indole-3-pyruvic acid: amount in short-day plants grown under 8- and 18-hour photoperiods, **17**:415
Industrial gases: See Gases, industrial
Infra-red radiations: effect on stability of indole-3-acetic acid, **17**:406
Inheritance of DDT tolerance by *Musca domestica*, **17**:105
Inhibition of growth: See Growth inhibition
Insect nutrition: *Blattella germanica*, **16**:455
Insecticide adjuvant: 2-(2,5-dichloro-2-biphenylyloxy)triethylamine, **20**:293
Insecticide spray residues: bioassay of, in processed foods, **16**:47
Insecticides: apparatus used for testing in laboratory, **15**:131
assay apparatus, **15**:127
bioassay, **17**:57, 317, 383, 448
comparative performance in laboratory tests, **18**:510

- contamination with 2,4-dichlorophenoxyacetic acid, method for detecting, **16**:439
- control of adult Japanese beetle by organic compounds, **11**:83
- effects of wetting agents on efficiency, **11**:465
- effects on brain and muscles of house flies, **14**:123
  - on mosquito larvae and house flies, **14**:341
  - on nerves and muscles of house flies, **13**:443
- *N*-(2-ethylhexyl)bicyclo[2.2.1]-5-heptene-2,3-dicarboximide effect on house flies, **15**:337
- inheritance of DDT tolerance in the house fly, **17**:105
- inhibition of mosquito larvae photomigration, **17**:70, 439
- interference of action of, by lipids, **17**:389
- joint action of binary mixtures, **18**:69
- kinetics of action, **17**:439
- methods for determining presence in food, **17**:383
- new pyrethrins-type, **18**:1
- partition between *N*,*N*-dimethylformamide and hexane, **17**:333
- pyrethrins extenders, **18**:187
- recovery from lipids by steam distillation, **17**:392
- structural analogues, **18**:70
- survey of plant products for, **12**:127; **13**:243; **15**:21
- synergists with pyrethrum, **14**:79, 221
- toxic effects on house flies, **14**:127
  - on insects and mites, **15**:11
  - on plants, **15**:11
- See also specific compounds

Insecticides, carbamate: new, **18**:507
- residue analyses, **19**:300
- synergism of, **19**:501

Insects: biological control with fungi, **15**:319
- oral secretions, See *Lygus oblineatus*
- rearing, **19**:227, 321
- sulfur metabolism of, **18**:109; **19**:189, 379; **20**:317

Insects, agricultural: aqueous sprays on, **18**:12

Internode length: correlation with cell number and size, **20**:443

Inulin hydrolysis: carbon dioxide effects on Jerusalem artichoke, **13**:295

Ipomoea batatas: effect of ozone on, **20**:275
- gas content of root tissue, **14**:257

Iron, ferrous: increase in soil treated with sodium cyanide, **13**:455

Iron-dependent enzymes: inhibition by fungicides, **17**:221

Isolates, bacterial: effect in activating Crag Herbicide I in sterile soil, **17**:143

Isomerism: effects on interactions of *s*-triazine derivatives, **18**:429

O-Isopropyl *N*-(3-chlorophenyl)carbamate: as germinative toxicant for *Setaria Faberii*, **16**:480

Japanese beetle: See *Popillia japonica*

Jerusalem artichoke: See *Helianthus tuberosus*

Jerusalem cherry: See *Solanum pseudo-capsicum*

Jetbead: See *Rhodotypos tetrapetala*

Jones, Carolyn R.: See Beale, Helen Purdy

Juniperus: water-conducting system of, **20**:27

Juniperus virginiana: germination of seeds of, **16**:387

Kalanchoe daigremontiana: formative effects of phenoxy acid derivatives, **15**:421

Keller, Stephen, and Richard J. Block. Amino acid composition of the serum proteins. I. The fractionation of bovine serum proteins by ammonium sulfate and the comparative amino acid composition of the fractions, **19**:445
- Amino acid composition of the serum proteins. II. The fractionation of human serum proteins by cellulose ion-exchange chromatography and the comparative amino acid composition of the fractions, **19**:451

Keller, Stephen: See also Block, Richard J.

Kelley, Elizabeth Schaefer: See Flemion, Florence

King, Lawrence J. Germination and chemical control of the giant foxtail grass, **16**:469
- Growth responses of a *Cyphomandra-Lycopersicon* graft, **19**:375
- A leaf immersion technique for studying

the absorption and translocation of chemicals in plants, **15**:165
KING, LAWRENCE J., and JOHN A. KRAMER, JR. Studies on the herbicidal properties and volatility of some polyethylene and polypropylene glycol esters of 2,4-D and 2,4,5-T, **16**:267
KING, LAWRENCE J., J. A. LAMBRECH, and THOMAS P. FINN. Herbicidal properties of sodium 2,4-dichlorophenoxyethyl sulfate, **16**:191
KIRKPATRICK, HENRY, JR.: See HITCHCOCK, A. E.; ZIMMERMAN, P. W.
Kitchen waste: See Garbage
KJENNERUD, JULIE: See ZIMMERMAN, P. W.
KRAMER, JOHN A., JR.: See KING, LAWRENCE J.
Krebs cycle: in fungi, **18**:137, 140, 142; **19**:371
  in rose tissues, **19**:43, 335
KROEGER, GARNETTE S. Dormancy in seeds of *Impatiens balsamina* L., **12**:203

Labile methyl donors: necessity in *Blattella germanica* diet, **17**:213
Lactuca sativa: effect of age and storage of seed on yield, **14**:243
  germination after storage under various conditions, **17**:93
  response to thiourea treatment, **14**:229
  as source of growth inhibiting substance, **15**:259
Lagenaria leucantha: β-2,2,2-trichloroethyl-D-glucoside formed on treatment with chloral hydrate, **12**:167
LAMBRECH, J. A.: See HAYNES, HARRY L.; KING, LAWRENCE J.; TORGESON, DEWAYNE C.
Lamellate structure of cellulose membranes in cotton fibers, **11**:161
Larch: See *Larix*
Larix: propagation from cuttings of, **20**:231
  water-conducting system of, **20**:27
Larix leptolepis: bisporangiate cones of, **20**:107
Larvae, *Aedes aegypti:* nutrition of, **19**:321
Larvae, house fly: toxicity of DDT and analogues, **17**:111
Larvae, mosquito: change in resistance to heptachlor, **17**:322
  effect of additives on inactivation rate by heptachlor, **17**:384
  insecticide bioassay based on photomigration of, **17**:57
  kinetics of insecticidal action based on photomigration of, **17**:439
  rearing for use in insecticide bioassay, **17**:317
  toxicity of insecticides to, **17**:63, 81, 323, 441
Larvae, nematode: control in soil, **19**:65
Larvicides: survey of plant products for, **12**:127; **13**:243
Late blight of tomato: See *Phytophthora infestans*
Latin Squares in design of greenhouse experiments, **11**:219
LAURENCOT, HENRY J., JR.: See WEINSTEIN, LEONARD H.
Lawson cypress: See *Chamaecyparis lawsoniana*
Lead arsenate: control of holly leaf miner, **12**:119
  effects of wetting agents on efficiency as an insecticide, **11**:465
Leaf abscission: effect of dithiobiuret on, **20**:83
Leaf development: effect on internode length, **20**:451
  in physiologically dwarfed seedlings, **20**:57
Leaf epinasty: evaluation of response induced by vapors from 2,4-D esters, **17**:248
Leaf modification: comparative activity of growth regulators on tomato plants, **17**:139
  evaluation of response induced by vapors from 2,4-D esters, **17**:248
Leaf position: effect on plant response to growth regulants, **17**:38
Leafhoppers (Cicadellidae): occurrences in Bermuda, **17**:378
Leaves: absorption and translocation studies, **15**:165
  aucubin distribution in tissue, **18**:211
  bean plants, glycine distribution in infected plants, **19**:349
  effect of Na_2EDTA on tissues, **18**:364
  fluorine in, **19**:49
  Gros Michel banana, tenacity of copper fungicides upon, **19**:142
  light effects on enzymes, **18**:225

  Norway maple, biochemical changes in, **19**:245
  Plantago ovata, photomicrographs of, **18**:196
  response to BCA, **18**:456
  susceptibility to gases, **18**:273
  symptoms induced by gases, **18**:268, 276
  tissue deterioration, **18**:212
  tobacco, amino acid concentration, **19**:98
    phosphorus content, **19**:99
    weight changes induced by thiouracil, **19**:91
  wheat, comparison of healthy and infected, **19**:15
    organic acid composition of, **19**:6, 12
  See also Foliage
Ledbetter, Myron C. Anatomical and morphological comparisons of normal and physiologically dwarfed seedlings of *Rhodotypos tetrapetala* and *Prunus persica*, **20**:437
Ledbetter, Myron C., and Florence Flemion. A method for obtaining piercing-sucking mouth parts in host tissue from the tarnished plant bug by high voltage shock, **17**:343
Ledbetter, Myron C., Radu Mavrodineanu, and Allen J. Weiss. Distribution studies of radioactive fluorine-18 and stable fluorine-19 in tomato plants, **20**:331
Ledbetter, Myron C., P. W. Zimmerman, and A. E. Hitchcock. The histopathological effects of ozone on plant foliage, **20**:275
Ledbetter, Myron C.: See also Flemion, Florence; Mavrodineanu, R.; Staples, Richard C.
Leguminosae: hard seed coat characteristics of subfamily groups, **14**:355
Lethane 384: effects on muscles, nerves of house flies, **13**:443
Lettuce: See *Lactuca sativa*
Lewis, F. H.: See Thurston, H. W., Jr.
Lex, Aurea: See Ferri, Mario G.
Libocedrus: water-conducting system of, **20**:27
Light: effect on action of gibberellic acid, **19**:56
    on *Alternaria solani* sporulation, **13**:323
    on ascorbic acid in asparagus, **14**:295
    on ascorbic acid in garden pea, **14**:295
    on cotton fibers, **11**:161
    on cuttings treated with growth substances, **11**:127
    on enzyme activity of sunflower leaf tissues, **18**:225
    on flowering of *Digitalis purpurea*, **12**:111
    on flowering of *Plantago*, **18**:203
    on germination of *Plantago* spp., **17**:268
    on physiologically dwarfed peach seedlings, **20**:62
    on stability of 3-indoleacetic acid during recovery from plant tissues, **17**:405
    on toxicity of industrial gases to green plants, **11**:343
    on unchilled *Rhodotypos* seeds, **20**:63
  relation to growth substances in pea, **20**:111
Light, intermittent: cost for operation in greenhouses, **11**:93
  effects on carnation, gladiolus, **11**:93
Light, red: relation to endogenous growth substances in pea, **20**:111
Lilac, common: See *Syringa vulgaris*
Lilium: effect of gibberellic acid on pollen germination, **19**:216
    on pollen-tube growth, **19**:218
  hybrids, **11**:119, 305
  pollen viability, **18**:154
Lilium longiflorum: symptoms produced by cucumber mosaic virus, **17**:457
Lilium regale: effect of storage on viability of seeds, **17**:99
Lily, Easter: See *Lilium longiflorum*
Lima bean: See *Phaseolus limensis*
Lime Sulfur: in greenhouse control of early blight, late blight on tomato, **13**:93
  of snapdragon rust, **13**:367
Linaria: effect of gibberellic acid on pollen germination, **19**:216
    on pollen-tube growth, **19**:218
Lindane: inactivation of mosquito larvae by, **17**:75, 441
  recovery from lipids by steam distillation, **17**:393
Lipids: effect on inactivation of mosquito larvae by heptachlor, **17**:389
  in *Neurospora sitophila* conidia, **19**:364
  recovery of insecticides from, **17**:392
Liver extract: stimulating effects on hydro-

gen sulfide formation by sulfate-reducing bacteria, **15**:467
Livestock sprays: synergists in, **18**:14
Lobelia: effect of gibberellic acid on pollen germination, **19**:216
  on pollen-tube growth, **19**:218
Lobelia cardinalis: storage of seeds of, **20**:395
  viability of seeds of after storage, **20**:398
LOJKIN, MARY, and HELEN PURDY BEALE. A colorimetric method for the quantitative determination of minute amounts of tobacco-mosaic virus and for the differentiation between some of its strains, **13**:337
LOJKIN, MARY: See also BEALE, HELEN PURDY
Lonicera: effect of gibberellic acid on pollen germination, **19**:216
  on pollen-tube growth, **19**:218
Loop method of dwarfing plants, inducing flowering, **11**:123
Lycopersicon esculentum: blight control by Bordeaux mixtures, **19**:160
  comparative responses to Crag Herbicide I and related compounds, **17**:139
  curvature responses distinguish volatility of 2,4-D and 2,4,5-T formulations, **17**:258
  effect of age and storage of seed on yield, **14**:243
    of antibiotics on germination and growth, **17**:430
    of 1,3-benzodioxole-2-carboxylic acid on, **18**:456, 459
    of nitrogen source on amino acids and amides in, **20**:425
    of ozone on, **20**:275
    of soaking seeds in trace element solutions, **17**:21
    of soil treatments on growth, **17**:140
    of substituted benzoic acids on growth of plant, **14**:39
    of Terramycin hydrochloride on fruit yield, **17**:431
  extraction of indole compounds from tissues, **17**:197, 402
  fluorine in, **19**:52; **20**:331
  formation of sulfate from DL-methionine, **14**:443
  formative effects of 4-chlorophenoxyacetic acid, **15**:421
    of 2,4-dichlorophenoxyacetic acid, **15**:421
  free amino acids and amides in, **20**:425
  germination after storage under various conditions, **17**:93
  grafted upon tree tomato, **19**:375
  growth regulation by substituted benzoic acids, **16**:420
  growth responses induced by chemicals other than 2,4-dichlorophenoxyacetic acid, **16**:442
  influence of triiodobenzoic acid on flower formation, **15**:353
  known responses to concentrations of 2,4-dichlorophenoxyacetic acid, **16**:441
  leaf immersion technique for studying the absorption and translocation of chemicals in tomato, **15**:165
  methods of testing response to treatment with 2,4-D in combination with other regulators, **17**:36
  respiration rate, **15**:61
  S^{35} uptake by plants exposed to labeled ferbam, **17**:303
  seedling response to IMSA, **19**:255
  storage of seeds, **13**:35
  terminal growth suppression, **18**:233
  β-2,2,2-trichloroethyl-gentiobioside formed on treatment with chloral hydrate, trichloroethyl alcohol, or chloral cyanohydrin, **12**:15
  use in greenhouse tests of fungicides, **13**:93
Lygus: damage of plant tissues during feeding, **17**:347
  feeding mechanics, **17**:343
  stylets in plant tissues, techniques for obtaining and observing, **17**:343
    for photographing, **17**:348
Lygus oblineatus: effect on embryolessness, **15**:299; **16**:43
    on Umbelliferae seed yield, **16**:282
    on vegetative growth of Umbelliferae, **16**:280
  injection of radioactive oral secretions into host tissue, **16**:288
  quantity of radioactive oral secretion deposited when feeding on bean pod tissue, **16**:432
  technique for measuring oral secretion deposited during feeding, **16**:429
  Umbelliferae seed production, **16**:40
Lyophilization: *Lilium* pollen, **18**:153

McCALLAN, S. E. A. Characteristic curve for the action of copper sulfate on the germination of spores of *Sclerotinia fructicola* and *Alternaria oleracea*, **15**:77
  Determination of individual fungus spore volumes and their size distribution, **19**:303
  Effectiveness of various formulations of Bordeaux mixture in controlling early and late blights of tomato in greenhouse tests, **19**:157
  Empirical probit weights for dosage-response curves of greenhouse tomato foliage diseases, **13**:177
  Evaluating fungicides by means of greenhouse Snapdragon Rust, **13**:367
  Evaluation of chemicals as seed protectants by greenhouse tests with peas and other seeds, **15**:91
  Factors influencing deposition in the vacuum bell jar duster, **16**:27
  Factors influencing spray injury by glyoxalidine derivatives to potted apple trees, **16**:21
  The identity of *Alternaria* and *Macrosporium* cultures used for slide-germination tests of fungicides, **14**:323
  Outstanding diseases of agricultural crops and uses of fungicides in the United States, **14**:105
  Some chromate complexes and organic compounds as seed protectants, **16**:5
  Some improvements in equipment for evaluating fungicides by the foliage disease method, **15**:71
  Testing techniques, **16**:299
McCALLAN, S. E. A., and SHUK YEE CHAN. Inducing sporulation of *Alternaria solani* in culture, **13**:323
McCALLAN, S. E. A., and LAWRENCE P. MILLER. Effect of fungicides on oxygen consumption and viability of mycelial pellets, **18**:483
  Equimolar formation of carbon dioxide and hydrogen sulfide when fungus tissue reduces sulfur, **18**:497
McCALLAN, S. E. A., LAWRENCE P. MILLER, and RICHARD M. WEED. Comparative effect of fungicides on oxygen uptake and germination of spores, **18**:39
McCALLAN, S. E. A., and CARL SETTERSTROM. Toxicity of ammonia, chlorine, hydrogen cyanide, hydrogen sulphide, and sulphur dioxide gases. I. General methods and correlations, **11**:325
McCALLAN, S. E. A., and F. R. WEEDON. Toxicity of ammonia, chlorine, hydrogen cyanide, hydrogen sulphide, and sulphur dioxide gases. II. Fungi and bacteria, **11**:331
McCALLAN, S. E. A., and R. H. WELLMAN. Cumulative error terms for comparing fungicides by established laboratory and greenhouse methods, **13**:135
  Fungicidal versus fungistatic, **12**:451
  A greenhouse method of evaluating fungicides by means of tomato foliage diseases, **13**:93
McCALLAN, S. E. A., R. H. WELLMAN, and FRANK WILCOXON. An analysis of factors causing variation in spore germination tests of fungicides. III. Slope of toxicity curves, replicate tests, and fungi, **12**:49
McCALLAN, S. E. A., and FRANK WILCOXON. An analysis of factors causing variation in spore germination tests of fungicides. I. Methods of obtaining spores, **11**:5
  An analysis of factors causing variation in spore germination tests of fungicides. II. Methods of spraying, **11**:309
McCALLAN, S. E. A.: See also MILLER, LAWRENCE P.; WEED, RICHARD M.; WELLMAN, R. H.
McCOOL, M. M. Agronomic relationships of sodium cyanide, **13**:455
  Agronomic value of kitchen waste, **12**:345
  Availability of phosphorus and potassium of some soil types devoted to pastures in New York, **14**:411
  Comparison of agronomic value of the insoluble nitrogen derived from Urea-Ammonia Liquor-37 and other sources, **11**:393
  Effect of sodium cyanide on number of fungi, bacteria, and *Actinomyces* in soil and its value in the control of damping off of seedlings, nematodes, and cabbage root worm, **13**:463
  Effect of temperature on the availability of insoluble nitrogen, **12**:213
  Fertilizer value of sodium cyanide, **13**:479

Nitrogen availability in soils as measured by growth response of rye grass and *Cunninghamella blakesleeana*, **14**:363
Some conditions which affect rate of decomposition of kitchen waste, **12**:269
Studies on pH values of sawdusts and soil-sawdust mixtures, **15**:279
Use of sodium cyanide for the eradication of undesirable plants, **13**:473
McKenna, George F., and Albert Hartzell. Effect of wetting agents in increasing the efficiency of sprays used in control of Japanese beetle, **11**:465
McKenna, George F.: See also Hartzell, Albert
McLean, A. C., and Forman T. McLean. A new race of lily hybrids, **11**:119
McLean, Forman T. A loop method of dwarfing plants and inducing flowering, **11**:123
McLean, Forman T.: See also McLean, A. C.
MacNab, Jean: See Barton, Lela V.; Fine, Jean MacNab
MacNear, Betty Travis: See Flemion, Florence
McNew, George L., and Harry P. Burchfield. Fungitoxicity and biological activity of quinones, **16**:357
Particle size in relation to the fungitoxicity of dichloronaphthoquinone, **16**:163
McNew, George L.: See also Burchfield, H. P.; Palm, Elmer T.
Macromolecules: reaction rates with 2,4-dichloro-6-(*o*-chloroanilino)-*s*-triazine, **18**:412
Macrosporium sarcinaeforme: See *Stemphylium sarcinaeforme*
Maga: See *Montezuma speciosissima*
Magdoff, Beatrice S., Richard J. Block, and Diane Block Montie. Amino acid composition of southern bean mosaic virus, **18**:371
Magdoff, Beatrice S., H. P. Burchfield, and Joan Schechtman. Chemistry and crystallography of some polybasic cupric calcium sulfates (Bordeaux mixtures), **19**:267
Magdoff, Beatrice S.: See also Burchfield, H. P.
Magicicada septendecim: notes on habits and life history, **17**:375
Magnesium: influence on the effect of Terramycin hydrochloride on wheat roots in solution, **17**:428
Malachite green: effect on fungus spores, **18**:50
on mycelial pellets, **18**:489
on oxygen uptake by *Myrothecium verrucaria*; **18**:63
Malathion: effect of wetting agent on toxicity of, **20**:421
Male fern: See *Aspidium filix-mas*
Maleic hydrazide: growth-regulating effects compared with α-cyano-2,4-dichlorocinnamic acids, **18**:234
Malic acid: in roses, senescence of, **19**:40, 332
in tobacco plants, effect of thiouracil on concentration, **19**:96
in wheat leaves, **19**:6
Malus Arnoldia: response of physiologic dwarfs to gibberellic acid, **18**:311
Malus baccata: replant problem, **20**:39
Malus sylvestris: effect of presoaking of seed on after-ripening and germination, **17**:436
effectiveness of pollen diluents in hand pollination tests, **15**:119
gas content of fruit tissue, **14**:257
replant problem, **20**:39
thiourea prevents browning of tissue, **12**:309; **13**:57
Malus sylvestris, potted: spray injury of glyoxalidine derivatives to, **16**:21
Mandl, Richard H. Brom cresol purple as an aid in the location of amino acids on descending paper chromatograms, **19**:461
Mandl, Richard H.: See also Block, Richard J.; Margolis, David
Maneb: tenacity of, **19**:139
Manganese dimethyldithiocarbamate: inhibition of polyphenol oxidase activity by, **17**:475
Manganese ethylenebisdithiocarbamate: inhibition of polyphenol oxidase activity by, **17**:476
Manure: fertilizer value, **12**:345
Maple, Norway: See *Acer platanoides*
Margolis, David. The range of free amino acids and amides in tomato plants and the effects of nitrate or ammonium as nutrients, **20**:425

MARGOLIS, DAVID, and RICHARD J. BLOCK. The sulfur metabolism of yeast. I. A study of relative growth of five yeasts on a sulfur-free medium supplemented with small quantities of sulfur compounds, **19**:437
MARGOLIS, DAVID, and RICHARD H. MANDL. A system for separating sulfur and nonsulfur amino compounds by two-dimensional paper chromatography, **19**:509
MARGOLIS, DAVID: See also PORTER, CLARK A.
Marmor cucumeris: See Cucumber mosaic virus
Matsucoccus resinosae: coldhardiness of, **18**:421
  description, **18**:422
  hosts, **18**:281, 423
  natural enemies, **18**:426
Matsucoccus scale: overwintering, **18**:426
MAVRODINEANU, R. Glass flowmeter with interchangeable capillaries, **18**:331
  A method of fumigating plants with hydrofluoric or hydrofluosilicic acid using atomization and thermal action, **18**:17
  A simple method for the detection of volatile fluorides in air, **18**:82
MAVRODINEANU, R., and R. R. COE. Improved apparatus and procedures for sampling and analyzing air for fluorides, **18**:173
MAVRODINEANU, R., and J. GWIRTSMAN. Effect of voltage variation on the photometric titration of fluorides with thorium nitrate, **19**:289
  Improved apparatus for the distillation of fluorine as hydrofluosilicic acid, **17**:489
  Photoelectric end-point determination in the titration of fluorides with thorium nitrate, **18**:181
  Use of sodium peroxide fusion for the determination of fluorides in vegetation, **18**:419
MAVRODINEANU, R. and, MYRON C. LEDBETTER. Apparatus for photographing fluorescent chromatograms, **19**:107
MAVRODINEANU, R., WILLIAM W. SANFORD, and A. E. HITCHCOCK. Use of fluorescence for the estimation of substances separated on paper by partition chromatography, **18**:167
MAVRODINEANU, R.: See also LEDBETTER, MYRON C.
Medicago sativa: effect of antibiotics on germination and growth, **17**:430
    of ozone on, **20**:275
  fluorine in, **19**:52
MEISS, A. M.: See WEINSTEIN, LEONARD H.
Melanoplus differentialis: stomach poisons of plant origin, **12**:127
Meloidogyne: effect of nematocides on, **19**:66
Mentha piperita: effect of ozone on, **20**:275
Mercuric chloride: effect on inhibition of amylases, **17**:225
    on polyphenol oxidase activity, **17**:478
Mercury: effect on fungus spores, **18**:50
    on mycelial pellet viability, **18**:490
Mercury-zinc-chromate complex as a seed protectant, **16**:6
Metabolism: carbohydrate, in *Neurospora sitophila*, effect of dichlone on, **19**:473
  in fungus spores, **18**:125, 145
    effect of captan on, **20**:171
  glutathione, in house fly, **19**:393
  nitrogen in soybean plants, **18**:357
  organic acids effect of dichlone on, **19**:474
    of 5-nitrofurans on, **20**:265
  phosphate, in *Neurospora sitophila*, effect of dichlone on, **19**:470
  of sulfur in cockroach, **20**:320
    in house fly, **19**:189, 379
    in insects, **20**:363
    in yeasts, **19**:437
Metabolism, respiratory: prepupae and pupae of house fly, **18**:253
Metabolism of cuttings: in relation to adventitious organ initiation, **11**:127
Metabolites: reaction rates of 2,4-dichloro-6-(*o*-chloroanilino)-*s*-triazine with, **18**:398
  reactivities of, **19**:169, 417
Metal complexing agents: relative time effects of, on polyphenol oxidase activity, **17**:476
Metal ions: effect on growth of wheat roots in antibiotic solutions, **17**:425
    on inhibition of amylases, of incubation with, **17**:225
Metal sulfides: formed by sulfate-reducing bacteria, **16**:86
Metals: accumulation in fungus spores, **19**:180

Metarrhizium glutinosum: culture and use for control of insect pests, **15**:319
Methionine: house fly metabolism, **19**:386
  synthesis by German cockroach, **19**:109, 117
    by insects, from sulfate, **20**:363
Methionine, DL-: as a source of sulfate sulfur in plants, **14**:443
Methoxychlor: inactivation of larvae by, **17**:75
  joint action with DDT, **18**:70
  recovery by steam distillation from lipids, **17**:393
Methyl ester of naphthaleneacetic acid: See Naphthaleneacetic acid, methyl ester
Methylation: of cotton fibers, **11**:55; **13**:1
    X-ray studies, **13**:11
N-Methylcarbamate, 1-naphthyl: See Sevin
Methylene blue: effect on reduction of sulfur to hydrogen sulfide by *Neurospora sitophila*, **17**:165
3,4-Methylenedioxycinnamamide, *N*-isobutyl-: as pyrethrins extender, **18**:187
  synthesis, **18**:188
Methylenedioxyphenyl compounds: extenders for pyrethrins, **18**:187
  toxic effects on house flies, **14**:127
  use as insecticide, **14**:127
Methylenedioxyphenyl group, 3,4-: toxic effects on house flies, **14**:79
MEUDT, WERNER: See VLITOS, A. J.
Mexican bean beetle: See *Epilachna varivestis*
MICHELS, MARIE: See OWENS, ROBERT G.
Microautoradiography, **19**:349
Micro-flora: role in measurement of respiration rate, **15**:211
Microorganisms: action on 2-(2,4-dichlorophenoxy)ethanol, **17**:146
  effect of plant growth regulators on, **17**:128
Microorganisms, rumen: study of cellulose digesting activity, **17**:337
Microorganisms, soil: isolation and identification of Crag Herbicide I activators, **17**:142
Mike Sulfur: in greenhouse control of early blight, late blight, on tomato, **13**:93
    of snapdragon rust, **13**:367
MILLER, LAWRENCE P. Fate of chloral hydrate absorbed by growing plants of *Lagenaria leucantha*, **12**:167
Formation of β-*o*-chlorophenyl-gentiobioside in gladiolus corms from absorbed *o*-chlorophenol, **11**:271
Formation of metal sulfides through the activities of sulfate-reducing bacteria, **16**:85
Formation of β-2,2,2-trichloroethyl-gentiobioside in tomato plants grown in media containing chloral hydrate, trichloroethyl alcohol, or chloral cyanohydrin, **12**:15
High yields of β-2-trichloroethyl-D-glucoside and β-2-trichloroethylgentiobioside from tobacco plants treated with chloral hydrate, **13**:185
Induced formation of a β-gentiobioside in tomato roots, **11**:387
Induced formation of a β-glucoside in the radish, **12**:359
Monosaccharide components of an induced glycoside of trichloroethyl alcohol from dandelion tops, **19**:113
Particle size distribution in cocoa powders, **14**:325
Rapid formation of high concentrations of hydrogen sulfide by sulfate-reducing bacteria, **15**:437
A rapid method for the evaluation of the larger particles present in cocoa powders, **14**:335
Simultaneous formation of a β-gentiobioside and a β-glucoside in gladiolus corms treated with chemicals, **12**:163
Stimulation of hydrogen sulfide production by sulfate-reducing bacteria, **15**:467
Synthesis of β-2-chloroethyl-D-glucoside by wheat plants grown with ethylene chlorohydrin added to the nutrient medium, **12**:25
Synthesis of β-*o*-chlorophenol-*d*-glucoside, **11**:25
Synthesis of β-2,2,2-trichloroethyl-gentiobioside by gladiolus corms treated with trichloroethyl alcohol, **12**:29
Synthesis of β-2-trichloroethyl-D-glucoside and its isolation from corn and dandelion plants treated with chloral hydrate, **12**:465
Tolerance of sulfate-reducing bacteria to hydrogen sulfide, **16**:73

  Utilization of DL-methionine as a source of sulphur by growing plants, **14**:443
Miller, Lawrence P., S. E. A. McCallan, and Richard M. Weed. Accumulation of 2-heptadecyl-2-imidazoline, silver, and cerium by fungus spores in mixed and consecutive treatments, **17**:283
  Quantitative studies on the role of hydrogen sulfide formation in the toxic action of sulfur to fungus spores, **17**:151
  Rate of uptake and toxic dose on a spore weight basis of various fungicides, **17**:173
Miller, Lawrence P., Richard M. Weed, and A. E. Hitchcock. Comparative volatility of *n*-butyl, 2-ethylhexyl, and 2-(2-ethoxyethoxy)propyl esters of 2,4-D, **17**:397
Miller, Lawrence P.: See also Flemion, Florence; Hilchey, John D.; McCallan, S. E. A.; Owens, Robert G.; Weed, Richard M.
Mimosa pudica: effect of ozone on, **20**:275
Mint: See *Mentha piperita*
Moisture: effect of absorption on germination of bean seeds, **17**:8
  of content of seed viability, **17**:87, 99; **18**:339, 342
  on seeds of corn, **20**:403
  on seeds of *Lobelia cardinalis*, **20**:398
Moisture tester, electrical: for determination of moisture content of coffee beans, **16**:461
Molecular rearrangement: FDNB-cysteine reaction product, **19**:420
Monilinia fructicola: absorption of radioactivity from vapor of S^{35} labeled ferbam, **17**:303
  consecutive treatments with various toxicants, **17**:286
  effect of fungicides on mycelial pellets, **18**:483
    of fungicides on spores, **18**:50
    of silver uptake on germination, **17**:188
  endogenous and exogenous oxygen uptake, **18**:44, 47
  equimolar formation of CO_2 and H_2S when conidia reduce sulfur, **18**:499, 502
  germination of spores, effect of gibberellic acid on, **19**:293
  hydrogen sulfide production by and survival of spores exposed to elemental sulfur, **17**:158, 161
  mean spore dimensions, **17**:154
  methods of obtaining spores, **11**:5
  spore size, **19**:308
  spore uptake of cerium, **17**:190
    of fungicides, **17**:181
    of silver, **17**:187
  toxicity of benzene derivatives and quinones to, **17**:275
  toxicity of copper sulfate to spore germination, **15**:77
    of heterocyclic nitrogen compounds to, **16**:316
    of S,S′-dialkyl xanthogenalkylenebis-[dithiocarbamates] to, **20**:299
    of *s*-triazines, **18**:382
    of vapor from nabam and CS_2, **17**:310
Monofluoroacetic acid: storage in plants, **18**:273
Montezuma speciosissima: storage of seeds, **13**:423
Montie, Diane Block: See Magdoff, Beatrice S.
Moorefield, Herbert H. Improved method of harvesting house fly heads for use in cholinesterase studies, **18**:463
  The origin of DDT resistance in the house fly, **19**:403
  Purification of DDT-dehydrochlorinase from resistant house flies, **18**:303
  Synergism of the carbamate insecticides, **19**:501
Moorefield, Herbert H., and Edwin R. Tefft. Application of cholinesterase assay to residue analysis of 1-naphthyl *N*-methylcarbamate (Sevin), **19**:295
  Evaluation of 2-(3,5-dichloro-2-biphenylyloxy)triethylamine as an insecticide adjuvant, **20**:293
Moorefield, Herbert H.: See also Haynes, Harry L.
Mosaic virus: See specific virus
Mosquito: See *Aedes aegypti; Culex quinquefasciatus*
Motion picture: See Cinephotomicrography
Mucilage: effect of polyploidy on yield from *Plantago* seed, **17**:495
Musa sapientum: ascorbic acid changes during ripening, **13**:201
  modified atmosphere storage effects, **13**:201
  use of Bordeaux mixture on, **18**:215

Musca domestica: as affected by ammonia, chlorine, hydrogen cyanide, hydrogen sulfide, sulfur dioxide, **11**:365
  aseptic rearing, **19**:227
  carbamate-synergist combinations against, **19**:503, 505
  cholinesterase inhibition, **19**:298
  harvesting heads, **18**:463
  inheritance of DDT tolerance, **17**:105
  insecticidal activity tests upon, **16**:453
  insecticidal effect of cyclic acetals, **14**:397
    of *N*-(2-ethylhexyl)bicyclo[2.2.1]-5-heptene-2,3-dicarboximide, **15**:337
  insecticides effects on, **14**:221, 341; **15**:35
    on brain and muscles, **14**:123
    on nerves and muscles, **13**:443
  metabolism of cystine-S^{35}, **19**:189
    of glutathione, **19**:393
    of sulfur, **19**:389
  origin of DDT resistance, **19**:403
  piperine effects on nervous system, **13**:253
  pyrethrins-type insecticides in aerosols, **18**:11
  respiratory metabolism, **18**:253
  space sprays on, **18**:4
  synergism test of carbamate insecticides, **19**:501
  in tests for pyrethrins extenders, **18**:190
    of Sevin, **18**:510
  toxic effects of organic compounds, **13**:79; **14**:127
    of organic compounds possessing the methylenedioxyphenyl radical, **14**:79
    of piperic acid derivatives, **13**:433
    of piperine, **13**:87
Musca domestica, resistant: glutathione metabolism in, **19**:393
  origin of resistance, **19**:403
  purification of DDT-dehydrochlorinate from, **18**:303
Muscles of insects: insecticides effects on house flies, **13**:443; **14**:123
Mycelial pellets: effect of fungicides on O_2 consumption, **18**:489
  on viability, **18**:488
Mycorrhiza: effects on propagation of *Epigaea repens*, **11**:431
Myrothecium verrucaria: effect of fungicides on mycelial pellets, **18**:488
  on spores, **18**:53, 63
  endogenous and exogenous oxygen uptake, **18**:44, 47
  spore size, **19**:308

Nabam: See Disodium ethylenebisdithiocarbamate
Naphthalene compounds: effects on adventitious root and shoot production on disbudded cuttings, **11**:127
Naphthaleneacetate, potassium α-: See Naphthaleneacetic acid, potassium salt of α-
Naphthaleneacetic acid, α-: effects on rooting, **11**:143
Naphthaleneacetic acid effects: on germination of seeds, **11**:181, 207, 229
  on seedling growth, **11**:181, 207, 229
Naphthaleneacetic acid, ethyl ester: effects on non-dormant potato tubers, **11**:29
Naphthaleneacetic acid, methyl ester: effects on mice, **14**:69
  on non-dormant potato tubers, **11**:29
  on sugar content, **12**:253
  inhibits sprouting of potato tubers, **12**:253, 387; **14**:15
  method for measuring amounts absorbed by potato tubers, **12**:387
  retards withering of potato tubers, **11**:39
Naphthaleneacetic acid, potassium salt of α-: effects on germination of seeds and seedling growth, **11**:181, 229
  on non-dormant potato tubers, **11**:29
Naphthoquinone, 2,3-dichloro-1,4-: distribution in fungus spores, **19**:182
  effect on oxygen uptake and germination of fungus spores, **18**:59
    of particle size, **16**:140
  fungicidal action, **16**:363
  inactivation of coenzyme A by, **20**:459
  inhibits reduction of sulfur to hydrogen sulfide by fungus spores, **17**:165
  mechanism of action, **19**:463
  reaction with coenzyme A, **19**:477; **20**:481
    with glutathione, **20**:480
    with 4-nitrothiophenol, **20**:477
    with *n*-octyl mercaptan, **20**:478
    with thiophenol, **20**:478
  stability in soil, **20**:205
  uptake by mycelial pellets, **18**:492
Naphthoquinones: effect of amylase inhibition, **17**:225, 231

    on amylase inhibition and fungitoxicity, **17**:278
    on animal life, **16**:365
    on bacteria, **16**:365
    on enzyme systems, **16**:366
  fungicidal activity, **16**:363
Naphthoxyacetic acid, β-: effect on stomatal behavior, **15**:283
  as growth substance, **12**:1
ω-(β-Naphthoxy)aliphatic acids: series of and effects as growth substances, **14**:369
1-Naphthyl *N*-methylcarbamate: See Sevin
Naringenin: effect on peach embryos and seedlings, **20**:376
Naringin: effect on peach embryos and seedlings, **20**:376
Nematocides: field evaluation, **19**:72
  laboratory and greenhouse tests, **19**:66
  sodium cyanide, **13**:463
Nematodes: See *Panagrellus redivivus*
Nematodes, root-knot: See *Meloidogyne*
Nerves of house flies: insecticides effects, **13**:443
  piperine effects, **13**:253
Neurospora crassa: hydrogen sulfide production and survival of spores exposed to elemental sulfur, **17**:158, 161
  mean spore dimensions, **17**:154
  spore size, **19**:308
Neurospora sitophila: consecutive treatments with various toxicants, **17**:286
  effects of fungicides on mycelial pellets, **18**:499
  endogenous and exogenous oxygen uptake, **18**:44, 47
  extraction of toxicants, **17**:295
  ferbam toxicity, reversibility of, **17**:301, 308
  inhibition of sulfur reducing system, **17**:163
  nabam decomposition, effect on, **17**:306
  physiological response to triazines, **18**:447
  relation between toxicant dose and germination, **17**:84
  respiration, effects of dichlone and DNP on, **19**:465
  toxicity of vapor from nabam and CS_2, **17**:310
Neurospora sitophila conidia: composition of, **19**:355
  effects of substrates on oxygen uptake by homogenates of, **18**:150
  endogenous respiration of, **18**:128, 146
  equimolar formation of CO_2 and H_2S when reducing sulfur, **18**:499, 502
  exogenous respiration of conidia, **18**:131
  germination, effect of dichlone on, **19**:472, 478
  organic acid oxidation and accumulation by, **18**:125
  oxidative activity of homogenates of, **18**:146
  phosphate esterification by effect of dichlone on, **19**:470
  pyruvate carboxylase distribution in, **18**:147
  respiratory quotients of, **18**:134
  uptake of triazines by, **18**:433
Neurospora sitophila spores: absorption of 5-nitrofuran derivatives by, **20**:151
  disintegration by sonic treatment, **19**:180
  effect of captan on, **20**:171
    of 5-nitrofuran derivatives on organic acid metabolism of, **20**:265
    of fungicides on, **18**:47
  inactivation of coenzyme A, by captan in, **20**:459
    by dichlone in, **20**:459
  mean dimensions, **17**:154
  metabolism of, **18**:125, 145
    of effect of dichlone, **19**:479
  rate of hydrogen sulfide formation by, exposed to elemental sulfur, **17**:158
  size, **19**:308
  toxicant distribution in, **19**: 177, 180, 182
  uptake of cerium, **17**:192
    of ferbam, **17**:186
    of 2-heptadecyl-2-imidazoline, silver, cerium, and mixtures of these, **17**:289
NICKELL, LOUIS G.: See WEINSTEIN, LEONARD H.
Nicotiana glutinosa: determining the relative infectivity of virus preparations by inoculation, **14**:457
Nicotiana tabacum: biochemical effect of cucumber mosaic virus infection on, **19**:87; **20**:307
    of thiouracil on, **19**:87, 307
  characteristics of offspring of gamma ray treated plants, **18**:285
  chemical and physical properties of unidentified indole compounds in, **18**:290
  cucumber mosaic virus symptoms, **19**:91

effect of ozone on, **20**:275
extraction of indole compounds from tissues, **17**:201, 415
flowering, **18**:283
formation of sulfate from DL-methionine, **14**:443
formative effects of 4-chlorophenoxyacetic acid, **15**:421
of 2,4-dichlorophenoxyacetic acid, **15**:421
growth substances from, **20**:283
as source of growth inhibiting substance, **15**:259
β-2-trichloroethyl-D-glucoside, β-2-trichloroethylgentiobioside formed on treatment with chloral hydrate, **13**:185
Nicotine sulfate: control of holly leaf miner, **12**:119
Nicotinic acid: effects on rooting, **11**:143
Nitrate: formation in soil treatment with sodium cyanide, **13**:455
from cottonseed meal, UAL-37, urea, as affected by temperature, **12**:213
m-Nitro-aryl acids: as plant growth regulators, **20**:191
5-Nitrofuran derivatives: effect on acetylation of sulfanilamide, **20**:265
on organic acid metabolism of conidia of *Neurospora sitophila*, **20**:265
fungitoxicity of, in relation to structure, **20**:141
influence of chemical structure on absorption by fungus spores, **20**:151
on inherent toxicity of, **20**:151
Nitrogen: effect on germination of *Symphoricarpos* seeds, **12**:485
on soaking injury of seeds, **16**:55; **17**:16, 18
of source on amino acids and amides in tomato, **20**:425
in nutrition of tomato, **20**:425
in rose tissues, **19**:41, 330
in tobacco tissues, **19**:96
Nitrogen, insoluble: agronomic value of various forms, **11**:393
storage effects on fertilizers, **11**:393
temperature effects on availability of, **12**:213
Nitrogen in soils: measured by growth response of *Cunninghamella blakesleeana*, **14**:363
of rye grass, **14**:363
Nitronaphthalene, α-: overcomes dormancy in peach buds, **12**:45
NORTON, ROBERT J. Inheritance of DDT tolerance in the house fly, **17**:105
Norway maple: See *Acer platanoides*
NOVOTNY, HELEN M.: See OWENS, ROBERT G.
Nucleic acids: in *Agave*, **20**:239
Neurospora sitophila conidia, content in, **19**:362
Nutrient solutions: effect of aerated and non-aerated soaking on seed germination, **17**:17
Nutrients: effect on incidence of clubroot infection, **18**:334
on oxygen uptake by fungus spores, **18**:43
by mycelial pellets, **18**:487
Nuts: effect of moisture on breaking pressure, **14**:173
equipment for determining breaking pressure, **14**:173
germination, **14**:173
internal pressure necessary to break shell, **14**:173

Oak: anthracnose fungi injury in Iowa, **18**:104
Oat: See *Avena sativa*
Oleoresin: as insecticide, **11**:1
OLSON, JUNE: See FLEMION, FLORENCE
Onion: See *Allium cepa*
Oryza sativa: germination effects of presoaking, **17**:11
Osmotic pressure: polyploid plants, **18**:213
OWENS, ROBERT G. Metabolism of fungus spores. I. Oxidation and accumulation of organic acids by conidia of *Neurospora sitophila*, **18**:125
Metabolism of fungus spores. II. Cytochrome oxidase, succinoxidase and pyruvate carboxylase systems in homogenates of conidia of *Neurospora sitophila*, **18**:145
Plant disease control by 5-nitrofuran derivatives in relation to chemical structure, **20**: 141
Studies on the nature of fungicidal action. I. Inhibition of sulfhydryl-, amino-, iron-, and copper-dependent enzymes *in vitro* by fungicides and related compounds, **17**:221

  Studies on the nature of fungicidal action. II. Chemical constitution of benzenoid and quinonoid compounds in relation to fungitoxicity and inhibition of amino- and sulfhydryl-dependent enzymes, **17**:273
  Studies on the nature of fungicidal action. III. Effects of fungicides on polyphenol oxidase *in vitro*, **17**:473
Owens, Robert G., and G. Blaak. Chemistry of the reactions of dichlone and captan with thiols, **20**:475
  Site of action of captan and dichlone in the pathway between acetate and citrate in fungus spores, **20**:459
Owens, Robert G., G. Blaak, and Ann Doran. Effects of 5-nitrofuran derivatives on organic acid metabolism of conidia of *Neurospora sitophila* and on acetylation of sulfanilamide *in vitro*, **20**:265
Owens, Robert G., and Lawrence P. Miller. Intracellular distribution of metal ions and organic fungicides in fungus spores, **19**:177
Owens, Robert G., and Helen M. Novotny. Influence of chemical structure of 5-nitrofuran derivatives on absorption by fungus spores and on inherent toxicity, **20**:151
  Mechanism of action of the fungicide captan[*N*-(trichloromethylthio)-4-cyclohexene-1,2-dicarboximide], **20**:171
  Mechanism of action of the fungicide dichlone (2,3-dichloro-1,4-naphthoquinone), **19**:463
Owens, Robert G., Helen M. Novotny, and Marie Michels. Composition of conidia of *Neurospora sitophila*, **19**:355
Oxygen: changes caused by plant tissue in closed space, **14**:383
  concentration, effects on plant respiration, **15**:61
  depletion of supply, effect on respiration, **14**:419
  effects on ascorbic acid in banana, **13**:201
    on dormancy in seeds, **13**:487
    on freshly-harvested potato tubers, **13**:361, 487
    of fungicides on consumption by mycelial pellets, **18**:487
    of fungicides on uptake by spores, **18**:39
    on germination of lilies, **13**:487
    on soaking injury of seeds, **16**:55; **17**:10, 11, 16; **18**:340
    of sulfur on consumption by fungi, **18**:501
    of triazine derivatives on uptake by fungus spores, **18**:438
  method of estimating absorption in plant tissue, **14**:257
    for measuring amount consumed in plant respiration, **15**:47
  storage effects on asparagus, **14**:295
    on banana, **14**:295
Ozone: effect on plant foliage, **20**:275

P^{32}: See Radioactive phosphorus
Packeting: effect on germination of seeds, **15**:341
  of seeds from storage, **18**:25
Paeonia suffruticosa: amino acid content of embryo, **19**:487, 492
    of endosperm tissue, **19**:487, 492
  effect of storage temperature on seed viability, **17**:99
Paeonia suffruticosa seeds: amino acid content, **19**: 487
  biochemical studies of after-ripening, **19**:483
    of dormancy, **19**:483
  dormancy, effects of gibberellic acid on, **19**:201
Palm, Elmer T., and George L. McNew. A method for determining the incidence of clubroot infection in nutrient cultures, **18**:333
Panagrellus redivivus: effect of nematocides on, **19**:69
Panicum anceps: germination of seeds, **14**:117
Paper chromatography: See Chromatography, paper
Parathion: recovery from lipids by steam distillation, **17**:393
  T50 test for immobilization of mosquito larvae, **17**:441
Parker, Elinor: See Flemion, Florence
Parsley: See *Petroselinum hortense*
Parsnip: See *Pastinaca sativa*
Parthenocarpy: aerosol growth substances effects, **13**:313

caused by 1,3-benzodioxole-2-carboxylic acids, **18**:457
by benzoic acid derivatives, **12**:321
by β-naphthoxyacetic acid, **12**:1
by phenoxyacetic acid halogen derivatives, **12**:321
Particle size: distribution in cocoa powders, **14**:325
of fungicides, effect on foliage protection, **16**:132
on seed protectants, **16**:148
fungitoxicity of dichloronaphthoquinone, relationship to, **16**:171
Pastinaca sativa: carbon dioxide storage effects, **13**:295
embryolessness, **14**:283
germination of seeds, **14**:283
photomicrographs of *Lygus* damage after feeding, **17**:355
PATTON, ROBERT L.: See HILCHEY, JOHN D.
Pea: See *Pisum sativum*
Peach: See *Prunus persica*
Peach, "X"-disease: See Yellow-red virosis
Peanut: See *Arachis hypogaea*
Pear: See *Pyrus communis*
Pectin: calcium pectate number of developing cotton fibers, **11**:403
Pelargonium domesticum leaves: depletion of oxygen supply effect on respiration, **14**:419
Penicillum expansum: spore size, **19**:308
2-Pentadecylglyoxalidine: factors influencing spray injury to *Pyrus malus*, **16**:22
Pepper: See *Capsicum frutescens*; *Piper*
Peony, tree: See *Paeonia suffruticosa*
Peptides: chemical structures and dissociation constants, **18**:395
reactivity of, **18**:402
Peptone: stimulating effects on hydrogen sulfide formation by sulfate-reducing bacteria, **15**:467
Peroxidase: thiourea effects on dried apples, **13**:57
Persea: effect of ozone on, **20**:275
Pestalotia stellata: spore size, **19**:308
Petroselinum hortense: embryolessness, **14**:283
germination of seeds, **14**:283
Petunia: effect of gibberellic acid on pollen germination, **19**:216
on pollen-tube growths, **19**:218
PFEIFFER, NORMA E. Effect of lyophilization on the viability of *Lilium* pollen, **18**:153
Effectiveness of certain apple pollen diluents in hand pollination tests, **15**:119
Hybrids resulting from controlled pollination of *Lilium sulphureum* with *L. henryi* pollen, **11**:305
Prolonging the life of *Cinchona* pollen by storage under controlled conditions of temperature and humidity, **13**:281
pH: See Hydrogen-ion concentration
Phaseolus: as source of growth inhibiting substance, **15**:259
Phaseolus limensis: carbon dioxide effects, **13**:295
Phaseolus seeds: effect of soaking solution on amino acid content, **18**:348
free amino acid content, **18**:346
indole compounds in, **18**:350
soaking injury of, **16**:55; **18**:339
sugar content of, **18**:349
Phaseolus vulgaris: effect of ozone on, **20**:275
of polyvinylpyrrolidone on germination, **17**:9
glycine, tritium-labeled, distribution in, **19**:349
incorporation of thymidine in nuclei of rusted leaves of, **20**:349
Lygus, injury to tissues, **17**:343, 345, 350
respiration rate, **15**:211
seedling production following soaking seeds in inorganic salt solutions, **17**:16, 17
seedling response to IMSA, **19**:258
tissue absorption of carbon disulfide and S^{35}, **17**:304
Phenol: effect on O_2 uptake and germination of fungus spores, **18**:50
toxic effects on house flies, **13**:79
Phenolic compounds: effect of, on apple root growth, **20**:51
on enzymes, **17**:227, 276, 478
on fungitoxicity, **17**:276
liberation of, from apple root residues, **20**:39
Phenolic fungicides: adaptability, **16**:350
Phenoxy acid derivatives: formative effects on plants, **15**:421
Phenoxy aliphatic acid derivatives: preparation, **14**:91
properties as growth substances, **14**:91

Phenoxy compounds: growth substance activity as affected by their structure, **12**:497; **14**:21
Phenoxyacetic acid halogen derivatives: growth substance activity as affected by their structure, **12**:321
Phenyl compounds: effects on adventitious root and shoot production on disbudded cuttings, **11**:127
Phenylacetic acid: effects on dormant seeds, **11**:229
  on rooting, **11**:143
Phenylenediamine, *p*-: effects on rooting, **11**:143
Phenylmercuric acetate: effect on enzymes, **17**:232, 478
Phenylphenol, 4-chloro-*o*-: overcomes dormancy in peach buds, **12**:45
Phenylthiourea: inhibition of polyphenol oxidase activity by, **17**:476
PHILLIPS, I. D. J., A. J. VLITOS, and H. CUTLER. The influence of gibberellic acid upon the endogenous growth substances of the Alaska pea, **20**:111
Phloretin: influence on growth of apple seedlings in water culture, **20**:50
Phlorizin: decomposition in soil, **20**:48
  detection in alcoholic apple root extracts, **20**:46
  effect on growth of apple seedlings in water culture, **20**:50
  excretion from apple root residues, **20**:39
Phloroglucinol: effect on growth of apple seedlings in water culture, **20**:50
Phosphorodithioate, S-(1,2-dicarboethoxyethyl)-*O*,*O*-dimethyl: See Malathion
Phosphorus: availability in soil as determined by dilute acid, **14**:411
  Neurospora sitophila conidia, distribution in, **19**:358
  in plant, effect of dithiobiuret on, **20**:90
  radioautographs, **16**:291
  in tobacco leaves, **19**:99
Photography: fluorescent chromatograms, **19**:107
Photometers: fluoride titration with, **18**:182
Photomicrographs: cross-sections of *Plantago ovata* leaves, showing exudate, **18**:196
Photomigration of mosquito larvae: test for evaluation of insecticides, **17**:67, 70, 317, 325
Photoperiodic treatment: effect of temperature on results, **16**:182
  of *Glycine max*, **16**:185
  of *Piqueria trinervia*, **16**: 178
  of *Xanthium canadense*, **16**:186
Photoperiodism: effects on branching habit, **16**:183
    on flowering of *Digitalis purpurea*, **12**:111
  in *Plantago ovata*, **18**:205
  in spinach, **18**:159
Phygon: See Naphthoquinone, 2,3-dichloro-1,4-
Phyllosticta sp.: spore size, **19**:308
Phytomyza ilicicola: biology, **13**:17
  control, **12**:119; **13**:29
Phytophthora cinnamomi: factors influencing root rot development and spread, **17**:368
  host range, **17**:364
  pathogenicity of isolates, **17**:367
  physiological specialization, **17**:367
  root rot of ornamentals caused by, **17**:359
  vertical distribution in soil, **17**:369
Phytophthora infestans: greenhouse tests for control by Bordeaux mixtures, **19**:160
  spore size, **19**:308
  temperature, time effects on spore germination and infectivity, **13**:112
  toxicity of S,S′-dialkyl xanthogenalkylenebis[dithiocarbamates] to, **20**:299
    of 5-nitrofurans to, **20**:146
    of *s*-triazines, **18**:383
  use in greenhouse tests of fungicides on tomato, **13**:93, 177
Phytophthora lateralis: disease symptoms produced by, **17**:361
Phytotoxicity: greenhouse method for testing fungicides, **13**:172
  Sevin, **18**:511
  of *s*-triazines, **18**:385
Picea: germination after storage under various conditions, **17**:90
  water-conducting system of, **20**:27
Picea sitchensis: storage temperatures, **18**:21
Piggy-back plant: See *Tolmiea menziesii*
Pimpinella anisum: embryolessness, **14**:283
  germination of seeds, **14**:283
Pine: See *Pinus*
Pinespray: effects on efficiency of insecticides, **11**:465

Pinus: water-conducting system of, **20**:27
Pinus lambertiana: water-conducting system of, **20**:27
Pinus monticola: water-conducting system of, **20**:27
Pinus ponderosa: movement of injected dyes in, **20**:7
  storage temperatures for seeds, **18**:21
Pinus seeds: effect of presoaking on after-ripening and germination, **17**:436
  of storage temperature on viability, **17**:89, 99
Piper: as insecticide, larvicide, **13**:243
Piperazine: reactivity with 1-fluoro-2,4-dinitrobenzene, **20**:167
Piperic acid derivatives: toxic effects on house flies, **13**:433
Piperidine: reactivity with 1-fluoro-2,4-dinitrobenzene, **20**:167
Piperine: effects on muscles of house flies, **13**:443
  on nerves of house flies, **13**:253, 443
  as insecticide, larvicide, **13**:243
  toxicity to house flies, **13**:87
Piperonyl butoxide: cyclethrin synergist, **18**:6
  inactivation of mosquito larvae by, **17**:446
Piqueria trinervia: effect of ozone on, **20**:275
  photoperiodic treatment, **16**:178
  translocation of substituted benzoic acids, **16**:423
Pisum sativum: effect of fungicide chemicals on germination, **15**:91
  of gibberellic acid on endogenous growth substances, **20**:111
  of seed soaking, **16**:55
  etiolated sections, response to IMSA, **19**:259
  seedlings, gibberellic acid elongation of, **19**:55
PLAISTED, PHILIP H. Clearing free amino acid solutions of plant extracts for paper chromatography, **19**:231
  The effect of 2,4-dithiobiuret on some of the biochemical components of cotton and coleus plants, **20**:83
  Some biochemical changes during development and aging of *Acer platanoides* L. leaves, **19**:245
  Suppression of tomato plant terminal growth by α-cyanocinnamic acids and related compounds, **18**:231
Plant extracts: cause leaf epinasty, **11**:127
  induce root formation, **11**:127
  paper chromatography of, **20**:259
Plant products: toxicity to insects, **15**:21
Plant protection: mechanism of, **16**:131
Plantago: conditions for germination, **17**:267
  flower behavior, **17**:496
  improvement for mucilage production, **17**:495
  induction of polyploidy, **17**:496
  seed production, **17**:501
Plantago major: effects of 2,4-D on growth, **14**:471
Plantago ovata: morphological and physiological studies, **18**:193
Plantago rugelii: effects of 2,4-D on growth, **14**:471
Plantain: See *Plantago*
Plants: effect of spraying with 1,3-benzodioxide-2-carboxylic acids, **18**:458
  growth-regulating effect of 1,1-difluoroethylene, **18**:295
  method of fumigating, **18**:17
  susceptibility to hydrofluoric acid, **18**:267, 269, 270
    to sulfur dioxide gases, **18**:267, 269, 270
Plants, short-day: free indole acids in tissues, **17**:413
Plasmodiophora brassicae: effect of soil conditions on clubroot infection caused by, **18**:333
Polarity in cuttings: disbudding effects, **11**:127
  growth substances effects, **11**:127
Pollen: effect of gibberellic acid on germination, **19**:216
  of storage, **18**:155
  grains of *Plantago*, **17**:499
Pollen, lyophilized: germination of, **18**:154
Pollen diluents: effectiveness in hand pollination, **15**:119
Pollen storage: *Cinchona*, **13**:281
Pollen-tube: growth, effect of gibberellic acid, **19**:218
Pollination: effectiveness of certain apple pollen diluents in hand pollination, **15**:119
Polyethylene glycol esters of 2,4-dichlorophenoxyacetic acid: herbicidal properties, **16**:267

Polygonatum commutatum: dormancy and germination of seeds, **13**:259
Polygonum: effect of ozone on, **20**:275
Polymeric organic polysulfides: as fungicides, **14**:203
  as spray adjuvants, **14**:203
Polyphenol oxidase: activity determination, **17**:224, 476
  effect of metal additives on inhibition by sodium diethyldithiocarbamate, **17**:234
  inhibition of activity by fungicidal compounds, **17**:227, 474, 481
    possible method of, **17**:235
  relationships between inhibition and fungitoxicity, **17**:484
Polyphosphates: toxic effects on plants, **15**:11
  use as insecticide, **15**:11
Polyploidy: effect on seed size and mucilage from *Plantago*, **17**:500
  germination of *Plantago* spp., **17**:269
  induced in *Plantago*, **17**:496, 498
  in *Plantago ovata*, **18**:193
  in *Verbena hybrida*, **18**:243
Polysaccharides: *Neurospora sitophila* conidia, content in walls of, **19**:362
Polyvinylpyrrolidone, inert: protective action of, during seed soaking, **17**: 7, 9, 10
Poole, Harriet: See Flemion, Florence
Popillia japonica: adult control by organic compounds, **11**:83
  effects of wetting agents on efficiency of sprays, **11**:465
  migration of larvae, **11**:87
  synthesis of methionine from sulfur by, **20**:363
Porter, Clark A. Histological and cytological changes induced in plants by cucumber mosaic virus (*Marmor cucumeris* H.), **17**:453
Porter, Clark A., David Margolis, and Pamela Sharp. Quantitative determination of amino acids by paper chromatography, **18**:465
Porter, Clark A., and Leonard H. Weinstein. Altered biochemical patterns induced in tobacco by cucumber mosaic virus infection, by thiouracil, and by their interaction, **20**:307
  Biochemical changes induced by thiouracil in cucumber mosaic virus-infected and noninfected tobacco plants, **19**:87
Porter, Clark A.: See also Weinstein, Leonard H.
Potassium: availability in soil as determined by dilute acid, **14**:411
Potassium alkylxanthates: inhibition of polyphenol oxidase activity by, **17**:475
Potassium chromate: enzyme inhibition by, **17**:227
Potassium cyanide: inhibition of hydrogen sulfide from sulfur by *Neurospora sitophila* and yeast cells, **17**:164
Potassium ferricyanide: reduction by dithiocarbamic acid derivatives, **17**:234
Potassium hydroxide: efficiency in removing toxic factors from fungicide vapors, **17**:311
Potassium permanganate: efficiency in removing toxic factors from fungicide vapors, **17**:311
Potassium thiocyanate: effects on dormancy in potato tubers produced with growth substances, **11**:29
Potato: See *Solanum tuberosum*
Potato chips: color after treatment of tubers with methyl ester of alpha-naphthaleneacetic acid, **14**:15
    related to reducing sugar content, **12**:217, 405
    related to sugar content, **11**:291
  suitable potato varieties, **12**:217, 405
  time of harvest effects on color, sugars, **12**:405
Potato juice: stimulating effects on hydrogen sulfide formation by sulfate-reducing bacteria, **15**:467
Potato-yellow-dwarf virus: tests with antibiotics for control in *Nicotiana rustica*, **16**:403
Powdery mildew: See *Erysiphe polygoni*
Powell, Stephen E.: See Baumgartner, Luther L.
PRD: See Thiophene, 3,4-dichlorotetrahydro-1,1-dioxide
Precipitin, quantitative serum: reaction of tobacco mosaic, **13**:385
Precipitin reactions: test of tobacco mosaic, **11**:441
Prill, Edward A., Lela V. Barton, and Maria L. Solt. Effects of some organic

acids on the growth of wheat roots in solutions, **15**:429

 Effects of some surface-active agents on the growth of wheat roots in solutions, **15**:311

Prill, Edward A., and Dorothy Fisher. Paper chromatography of aromatic aldehydes as their semicarbazones, **18**:299

Prill, Edward A., Albert Hartzell, and John M. Arthur. Insecticidal thio ethers derived from safrole, isosafrole, and other aryl olefins, **14**:127

 Some cyclic acetals containing the 3,4-methylenedioxyphenyl radical and their insecticidal effectiveness against houseflies, **14**:397

Prill, Edward A., and William Richard Smith. Comparison of ethylenedioxyphenyl and methylenedioxyphenyl compounds as extenders for pyrethrins, **18**:187

Prill, Edward A., and Martin E. Synerholm. Report on some miscellaneous methylenedioxyphenyl compounds tested for synergism with pyrethrum in fly sprays, **14**:221

Prill, Edward A., Martin E. Synerholm, and Albert Hartzell. Some compounds related to the insecticide "DDT" and their effectiveness against mosquito larvae and houseflies, **14**:341

Prill, Edward A.: See also Burchfield, H. P.; Zimmerman, P. W.

Prober, Peggy Lusses: See Flemion, Florence

Proline: absorption characteristics, **18**:473

Protein hydrolysates: stimulating effects on hydrogen sulfide formation by sulfate-reducing bacteria, **15**:467

Protein inactivating compounds: effect on polyphenol oxidase activity, **17**:478

Proteins: amino acid composition of wheat flours, **18**:477

 chemical structures and dissociation constants, **18**:395

 effect of dithiobiuret on, in plant, **20**:86

Prunus persica: biochemical studies of dormancy in, **20**:365

 cell development in normal and physiologically dwarfed seedling of, **20**:437

 dwarfing, **13**:415

 effects of chemical sprays on bud dormancy, **12**:45

 gibberellin effects on physiologically dwarfed seedlings of, **20**:67

 light effects on physiologically dwarfed seedlings of, **20**:62

 production of seedlings from unchilled seeds of, **20**:409

 stem elongation and leaf development in physiologically dwarfed seedlings of, **20**:57

 temperature effect on physiologically dwarfed seedlings of, **20**:61

 thiourea prevents browning of tissue, **12**:309

 "X"-disease: See Yellow-red virosis

Pseudotsuga: water-conducting system of, **20**:27

Pseudotsuga menziesii: tracheidal alignment in, **20**:353

 water conduction pattern in, **20**:353

Pseudotsuga taxifolia seeds: storage and viability, **18**:25

 storage temperatures, **18**:21

Puccinia antirrhini: spore size, **19**:308

 temperature effects on infectivity, **13**:372

 use in greenhouse tests of fungicides, **13**:367

Puccinia graminis tritici: organic acid composition of uredospores of, **19**:26

 succinoxidase activity of the uredospores of, **19**:19

Puccinia recondita: dark carbon dioxide fixation by uredospores of, **20**:71

Puccinia recondita tritici: effect on organic acid composition of wheat leaves, **19**:1

 organic acid composition of uredospores of, **19**:22

 succinoxidase activity of the uredospores of, **19**:19

Puccinia rubigo-vera tritici: See *Puccinia recondita tritici*

Puratized N_5E: use in disinfesting seeds, **15**:211

Purvis, E. R.: See Weinstein, L. H.

Pyrethrins, extenders for, **18**:187

 effectiveness against house flies, **15**:35

 toxic effects on white rats, **15**:35

 inactivation of mosquito larvae by, **17**:72

Pyrethrum: control of adult Japanese beetle, **11**:83

 effects on muscles, nerves of house flies, **13**:443

Pyrethrum-filicin: as insecticide, **11**:1

Pyrus communis: thiourea prevents browning of tissue, **12**:309

Pyrus malus: See *Malus sylvestris*

Pyruvate: decarboxylation by homogenates of conidia of *Neurospora sitophila,* **18**:149

Pyruvate carboxylase: distribution in conidia of *Neurospora sitophila* **18**:147

Quercitrin: detection of, in alcoholic apple root extracts, **20**: 46

L-Quinic acid: isolation and identification from roses, **19**:341
  as precursor in aromatic biosynthesis in rose, **20**:121
  in rose tissues, **19**:333

Quinine: See *Cinchona*

Quinones: biological activity, **16**:357
  effects on inhibition of enzymes and on fungitoxicity, **17**:225, 233, 277, 483
  particle size and fungitoxicity, **16**:171
  in plant protection, **16**:132, 148
  relation between chemical structure and fungitoxicity, **16**:360, 364

Quinonoid compounds: fungitoxicity, **17**:273
  inhibition of pancreatic amylase by, **17**:226

Radiant energy: See Light; Ultra-violet effects

Radiation, gamma: effect on indole compounds in tobacco, **18**:286

Radioactive phosphorus: oral secretion transfer by *Lygus oblineatus*, **16**:288
  used to measure oral secretion deposited by *Lygus oblineatus* when feeding, **16**:429

Radioactive sulfur: uptake by green plants, **17**:300, 304, 305
  from labeled ferbam by fungus spores, **17**:303

Radioactive tracers: used in fungitoxicity determinations, **17**:174, 284

Radioassay: *Blattella* digestive tract, **18**:111
  Blattella germanica hydrolysates, **18**:117
  See also Bioassay

Radioautographs: phosphorus, **16**:291

Radioisotopes: quantitative determination of individuals in mixtures of C^{14}, Ag^{110}, Ce^{144}, and S^{35}, **17**:285

Radish: See *Raphanus sativus*

Rain, simulated: equipment for producing, **19**:133

Raphanus sativus: respiration rate, **15**:47, 61
  β-2-trichloroethyl-D-glucoside formed on treatment with chloral hydrate, **12**:359

Raticides: vegetative propagation of red squill, **12**:481

Rats: effect of toxic substance in certain maize cobs, **14**:277
  toxic effects of pyrethrin extenders on, **15**:35

Reactivities, relative: fungicides with metabolites and related compounds, **19**:169

Red squill: See *Urginea maritima*

REDDER, ANNA MAY: See BURCHFIELD, H. P.

REEVES, RICHARD E. Protecting cotton fiber from periodate oxidation, **13**:1

REEVES, RICHARD E., and WAYNE A. SISSON. Chemical reactivity of cotton fiber as related to type of X-ray diffraction pattern, **13**:11

REEVES, RICHARD E., and H. JEANNE THOMPSON. Methylation of cotton fiber with ethereal diazomethane, **11**:55

Replant problem: in apple, **20**:39

Residues, insecticides: bioassay, **17**:79
  extraction from foods, **17**:61

Resin: isolation from vanilla, **20**:135

Respiration: changes in oxygen, carbon dioxide, and pressure caused by plant tissue in a closed space, **14**:383
  effect of dithiobiuret on, **20**:84
    on plant tissues caused by changes in the oxygen concentration, **15**:61
  of gladiolus corms after storage, **11**:421
  measurements as affected by gas content of tissue, **14**:257
  method for measuring amount of oxygen consumed and carbon dioxide produced, **15**:47
  methods for measuring, **15**:141
  partial depletion of oxygen supply, effect in *Helianthus tuberosus*, **14**:419
    effect in *Pelargonium domesticum*, **14**:419
    effect in *Solanum tuberosum*, **14**:419

Respiration of seeds: role of surface microflora in measurements, **15**:211
  Triticum aestivum, **14**: 419

- Rest period: See Dormancy
- *Rhizopus nigricans:* absorption of radioactivity from vapor of S^{35} labeled ferbam, **17**:303
  - endogenous and exogenous oxygen uptake, **18**:44, 47
  - hydrogen sulfide production by and survival of spores exposed to elemental sulfur, **17**:161
  - mean spore dimensions, **17**:154
  - spore size, **19**:308
  - spore uptake of 2-heptadecyl-2-imidazoline, **17**:181
- *Rhodotypos:* gibberellin effects on seedlings from unchilled seeds of, **20**:68
- *Rhodotypos kerrioides:* stem elongation and leaf development in physiologically dwarfed seedlings of, **20**:57
- *Rhodotypos tetrapetala:* cell development in normal and physiologically dwarfed seedlings of, **20**:437
- Rhothane: T50 test for immobilization of mosquito larvae, **17**:441
- Riboflavin: use to counteract effects of chemicals on *Cucurbita sativus* root inhibition, **16**:414
- Rice: See *Oryza sativa*
- Rich, Saul: See Horsfall, James G.
- *Ricinus communis:* as insecticide, **12**:127
- Ringspot-virus disease: of lilac, **17**:1
- Robbins, W. Rei: See Weinstein, Leonard H.
- Root bark: influence on growth of apple seedlings in water culture, **20**:39
- Root-inducing substances: See Growth regulators
- Root rot: caused by *Phytophthora cinnamomi*, **17**:362
- Rooting: at cut surface of potato tubers related to stage of dormancy, **11**:44
  - disbudding effects on cuttings, **11**:127
  - ethylene chlorohydrin, effects on nondormant potato tubers treated with growth substances, **11**:29
  - growth substances effects, **11**:29, 127, 143
  - mycorrhizal effects on *Epigaea repens*, **11**:431
  - plant tissue extracts, effects on, **11**:127
- Rootone: effects on germination of seeds, seedling growth, **11**:181, 207, 229
- Roots: growth affected by surface-active agents, **15**:311
  - growth substances effects on non-dormant seeds, **11**:197
  - induction by BCA, **18**:457
- Roots, adventitious, **16**:221
  - production as affected by disbudding, **11**:127
    - by growth substances, **11**:127
    - by mutilation, **11**:127
  - production as related to metabolism, **11**:127
- *Rosa:* "bluing" and senescence, **19**:33
  - quinic acid as a precursor in aromatic biosynthesis in, **20**:121
  - senescence of, **19**:33, 327, 341
- Rosaceae: new varieties from adventitious buds on roots, **16**:221
- Roses: See *Rosa*
- Rotenone: effect on muscles, nerves of house flies, **13**:443
  - effects of wetting agents on efficiency as an insecticide, **11**:465
- Row, Vas V. Growth regulants in maple bark and flowers, **20**:381
- Rudinsky, J. A.: See Vité, J. P.
- Rust fungi: See *Puccinia recondita; Uromyces phaseoli*
- Rye: See *Secale cereale*

- S^{35}: See Radioactive sulfur
- *Saccharomyces cerevisiae:* effect on ferbam decomposition, **17**:306
  - equimolar formation of CO_2 and H_2S when cells reduce sulfur, **18**:499, 502
  - inhibition of reduction of sulfur to hydrogen sulfide by, **17**:163
  - uptake of ferbam by spores of, **17**:186
- *Saintpaulia:* effect of gibberellic acid on pollen germination, **19**:216
  - on pollen-tube growth, **19**:218
- Salts, inorganic: See Fertilizers, inorganic
- *Salvelinus fontinalis:* amino acid composition of, **20**:103
- Sanford, William W.: See Mavrodineanu, R.
- *Sanguinaria canadensis:* dormancy and germination of seeds, **13**:259
- Sapwood: role in transpiration, **20**:7
- Sawdust: hydrogen ion concentration, **15**:279
- Schechtman, Joan: See Burchfield, H. P.; Magdoff, Beatrice S.
- Schmitt, C. G. Comparison of a series of de-

  rivatives of 4,5-dimethyl-2-mercaptothiazole for fungicidal efficacy, **16**:261
SCHROEDER, ELTORA: See BARTON, LELA V.; CROCKER, WILLIAM; DENNY, F. E.
SCHULDT, PAUL H. Comparison of anthracnose fungi on oak, sycamore, and other trees, **18**:85
SCHULDT, PAUL H., and HENRY BLUESTONE. Nematocidal properties of 3,4-dichlorotetrahydrothiophene - 1,1 - dioxide (PRD), **19**:63
SCHULDT, PAUL H., and CALVIN N. WOLF. Fungitoxicity of substituted *s*-triazines, **18**:377
SCHULDT, PAUL H.: See also BURCHFIELD, H. P.
Sclerotinia fructicola: See *Monilinia fructicola*
Secale cereale: respiration rate, **15**:211
Secretions of insects, oral: See *Lygus oblineatus*
Sedum spectabile: fluorine in leaves of, **20**:343
Seed production: by diploid and polyploid species of *Plantago*, **17**:501
Seed protectants: chromate complexes, **16**:5
  evaluation of chemicals as, **15**:91
  organic compounds, **16**:5
Seed size: effect on germination and sex population, **14**:405
Seed storage: carbon dioxide effects, **13**:355
  citrus, **13**:47
  effect of age and storage on yield of plants, **14**:243
    of chromate complex protectants on, **16**:17
    on germination of *Eichhornia crassipes*, **16**:218
    of various conditions on germination, **15**:1
    on viability, **17**:87
    on viability of frost-damaged corn, **20**:403
    on viability of *Lobelia cardinalis*, **20**:398
  Fraxinus, **13**:427
  humidity, temperature effects on viability, **12**:85
  maga, **13**:423
  methods of, **18**:26
  moisture effects, **13**:35
  oxygen effects, **13**:487
  packeting effects, **15**:341; **18**:26
  rapid viability test, **11**:455; **15**:229
  at subfreezing temperatures, **18**:21
  viability tests with 2,3,5-triphenyltetrazolium chloride, **15**:243
Seed treatment: See *Tilletia tritici*
Seed weights: in relation to optimum and maximum depths of emergence in soil, **16**:474
Seedling growth: 2,4-dichlorophenoxyacetic acid effects on, **15**:363
  growth substances effects on seeds, **11**:181, 207, 229
  talc effects on seeds, **11**:207
Seedlings: effect of gibberellic acid on crab apple, **18**:313
  of size on clubroot infection, **18**:356
  epicotyl development, effect of gibberellic acid on, **19**:207
  response to IMSA, **19**:255
Seedlings, decapitated: response to gibberellic acid, **19**:59
Seedlings, de-rooted: response to gibberellic acid, **19**:59
Seeds: chemical treatments for disinfestation, **15**:211
  colchicine treatment of *Cinchona* seeds and seedlings, **16**:257
  dormancy, See Dormancy in seeds
  effect of age on Douglas fir, **18**:29
    of gases on soaking injury, **16**:55
    of presoaking on, **17**:7, 435
  embryoless dill, **12**:157
  embryoless Umbelliferae, **14**:283; **15**:291; **16**:39
  embryolessness effected by *Lygus* bugs, **15**:299
  excised embryo method as rapid viability test, **15**:229
  fluorine in, **19**:52
  germination, See Germination of seeds
  humidity, temperature effects on viability, **12**:85
  immature embryo in Umbelliferae, **15**:291
  impermeability of seed coat, **14**:355
  influence of chemical treatments on photoperiodic response of spinach, **18**:159
  Plantago, **17**:500
  production affected by *Lygus oblineatus*, **16**:42
  soaking injury, **18**:339
  storage, See Seed storage

viability, **15**:229, 243, 341
 viability tests with 2,3,5-triphenyltetrazolium chloride, **15**:243
 water absorption capacity, **12**:85
SEEGAL, BEATRICE CARRIER: See BEALE, HELEN PURDY
Self-sterility, **16**:255
Semicarbazide: inhibition of hydrogen sulfide production from sulfur by *Neurospora sitophila* and yeast cells, **17**:164
Semicarbazones: paper chromatography of aromatic aldehydes as their semicarbazones, **18**:299
Senescence: Norway maple, biochemical changes in leaves, **19**:245
 rose tissues, changes in, **19**:327
 roses, **19**:33, 341
Sensitive plant: See *Mimosa pudica*
Septoria lycopersici: use in greenhouse tests of fungicides on tomato, **13**:93
Sequoia: water-conducting system of, **20**:27
Serum-precipitin reactions: See Precipitin, quantitative serum
Serum proteins, bovine: amino acid composition, **19**:447
 fractionation of, **19**:446
Serum proteins, human: amino acid composition, **19**:455
 fractionation of, **19**:451
Serum proteins, turtle: amino acid composition of, **20**:388
 fractionation of, **20**:388
Sesame: effects on muscles, nerves of house flies, **13**:443
 as insecticide, **13**:243
Sesamin: effects on brain, muscles of house flies, **14**:123
Setaria Faberii: chemical control, **16**:469
 effect of chemical soil treatment and soil desiccation on germination in clay pots in greenhouse, **16**:482
  of depth of planting and soil desiccation on germination in greenhouse flats, **16**:475
  of depth of planting on chemical control, **16**:472
 germination of, **16**:471
 physical characteristics, **16**:469
Setaria italica: effect of depth of planting on germination, **16**:477
SETTERSTROM, CARL: See MCCALLAN, S. E. A.; THORNTON, NORWOOD C.; WEEDON, F. R.
Settling tower: testing of fungicides, **11**:309
Sevin: chemical analysis, **19**:297
 insecticidal properties and characteristics of, **18**:507
 residue analysis, **19**:295
 systemic activity, **18**:510
Sex population studies: *Ilex opaca*, **14**:405
SHARP, PAMELA: See PORTER, CLARK A.
Shoots: dormancy, See Dormancy in shoots
Shoots, adventitious: production as affected by disbudding, growth substances, mutilation, on cuttings, **11**:127
 as related to metabolism of cuttings, **11**:127
Silicon tetrafluoride: analyzing air for, **18**:174
Silver: effect on mycelial pellet viability, **18**:488
  on oxygen uptake and germination of fungus spores, **18**:50
  of previous uptake on amount of 2-heptadecyl-2-imidazoline taken up by *Venturia pyrina*, **17**:287
 fungitoxicity on a spore weight basis, **17**:187
 rate of uptake by fungus spores, **17**:175, 187
 uptake by mycelial pellets, **18**:491
Silver nitrate: efficiency in removing toxic factors from fungicide vapors, **17**:311
SINNOTT, EDMUND W. William Crocker—the man and scientist (January 27, 1874–February 11, 1950), **16**:1
SISSON, WAYNE A. Some X-ray observations regarding the membrane structure of *Halicystis*, **12**:31
 X-ray studies regarding the formation and orientation of crystalline cellulose in the cell wall of *Valonia*, **12**:171
Slope of grain: variation of, in *Pinus* and *Abies*, **20**:7
Smartweed: See *Polygonum*
Smilacina racemosa: epicotyl dormancy, germination of seeds, **12**:277
SMITH, WILLIAM R.: See PRILL, EDWARD A.; WEINSTEIN, LEONARD H.; ZIMMERMAN, P. W.
Snapdragon rust: use in greenhouse tests of fungicides, **13**:367
Snowberry: See *Symphoricarpos racemosus*

Soaking of seeds: effect on dormancy, **17**:435
    on germination, **17**:7
  injury by, **18**:339
  relation of different gases to soaking injury, **16**:55
Sodium arsenate: effect on oxygen uptake and germination of fungus spores, **18**:50
Sodium arsenite: efficiency in removing toxic factors from fungicide vapors, **17**:311
  influence on toxicity of colloidal sulfur, **17**:164
Sodium azide: inhibition of hydrogen sulfide production from sulfur by yeast cells, **17**:164
Sodium bicarbonate: effectiveness as activator of 2,4-D, **15**:173
Sodium bisulfite: inhibition of hydrogen sulfide production from sulfur by *Neurospora sitophila* and yeast cells, **17**:164
Sodium chloride: effectiveness as activator of 2,4-D, **15**:173
Sodium cyanide: control of soil microorganisms, **13**:463
    of weeds, **13**:473
  effects on soils, **13**:455, 479
  as fertilizer, **13**:455, 479
  rate of inactivation of mosquito larvae, **17**:446
Sodium 2,4-dichlorophenoxyethyl sulfate: See Sodium 2-(2,4-dichlorophenoxy)ethyl sulfate
Sodium 2-(2,4-dichlorophenoxy)ethyl sulfate: activation of, **16**:409
  biological activation, **17**:127, 142
  comparison with structurally related compounds, **17**:136
  conversion to active plant growth regulator by *Bacillus cereus* var. *mycoides*, **16**:436
  determination of 2,4-D and 2-(2,4-dichlorophenoxy)ethanol in treated soils, **17**:130
  effect on foliage, **16**:192
    on germination of seeds, **16**:196
    of sterilization on growth inhibition, **16**:412
    on tomato plant growth of soil treatment with, **17**:140
  as germinative toxicant for *Setaria Faberii*, **16**:480
  herbicidal properties compared with 2,4-dichlorophenoxyacetic acid, **16**:192
  measurement of activity, **16**:409
  residual action in greenhouse tests, **16**:197
  translocation in *Lycopersicon esculentum*, **16**:414
Sodium diethyldithiocarbamate: reversal of inhibitory action on polyphenol oxidase by, **17**:234
Sodium dithiocarbamates: inhibition of polyphenol oxidase activity by, **17**:475
Sodium isopropylxanthate: new selective herbicide, **15**:403
Sodium peroxide: determination of fluorides in vegetation by, **18**:419
Sodium thiocyanate: effects on dormancy in potato tubers treated with methyl ester of naphthaleneacetic acid, **12**:387
Soil microorganisms: sodium cyanide control, **13**:463
Soils: availability of phosphorus and potassium, **14**:411
  control of nematode larvae in, **19**:65
  hydrogen ion concentration, **15**:279
  methods for determining nitrogen in, **14**:363
  pH values of soil-sawdust mixtures, **15**:279
  PRD extraction from, **19**:78, 83
  sodium cyanide effects, **13**:455, 479
Solanum melongena: gas content of fruit tissue, **14**:257
  germination after storage under various conditions, **17**:93
  as source of growth inhibiting substance, **15**:259
  storage of seeds, **13**:35
Solanum pseudo-capsicum: effect of ozone on, **20**:275
Solanum tuberosum: carbon dioxide in tuber tissue, **14**:315
  carbon dioxide storage effects on sugars in tubers, **12**:79, 361; **13**:73
  chemical effects on the termination of dormant tubers, **14**:1
  depletion of oxygen supply effect on respiration, **14**:419
  dormancy, See Dormancy in potato tubers
  effect of change in storage temperature on carbon dioxide accumulation in tuber tissue, **14**:315
    of ozone on, **20**:275
  effectiveness of copper-zinc-chromates on fungus diseases of, **15**:195

  ethylene chlorohydrin, sodium thiocyanate, thiourea effects on tubers after treatment with methyl ester of naphthaleneacetic acid, **12**:387
  gas content of tuber tissue, **14**:257
  growth substances effects on bud growth, rooting at cut surface of non-dormant tubers, **11**:29
  methyl ester of naphthaleneacetic acid, amount absorbed by tubers, **12**:387
    inhibits sprouting of tubers, **12**:253, 387; **14**:15
  oxygen effects on freshly-harvested tubers, **13**:361
  respiration rate, **15**:47, 61
  storage conditions for tubers, **12**:361
  storage temperature effects on reducing sugar in tubers, **12**:79, 217, 405; **13**:65
    on sucrose in tubers, **12**:217, 405; **13**:65
    on sugars in tubers, **11**:291; **12**:361, 405
  storage temperatures for, **12**:217, 405
  varieties classified by sugar content, **12**:405
  varieties suitable for potato chips, **12**:217, 405
  See also Potato chips
Solt, Marie L.: See Barton, Lela V.; Prill, Edward A.
Sonic vibrations: disintegration of fungus spores by, **19**:184
Sorbus aucuparia: respiration rate, **15**:47
  as source of growth inhibiting substance, **15**:259
Sousa, Anthony A.: See Haynes, Harry L.
Southern bean mosaic virus: amino acid composition, **18**:372
  purification, **18**:371
Soybean: See *Glycine max*
Spergon: fungicidal activity, **16**:359
  in greenhouse control of early blight, late blight of tomato, **13**:93
    of snapdragon rust, **13**:367
  use in disinfesting seeds, **15**:211
Spinach: See *Spinacia oleracea*
Spinacia oleracea: effect of antibiotics on germination and growth, **17**:430
  of ozone on, **20**:275
  indole-3-acetic acid and tryptophan in tissues of, **17**:201, 405
  interactions between vernalization and photoperiod, **18**:159
Spores: germination, See Germination of spores
Spores, fungus: See Fungus spores
Sports: rose, **16**:221
Spray adhesive: See Polymeric organic polysulfides
Spraying methods: fungicides, **11**:309
Sprays: fungicides, factors governing deposition and tenacity, **19**:141
Spreaders: effect on tenacity of Bordeaux mixtures, **19**:145
Sprouting: See Buds; Germination of seeds; Roots; Shoots
Spruce: See *Picea*
Squash: See *Cucurbita pepo*
Standen, J. H. A simple apparatus for assay of fumigant insecticides, **15**:127
  A toxic substance occurring in certain maize cobs, **14**:277
Standen, J. H.: See also Stewart, W. D.
Stansbury, Harry A.: See Haynes, Harry L.
Staples, Richard C. Changes in the organic acid composition of wheat leaves infected with the leaf rust fungus, **19**:1
  The organic acid composition and succinoxidase activity of the uredospore of the leaf and stem rust fungi, **19**:19
Staples, Richard C., and Myron C. Ledbetter. Incorporation of tritium-labeled thymidine into nuclei of rusted bean leaves, **20**:349
  A study by microautoradiography of the distribution of tritium-labeled glycine in rusted Pinto bean leaves, **19**:349
Staples, Richard C., and Leonard H. Weinstein. Dark carbon dioxide fixation by uredospores of rust fungi, **20**:71
Starch: carbon dioxide effects on banana, **13**:201
  formation in cotton chloroplasts, **12**:181
Stem elongation: in physiologically dwarfed seedlings, **20**:57
Stemphylium sarcinaeforme: endogenous and exogenous oxygen uptake, **18**:44, 47
  hydrogen sulfide production by and survival of spores exposed to elemental sulfur, **17**:158, 161
  mean spore dimensions, **17**:154
  spore size, **19**:308

  spore uptake of ferbam, **17**:186
    of 2-heptadecyl-2-imidazoline, **17**:181
  test fungus for toxicity of heterocyclic nitrogen compounds, **16**:316
  used for slide-germination tests of fungicides, **14**:323
Stevia: See *Piqueria trinervia*
STEWART, W. D., and J. H. STANDEN. Polymeric organic polysulphides as fungicides and spray adjuvants, **14**:203
Stomates: influence by treatment with β-naphthoxyacetic acid, **15**:283
Storage of seeds: See Seed storage
STORRS, ELEANOR E., and H. P. BURCHFIELD. Joint action of binary mixtures of insecticides, **18**:69
STORRS, ELEANOR E.: See also BURCHFIELD, H. P.; HARTZELL, ALBERT
Stratification: effect of presoaking on, **17**:435
Strawberry: See *Fragaria*
Strobane: T50 test for immobilization of mosquito larvae by, **17**:441
Strobili, bisporangiate: in larch, **20**:107
STRONG, MURIEL: See HARTZELL, ALBERT
Structure, chemical: chlorosubstituted derivatives of benzoic acid, influence on physiological activity, **16**:209
  influence on fungicidal activity, **16**:261, 313, 357
  substituted benzoic acids, influence on physiological activity, **16**:421, 423
Substituted benzoic acids: effects on tomato plants, **14**:39
Substrates: effects on respiration of *Neurospora sitophila* conidia, **18**:135
Succinate: effect on house fly respiratory metabolism, **18**:258
Succinic acid: in wheat leaves, **19**:6
Succinoxidase: in *Neurospora sitophila* conidia homogenates, **18**:146
Sucrose: carbon dioxide effects on potato tubers, **13**:73
  carbon dioxide storage effects on some vegetables, **13**:295
  carbon dioxide storage temperature effects on potato tubers, **12**:361
  effect on oxygen consumption by mycelial pellets, **18**:487
  methyl ester of naphthaleneacetic acid effects on potato tubers, **12**:253
  solubilization of Bordeaux mixtures in, **18**:218
  storage temperature effects on potato tubers, **12**:217, 361, 405; **13**:65
  time of harvest effects in potato tubers, **12**:405
  use as stabilizer, **18**:222
Sugar-beet: See *Beta vulgaris*
Sugars: in *Agave*, **20**:239
  in bean seeds, **18**:349
  naphthaleneacetic acid, methyl ester, effects on dormant potato tubers, **14**:15
  in *Neurospora sitophila* conidia, **19**:362
  in peach seeds, **20**:375
  in polyploid *Plantago*, **18**:209
  relation to color in potato chips, **11**:291
Sugars, reducing: carbon dioxide effects on potato tubers, **12**:79, 361; **13**:73
    on some vegetables, **13**:295
  content effects on color in potato chips, **12**:217, 405
  methyl ester of naphthaleneacetic acid effects on potato tubers, **12**:253
  storage temperature effects on potato tubers, **12**:79, 217, 361, 405; **13**:65
    time of harvest effects in potato tubers, **12**:405
Sulfanilamide: effect of 5-nitrofuran derivatives on acetylation of, **20**:265
Sulfatase, aryl: activity in *Bacillus cereus* var. *mycoides*, **17**:145
Sulfate: effect on Bordeaux mixture stability, **19**:127
  utilization by German cockroach, **18**:109
Sulfate-reducing bacteria: tolerance to hydrogen sulfide, **16**:73
Sulfhydryl compounds: apparent reactivities of FDNB and Dyrene with, **19**:428
  effect on fungicide decomposition, **17**:308
  house fly metabolism, **19**:398
Sulfhydryl-dependent enzymes: inhibition, **17**:221, 273
Sulfhydryl groups: in egg albumin, **12**:103
Sulfides, bis(thiocarbamyl): chemical constitutions as related to polyphenol oxidase inhibition, **17**:482
Sulfides, polyethylene poly-: fungicidal effects, **14**:203
Sulfoxide: cyclethrin synergist, **18**:6
Sulfur: effect on oxygen consumption by fungi, **18**:501, 504

on oxygen uptake of fungus spores, **18**:53
as enzyme inhibitor, **17**:227
insect metabolism of, **19**:379
in nutrition of *Blattella germanica*, **17**:213
reduction by fungus tissue, **18**:497
toxic action on fungus spores, **17**:151, 154, 156, 159, 161
utilization by cockroaches, **20**:317
by insects, **20**:363
of DL-methionine as a source of sulfur in growing plants, **14**:443
yeast metabolism of, **19**:437
Sulfur, colloidal: fungitoxicity of, **17**:162, 164
Sulfur compounds, heterocyclic: nematocidal activity of, **19**:63
Sulfur dioxide: effects on bacteria, fungi, **11**:331
on house flies, **11**:365
on mice, **11**:365
on plants, **11**:343; **18**:267
on rats, **11**:365
on seed germination, **11**:357
toxicity studies, **11**:325, 331, 343, 357, 365
Sulfur dioxide, atmospheric: factors causing fluctuations of, **11**:473
Sulfur fungicides: See Flotation Sulfur; Lime Sulfur; Mike Sulfur
Sunflower: See *Helianthus annuus*
Surface-active agents: effect of Tergitol 7 on uptake of toxicants by fungus spores, **17**:292
effects on growth of wheat seedlings, **15**:311
use in seed soaking experiments, **17**:11
Surface area of fungicides related to persistence, **16**:147
Sweet potato: See *Ipomoea batatas*
Sycamore: anthracnose fungi injury in Iowa, **18**:104
Symbionts: in sulfur metabolism by cockroaches, **20**:317
Symphoricarpos orbiculatus: embryo dormancy, germination of seeds, **12**:301
Symphoricarpos racemosus: nitrogen effects on seed germination, **12**:485
Synergism: carbamate insecticides, **19**:501
of chromate with copper and with zinc, **16**:377
Synergists: 2-(3,5-dichloro-2-biphenylyloxy)-triethylamine, **20**:293
effectiveness in space sprays, **18**:10
for pyrethrins, **18**:187
pyrethrins-type insecticides, **18**:6
in wheat protectants, **18**:13
SYNERHOLM, MARTIN E., and ALBERT HARTZELL. Some compounds containing the 3,4-methylenedioxyphenyl group and their toxicities toward houseflies, **14**:79
SYNERHOLM, MARTIN E., ALBERT HARTZELL, and JOHN M. ARTHUR. Derivatives of piperic acid and their toxicities toward houseflies, **13**:433
SYNERHOLM, MARTIN E., ALBERT HARTZELL, and VICTOR CULLMANN. Pyrethrin extenders, **15**:35
SYNERHOLM, MARTIN E., and P. W. ZIMMERMAN. A note on the preparation of 2-chloro-3,5-diiodobenzoic acid and 2-chloro-3,5-dibromobenzoic acid and their effects on tomato plants, **14**:39
Preparation of a series of ω-(2,4-dichlorophenoxy)aliphatic acids and some related compounds with a consideration of their biochemical role as plant-growth regulators, **14**:369
The preparation of some substituted phenoxy alkyl carboxylic acids and their properties as growth substances, **14**:91
SYNERHOLM, MARTIN E.: See also PRILL, EDWARD A.
Syringa vulgaris: ringspot-virus diseases of, **17**:1

2,4,5-T: See 2,4-Trichlorophenoxyacetic acid
T50: time required to immobilize 50 per cent of mosquito larvae in photomigration test, **17**:439
TAKEDA, AKIRA. *m*-Nitro- and *m*-trifluoromethyl-aryl acids as plant growth regulators, **20**:191
α-Substituted aryl-acetic acids as plant growth regulators, **20**:197
Talc: effects on germination of seeds, **11**:181, 207, 229
on growth substances activity, **11**:143, 207
on seedling growth, **11**:207
Tankage: fertilizer value, **12**:345

Taraxacum officinale: effect of seed storage on viability, **17**:94
    of 2,4-D on growth, **14**:471
  storage of seeds, **13**:35
  β-2-trichloroethyl-D-glucoside formed on treatment with chloral hydrate, **12**:465
  trichloroethylglycoside obtained from, **19**:113
Tarnished plant bug: See *Lygus*
Taurine: housefly metabolism, **19**:386
TAYLOR, C. F.: See THURSTON, H. W., JR.
Tea: See *Camellia sinensis*
TEFFT, EDWIN R.: See MOOREFIELD, HERBERT H.
Temperature: effect on activation of Crag Herbicide I in soil, **17**:133
    on amino acid accumulation in tree peony seeds, **19**:489
    on crystallite growth in Bordeaux mixture, **19**:117
    on germination of *Plantago* spp., **17**:267
    on growth and reproduction of *Plantago*, **18**:198
    on growth of isolates of anthracnose fungi, **18**:97
    on interaction of vernalization and photoperiodism in spinach, **18**:159
    on *Matsucoccus* scale, **18**:427
    as modified by carbon dioxide, **13**:65, 355
    on physiologically dwarfed peach seedlings, **20**:61
    on seed viability, **18**:21
    on seeds of corn, **20**:403
    on seeds of *Lobelia cardinalis*, **20**:398
    on sporangial production by *Phytophthora cinnamomi*, **17**:369
    on sugars in potato tubers, **13**:65
    on viability of stored *Lilium* pollen, **18**:155
    on viability of stored seeds, **17**:87
  See also Thermoperiodism
Temperature, subfreezing: effect on conifer seeds in storage, **18**:21
Tennessee Copper "34": in greenhouse control of early blight, late blight of tomato, **13**:93
    of snapdragon rust, **13**:367
TEPP: See Tetraethyl pyrophosphate
Tergitol 7: effect on uptake of toxicants by fungus spores, **17**:292
Tergitol 7 penetrant: in control of Japanese beetle, as insecticide, **11**:83
    as solvent and wetting agent for pyrethrum, **11**:83
Tersan: use in disinfesting seeds, **15**:211
Tetraethyl pyrophosphate: toxic effects on insects and mites, **15**:11
    on plants, **15**:11
Tetraethylthiuram disulfide: interaction with dithiocarbamate-type fungicides to produce CS_2, **17**:308
Tetrachloro-*p*-benzoquinone: See Spergon
Tetramethylthiuramdisulfide: in greenhouse control of early blight, late blight on tomato, **13**:93
    of snapdragon rust, **13**:367
  seed and soil disinfectant, **16**:306
Textac: control of holly leaf miner, **12**:119
Thermoperiodism: effects on flowering of *Digitalis purpurea*, **12**:111
Thiocarbamide: See Thiourea
Thiocresol, *p*-: overcomes dormancy in peach buds, **12**:45
Thiols: reaction with captan, **20**:475
    with dichlone, **20**:475
Thiophene, 3-chloro-2,3-dihydro-1,1-dioxide: nematocidal properties of, **19**:71
Thiophene, 3,4-dichlorotetrahydro-1,1-dioxide: colorimetric analysis of, **19**:77
  nematocidal properties of, **19**:63
Thiophosgene: reaction with 4-nitrothiophenol, **20**:483
    with thiophenol, **20**:486
Thiosan: See Tetramethylthiuramdisulfide
Thiouracil: biochemical effect on tobacco, **19**:87; **20**:307
Thiourea: effects on dogs, **11**:241
    on dormancy in potato tubers treated with methyl ester of naphthaleneacetic acid, **12**:387
    on germination of lettuce seeds, **14**:229
    on guinea pigs, **11**:249
    on man, **11**:241, 249
    on rabbits, **11**:241
    on rats, **11**:241, 249
  feeding tests, **12**:471
    with rats, **13**:501
  prevents browning in dried apples, **13**:57
    in plant tissues, **12**:309
Thiourea derivatives: relationships between chemical constitutions and inhibition of polyphenol oxidase, **17**:482

Thiram: See Tetramethylthiuram disulfide
THOMPSON, H. JEANNE: See REEVES, RICHARD E.
Thorium nitrate: photometric titration of fluorides with, **19**:289
THORNTON, NORWOOD C. Carbon dioxide storage. XII. Germination of seeds in the presence of carbon dioxide, **13**:355
  Carbon dioxide storage. XIV. The influence of carbon dioxide, oxygen, and ethylene on the vitamin C content of ripening bananas, **13**:201.
  Dormancy, bud growth, and apical dominance regulated by oxygen in freshly-harvested potato tubers, **13**:361
  Factors influencing vitamin C content of asparagus, banana, and seedlings of garden pea during growth or in storage, **14**:295
  Importance of oxygen supply in secondary dormancy and its relation to the inhibiting mechanism regulating dormancy, **13**:487
THORNTON, NORWOOD C., and F. E. DENNY. Oxygen intake and carbon dioxide output of gladiolus corms after storage under conditions which prolong the rest period, **11**:421
THORNTON, NORWOOD C., and CARL SETTERSTROM. Toxicity of ammonia, chlorine, hydrogen cyanide, hydrogen sulphide, and sulphur dioxide gases. III. Green plants, **11**:343
THORNTON, NORWOOD C.: See also BARTON, LELA V.; CROCKER, WILLIAM; DENNY, F. E.
Thuja: water-conducting system of, **20**:27
Thuja plicata: storage temperatures, **18**:21
THURSTON, H. W., JR., JOHN B. HARRY, F. H. LEWIS, A. B. GROVES, and C. F. TAYLOR. Glyoxalidine derivatives as foliage fungicides. II. Field studies, **14**:161
THURSTON, H. W., JR.: See also HARRY, J. B.; WELLMAN, R. H.
Thymidine, tritium-labeled: incorporation into nuclei of rusted bean leaves, **20**:349
Tilletia caries: spore size, **19**:308
Tilletia tritici: use in seed treatment tests of fungicides, **13**:143, 171
TISDALE, W. H., and A. L. FLENNER. Derivatives of dithiocarbamic acid as fungicides, **16**:303
Tissues: alfalfa, fluorine in, **19**:52
  celery, fluorine in, **19**:52
  oat, fluorine in, **19**:52
  rose, changes in protein nitrogen, **19**:330
    composition changes due to senescence, **19**:327
    L-quinic acid isolated from, **19**:341
  tea, fluorine in, **19**:49
  tobacco, biochemical changes induced by thiouracil, **19**:87
  tomato, fluorine in, **19**:52
  tree peony seeds, amino acids in, **19**:487, 492
Titration: fluorides, **18**:184
Titration, photometric: fluorides, **19**:289
Tobacco: See *Nicotiana tabacum*
Tobacco mosaic virus: amino acid composition, **18**:374
  anaphylaxis tests, **11**:441
  comparison of infectivity of different preparations, **14**:457
  precipitin reactions as tests, **11**:441
  quantitative colorimetric micro-determination, **13**:337
  quantitative virus-antiserum reactions, **13**:385
  tests with antibiotics for control in *Nicotiana glutinosa*, **16**:400
Tolmiea menziesii: effect of ozone on, **20**:275
Tomato: See *Lycopersicon esculentum*
Tomato bushy stunt virus: amino acid composition, **18**:374
TORGESON, DEWAYNE C. Root rot of Lawson cypress and other ornamentals caused by *Phytophthora cinnamomi*, **17**:359
TORGESON, DEWAYNE C., J. A. LAMBRECH, and W. H. HENSLEY. Fungicidal effectiveness of S,S′-dimethyl xanthogenethylenebis[dithiocarbamate] and related compounds, **20**:299
Toxaphene: T50 test for the immobilization of mosquito larvae, **17**:441
Toxicants: effect on oxygen uptake by fungus spores, **18**:47
  on oxygen uptake by mycelial pellets, **18**:489
  on viability of mycelial pellets, **18**:489
Toxicity: of cyclethrin, **18**:16
Toxicity, mammalian: of Sevin, **18**:512

Toxicity of fungicides: causes of variations in spore germination tests, **12**:49
  toxicity curves, **12**:49, 431, 451
Toxicity of industrial gases, **11**:325, 331, 343, 357, 365
Toxicity of insecticide spray residues in processed foods, **16**:51
Trace elements: effect of soaking seeds in aerated and non-aerated solutions, **17**: 18, 21
Tracheidal conduits: movement of injected dyes along, **20**:7
Trailing arbutus: See *Epigaea repens*
Translocation: leaf immersion technique, **15**:165
  observations through use of growth substances, **14**:51
  substituted benzoic acids, **16**:422
  variation in growth regulators, **16**:212
Transpiration: effects on absorption of growth substances, **14**:51
  β-naphthoxyacetic acid effects, **15**:283
  in *Plantago ovata* plants, **18**:200
Tree peony: See *Paeonia suffruticosa*
Tree tomato: See *Cyphomandra betacea*
Trees: anthracnose fungi on, **18**:85
s-Triazine, 2,4-dichloro-6-anilino-: physical and analytical constants, **18**: 320
s-Triazine, 2,4-dichloro-6-arylamino-: halogenation of, **18**:379
s-Triazine, 2,4-dichloro-6-(*o*-chloroanilino)-: chemical structures and dissociation constants in relation to reaction rates with, **18**:395
  reaction rates of metabolites with, **18**:398
  relative reactivities with metabolites, **19**: 169, 417
  stability in soil, **20**:205
s-Triazines: colorimetric determination of, **18**:319
  mechanism of action, **18**:447
  reactions with spore constituents, **18**:444
  relation between structure and activity, **18**:450
  relative reactivities, **18**:446
  solubilities and melting points of derivatives, **18**:430
  uptake by conidia of *Neurospora sitophila*, **18**:433
s-Triazines, amino: evaluation as fungicides, **18**:380
s-Triazines, substituted: fungitoxicity of, **18**:386
  methods of synthesis, **18**:378
Tribolium confusum: insecticidal activity tests upon, **16**:453
Tricarboxylic cycle: in fungi, **18**:137, 140, 142
Trichlorobenzaldehyde, 2,3,6-: growth-regulating effects, **16**:209
Trichlorobenzoic acid: growth-regulating effects, **16**:210, 420
Trichloroethyl alcohol: converted into β-2-trichloroethyl-gentiobioside when absorbed by gladiolus corms, **12**:29
  by tomato roots, **12**:15
N-(Trichloromethylthio)-4-cyclohexene-1,2-dicarboximide: See Captan
2,4,5-Trichlorophenoxyacetic acid: comparative plant responses with different esters of, **17**:256
  as control for *Alternanthera philoxeroides*, **16**:103
  determination of volatility of esters of, **17**:243
2,4,5-Trichlorophenoxyacetic acid, polyethylene glycol ester of: herbicidal properties, **16**:267
2,4,5-Trichlorophenoxyacetic acid, polypropylene glycol esters of: herbicidal properties, **16**:267
Triethylamine, 2-(3,5-dichloro-2-biphenylyloxy)-: as insecticide synergist, **20**:293
m-Trifluoromethyl-aryl acids: as plant growth regulators, **20**:191
Triiodobenzoic acid: as growth regulator, **12**:491; **15**:353
Trillium: dormancy and germination of seeds, **13**:259
Triphenyltetrazolium chloride, 2,3,5-: use as method for seed viability tests, **15**:243
Triticum: effect of antibiotics on germination and root growth, **17**:422, 430
    of inhibitors on root growth, **15**:259
    of soaking seeds in inorganic salt solutions, **17**:15
    of some organic acids on root growth, **15**:429
  as source of growth inhibiting substances, **15**:259
  surface-active agents effects on root growth, **15**:311
Triticum aestivum: β-2-chloroethyl-D-glucoside formed on treatment with ethylene chlorohydrin, **12**:25

effect on respiration of depletion of oxygen supply in seeds, **14**:419
of seed soaking, **16**:55
organic acid composition, **19**:1
respiration rate, **15**:47, 211
Triton X-155: effect on toxicity of insecticides, **20**:421
Tropaeolum majus: β-naphthoxyacetic acid effects, **15**:283
Trout: See *Salvelinus fontinalis*
Tryptophan: in plant tissues, **17**:199, 402, 405, 415
Tsuga: water conducting system of, **20**:27
Tsuga heterophylla: storage and viability of seeds, **18**:25
storage temperatures, **18**:21
TULECKE, WALTER: See WEINSTEIN, LEONARD H.
Tulip: See *Tulipa gesneriana*
Tulipa gesneriana: symptoms produced by cucumber mosaic virus, **17**:461
Turnip: See *Brassica rapa*
Turnip yellow virus: amino acid composition, **18**:374

UAL-37: See Urea-Ammonia Liquor-37
UHLER, R. L.: See WEINSTEIN, LEONARD H.
UHLMANN, GLORIA: See FLEMION, FLORENCE
Ulmus americana: effect of storage temperature on viability, **17**:91, 99
Ultra-violet effects: on *Alternaria solani* sporulation, **13**:323
Ultroil: effects on efficiency of insecticides, **11**:465
Umbelliferae: embryolessness, **14**:283; **15**:291
caused by *Lygus oblineatus,* **16**:39
in dill, **15**:299
germination of seeds, **14**:283
immature embryo, **15**:291
in dill, **15**:299
reduction of vegetative growth, **16**:280
seed yield reduction by *Lygus oblineatus,* **16**:280
Urea: temperature effects on availability of insoluble nitrogen, **12**:213
Urea-Ammonia Liquor-37: comparison with other insoluble nitrogens as fertilizer, **11**:393
temperature effects on availability of insoluble nitrogen, **12**:213
Urease: effect of ferbam and nabam, on activity of, **17**:301, 309
Uredospores: leaf and stem rust fungi, organic acid composition and succinoxidase activity of, **19**:19
Urginea maritima: vegetative propagation, **12**:481
Uromyces caryophyllinus: spore size, **19**:308
Uromyces phaseoli: dark carbon dioxide fixation by uredospores of, **20**:71
spore size, **19**:308
tritium-labeled glycine, distribution in infected bean leaves, **19**:349
Ustilago maydis: spore size, **19**:308

Vacuum bell jar duster: construction of, **16**:27
method of applying dusts, **16**:29
Valonia: physical properties of membranes, **12**:39
Valonia ventricosa: X-ray studies of cellulose in cell walls, **12**:171
Van Dyk 264: insecticidal effect on house flies, **15**:337
Vanilla: gas chromatography of, **20**:217
isolation of resins of, **20**:135
paper chromatography of, **20**:251
Variation: method for correcting for geographic variation, **15**:153
Vegetables: analysis for chlordan and heptachlor by chemical and bioassay methods, **17**:386, 387
germination of seed after storage under different conditions, **17**:92
Vegetation: determination of fluorides in, **18**:419
Venturia inaequalis: rate of spore uptake of 2-heptadecyl-2-imidazoline, **17**:180
spore size, **19**:308
Venturia pyrina: effect of previous uptake of silver on uptake of 2-heptadecyl-2-imidazoline, **17**:287
of silver uptake on germination, **17**:188
spore size, **19**:308
spore uptake of 2-heptadecyl-2-imidazoline, **17**:181
Verbena: effect of gibberellic acid on pollen germination, **19**:216
of gibberellic acid on pollen-tube growth, **19**:218
of ozone on, **20**:275

Verbena hybrida: polyploidy induced in, **18**:243
Verbena teucrioides: effect of age and storage of seed on yield, **14**:243
  germination of seeds after storage under various conditions, **17**:96
Vernalization: interaction with photoperiodism, **18**:165
  in spinach, **18**:160
Viability: of conifer seeds, **18**:21
  of Douglas-fir seed, **18**:29
  effect of storage of seeds on, **17**:87; **18**:28
  of frost-damaged corn, **20**:403
  of *Lobelia cardinalis*, **20**:398
  of mycelial pellets, **18**:483
  of seeds, **17**:87, 267
  of Western hemlock seed, **18**:28
Vicia faba: effect of seed soaking, **16**:55
  symptoms produced by cucumber mosaic virus, **17**:462
Virus diseases: non-transference in treatments of potato tubers to break dormancy, **14**:305
Viruses: β-naphthoxyacetic acid-treated plants have temporary appearance similar to diseased, **12**:1
  xylenoxy treated plants have temporary appearance similar to diseased, **13**:273
  See also specific viruses
Viruses, plant: purification procedure, **18**:371
Vitamin B_1: effects on plant growth, **11**:143
  on rooting, **11**:143
  as growth substance, **12**:143
Vitamin B_2: effects on rooting, **11**:143
Vitamin B_6: effects on root growth rooting, **11**:143
Vité, J. P. Observations on the movement of injected dyes in *Pinus ponderosa* and *Abies concolor*, **20**:7
Vité, J. P., and J. A. Rudinsky. The water-conducting systems in conifers and their importance to the distribution of trunk injected chemicals, **20**:27
Vité, J. P.: See also Hendrickson, W. H.
Vitis: effect of ozone on, **20**:275
Vlitos, A. J. Biological activation of sodium 2-(2,4-dichlorophenoxy)ethyl sulfate, **17**:127
  Biological activation of sodium 2-(2,4-dichlorophenoxy)ethyl sulfate by *Bacillus cereus* var. *mycoides*, **16**:435
Vlitos, A. J., and Thomas S. Hitchcock. Plant growth regulating activity of 3-indolemethanesulfonic acid, **19**:255
Vlitos, A. J., and W. Meudt. The effect of light and of the shoot apex on the action of gibberellic acid, **19**:55
  Interactions between vernalization and photoperiod in spinach, **18**:159
  The role of auxin in plant flowering. I. A quantitative method based on paper chromatography for the determination of indole compounds and of 3-indoleacetic acid in plant tissues, **17**:197
  The role of auxin in plant flowering. II. Methods for the extraction and quantitative chemical determination of free 3-indoleacetic acid and other indole compounds from plant tissues, **17**:401
  The role of auxin in plant flowering. III. Free indole acids in short-day plants grown under photoinductive and nonphotoinductive daylengths, **17**:413
Vlitos, A. J., Werner Meudt, and R. Beimler. The role of auxin in plant flowering. IV. A new unidentified naturally occurring indole hormone in normal and gamma irradiated Maryland Mammoth tobacco, **18**:283
Vlitos, A. J.: See also Crosby, Donald G.; Phillips, I. D. J.
Volatility of herbicides: method of measuring, **17**:244

Walnut, black: breaking pressure changes with storage at various soil temperatures, **14**:173
  chemical composition as affected by storage in moist soil at various temperatures, **14**:173
  effect of removing shell from embryo on germination at high temperature, **14**:173
  growth of plants in greenhouse following various treatments to promote germination of embryo, **14**:173
Water conduction: in conifers, **20**:27
  in Douglas-fir, **20**:353
Water hyacinth: See *Eichhornia crassipes*

WATERBURY, ELIZABETH: See FLEMION, FLORENCE

WEED, RICHARD M., S. E. A. MCCALLAN, and LAWRENCE P. MILLER. Factors associated with the fungitoxicity of ferbam and nabam, **17**:299

WEED, RICHARD M.: See also FLEMION, FLORENCE; HILCHEY, JOHN D.; MCCALLAN, S. E. A.; MILLER, LAWRENCE, P.

Weed control: in *Asparagus officinalis* by 2,4-dichlorophenoxyethyl sulfate, **16**:203
- by 2,4-dichlorophenoxyacetic acid, **14**:471
- effects of 2,4-D, **15**:173
  - on water hyacinth, **15**:363
- experiments with IMSA, **19**:261
- leaf immersion technique for studying absorption and translocation in plants, **15**:165
- sodium cyanide, **13**:473
- by sodium 2,4-dichlorophenoxyethyl sulfate, **16**:191
- by sodium isopropylxanthate, **15**:403
- in sweet corn by 2,4-dichlorophenoxyethyl sulfate, **16**:200

WEEDON, F. R., ALBERT HARTZELL, and CARL SETTERSTROM. Toxicity of ammonia, chlorine, hydrogen cyanide, hydrogen sulphide, and sulphur dioxide gases. V. Animals, **11**:365

WEEDON, F. R.: See also MCCALLAN, S. E. A.

Weeds, common: optimum and maximum depths of emergence in soil, **16**:474

WEINSTEIN, LEONARD H. Senescence of roses. I. Chemical changes associated with senescence of cut Better Times roses, **19**:33

WEINSTEIN, LEONARD H., and HENRY J. LAURENCOT, JR. Senescence of roses. II. Dark fixation of CO_2 by cut Better Times roses at different stages of senescence, **19**:327

WEINSTEIN, L. H., A. M. MEISS, R. L. UHLER, and E. R. PURVIS. Effect of ethylenediaminetetraacetic acid on nitrogen metabolism and enzyme patterns in soybean plants, **18**:357

WEINSTEIN, LEONARD H., LOUIS G. NICKELL, HENRY J. LAURENCOT, JR., and WALTER TULECKE. Biochemical and physiological studies of tissue cultures and the plant parts from which they are derived. I. *Agave toumeyana* Trel., **20**:239

WEINSTEIN, LEONARD H., CLARK A. PORTER, and HENRY J. LAURENCOT, JR. Quinic acid as a precursor in aromatic biosynthesis in the rose, **20**:121

WEINSTEIN, LEONARD H., and W. REI ROBBINS. Effect of light on the catalase and cytochrome oxidase activities of leaf tissues of green and albino sunflower plants, **18**:225

WEINSTEIN, LEONARD H., WILLIAM R. SMITH, and HENRY J. LAURENCOT, JR. Senescence of roses. III. Isolation and identification of *l*-quinic acid from Better Times roses, **19**:341

WEINSTEIN, LEONARD H.: See also COTTY, VAL F.; PORTER, CLARK A.; STAPLES, RICHARD C.

WEISS, ALLEN J.: See LEDBETTER, MYRON C.

WELLMAN, R. H.: The economics of using fungicides, **16**:295

WELLMAN, R. H., and S. E. A. MCCALLAN. An analysis of factors causing variation in spore germination tests of fungicides. IV. Time and temperature, **12**:431
- Correlations within and between laboratory slide-germination, greenhouse tomato foliage disease, and wheat smut methods of testing fungicides, **13**:143
- Glyoxalidine derivatives as foliage fungicides. I. Laboratory studies, **14**:151
- A system for classifying effectiveness of fungicides in exploratory tests, **13**:171

WELLMAN, R. H., H. W. THURSTON, JR., and F. R. WHALEY. A method for correcting for geographic variation in field experiments, **15**:153

WELLMAN, R. H.: See also HARRY, J. B.; MCCALLAN, S. E. A.

Wetting agent: effect on toxicity of insecticides, **20**:421

WEXLER, ELEANOR: See HARTZELL, ALBERT

WHALEY, F. R., and J. B. HARRY. Chromate complexes as fungicides, **16**:375

WHALEY, F. R.: See also HARRY, J. B.; WELLMAN, R. H.

Wheat: See *Triticum*

ADDITIONAL ERRATA

Vol. 19, page 510, TABLE I, column 2, lines 3 and 4 should read "53" and "52", respectively

Vol. 20, page 277, TABLE I, column 1, line 8 from bottom should read "*Fragaria*"

Vol. 20, page 494, equation *11* should read "$[R_1 - S^{\cdot} + {}^{\cdot}S - R_2] \rightarrow \cdots$"

Vol. 20, page 495, first formula in equation *15*, arrows should indicate a shift of the electrons to the carbon sulfur bond and not to the sulfur atom.

Vol. 20, page 502, left column, line 10 from bottom, should read "*Monilinia*"

Vol. 20, page 503, left column, line 9 from top, should read "Pea: See *Pisum sativum*"